

Chapter 6

REFERENCES

1. Kluger MT, Tham EJ, Coleman NA, Runciman WB, Bullock MF. Inadequate pre-operative evaluation and preparation: a review of 197 reports from the Australian incident monitoring study. *Anaesthesia*. 2000;55(12):1173-1178.
2. Runciman WB, Webb RK. *Aust Soc Anaesth Newslett*. 1994;94:15-17.
3. Davis NJ, ed. *Anaesthesia-Related Mortality in Australia 1994-1996*. Melbourne, Australia: Capital Press; 1999.
4. Marty J, Plaud B. Anesthetic process, organization, management and economic issues: the French perspective. *Curr Opin Anaesthesiol*. 2009;22(2):249-254.
5. Niemi-Murola L, Pöyhä R, Onkinen K, Rhen B, Mäkelä A, Niemi TT. Patient satisfaction with postoperative pain management—effect of preoperative factors. *Pain Manag Nurs*. 2007;8(3):122-129.
6. Lonsdale M, Hutchison GL. Patients' desire for information about anaesthesia. Scottish and Canadian attitudes. *Anaesthesia*. 1991;46(5):410-412.
7. Ferschl MB, Tung A, Sweitzer B, Huo D, Glick DB. Preoperative clinic visits reduce operating room cancellations and delays. *Anesthesiology*. 2005;103(4):855-859.
8. American Society of Anesthesiologists Task Force on Preanesthesia Evaluation. Practice advisory for preanesthesia evaluation: a report by the American Society of Anesthesiologists Task Force on Preanesthesia Evaluation. *Anesthesiology*. 2002;96(2):485-496.
9. Apfelbaum JL. Preoperative evaluation, laboratory screening, and selection of adult surgical outpatients in the 1990s. *Anesth Rev*. 1990;17(Suppl 2):4-12.
10. Pasternak LR. *Screening Patients: Strategies and Studies*. Baltimore, MD: Williams and Wilkins; 1995.
11. American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery), American Society of Echocardiography, American Society of Nuclear Cardiology, et al. ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery). *Anesth Analg*. 2008;106(3):685-712.
12. Beattie WS, Karkouti K, Wijeyesundera DN, Tait G. Risk associated with preoperative anemia in noncardiac surgery: a single-center cohort study. *Anesthesiology*. 2009;110(3):574-581.
13. Smetana GW, Lawrence VA, Cornell JE, American College of Physicians. Preoperative pulmonary risk stratification for noncardiothoracic surgery: systematic review for the American College of Physicians. *Ann Intern Med*. 2006;144(8):581-595.
14. Yoo PS, Mulkeen AL, Frattini JC, Longo WE, Cha CH. Assessing risk factors for adverse outcomes in emergent colorectal surgery. *Surg Oncol*. 2006;15(2):85-89.
15. Wu W-C, Schiffner TL, Henderson WG, et al. Preoperative hematocrit levels and postoperative outcomes in older patients undergoing noncardiac surgery. *JAMA*. 2007;297(22):2481-2488.
16. Babitu UQ, Cyna AM. Patients' understanding of technical terms used during the pre-anaesthetic consultation. *Anaesth Intensive Care*. 2010;38(2):349-353.
17. Roizen MF, Klock PA, Klapka J. How much do they really want to know? Preoperative patient interviews and the anesthesiologist. *Anesth Analg*. 1996;82(3):443-444.
18. Matthey P, Finucane BT, Finegan BA. The attitude of the general public towards preoperative assessment and risks associated with general anesthesia. *Can J Anaesth*. 2001;48(4):333-339.
19. Sandler G. The importance of the history in the medical clinic and the cost of unnecessary tests. *Am Heart J*. 1980;100(6 Pt 1):928-931.
20. Clendenin DJ, Athiraman U, Zurakowski D, Shapiro F, Sethna NF. Accuracy of preoperative electrocardiographic and chest radiographic screening for prediction of left ventricular dysfunction in patients with suspected neuromuscular disorders. *Anesth Analg*. 2010;110(4):1116-1120.
21. Hlatky MA, Boineau RE, Higginbotham MB, et al. A brief self-administered questionnaire to determine functional capacity (the Duke Activity Status Index). *Am J Cardiol*. 1989;64(10):651-654.
22. Jetté M, Sidney K, Blümchen G. Metabolic equivalents (METs) in exercise testing, exercise prescription, and evaluation of functional capacity. *Clin Cardiol*. 1990;13(8):555-565.
23. American Society of Anesthesiologists Task Force on Management of the Difficult Airway. Practice guidelines for management of the difficult airway: an updated report by the American Society of Anesthesiologists Task Force on Management of the Difficult Airway. *Anesthesiology*. 2003;98(5):1269-1277.

24. Yasny JS. Perioperative dental considerations for the anesthesiologist. *Anesth Analg.* 2009;108(5):1564-1573.
25. Krobbuaban B, Diregpoke S, Kumkeaw S, Tanomsat M. The predictive value of the height ratio and thyromental distance: four predictive tests for difficult laryngoscopy. *Anesth Analg.* 2005;101(5):1542-1545.
26. Girish M, Trayner E Jr, Dammann O, Pinto-Plata V, Celli B. Symptom-limited stair climbing as a predictor of postoperative cardiopulmonary complications after high-risk surgery. *Chest.* 2001;120(4):1147-1151.
27. Brunelli A, Monteverde M, Al Refai M, Fianchini A. Stair climbing test as a predictor of cardiopulmonary complications after pulmonary lobectomy in the elderly. *Ann Thorac Surg.* 2004;77(1):266-270.
28. Vercauteren M, Heytens L. Anaesthetic considerations for patients with a pre-existing neurological deficit: are neuraxial techniques safe? *Acta Anaesthesiol Scand.* 2007;51(7):831-838.
29. Chung F, Yuan H, Yin L, Vairavanathan S, Wong DT. Elimination of preoperative testing in ambulatory surgery. *Anesth Analg.* 2009;108(2):467-475.
30. Blery C, Charpak Y, Szatan M, et al. Evaluation of a protocol for selective ordering of preoperative tests. *Lancet.* 1986;1(8473):139-141.
31. O'Connor ME, Drasner K. Preoperative laboratory testing of children undergoing elective surgery. *Anesth Analg.* 1990;70(2):176-180.
32. Yuan H, Chung F, Wong D, Edward R. Current preoperative testing practices in ambulatory surgery are widely disparate: a survey of CAS members. *Can J Anaesth.* 2005;52(7):675-679.
33. Rabkin SW, Horne JM. Preoperative electrocardiography: its cost-effectiveness in detecting abnormalities when a previous tracing exists. *Can Med Assoc J.* 1979;121(3):301-306.
34. Gold BS, Young ML, Kinman JL, Kitz DS, Berlin J, Schwartz JS. The utility of preoperative electrocardiograms in the ambulatory surgical patient. *Arch Intern Med.* 1992;152(2):301-305.
35. Callaghan LC, Edwards ND, Reilly CS. Utilisation of the preoperative ECG. *Anaesthesia* 1995;50(6):488-490.
36. van Klei WA, Bryson GL, Yang H, Kalkman CJ, Wells GA, Beattie WS. The value of routine preoperative electrocardiography in predicting myocardial infarction after noncardiac surgery. *Ann Surg.* 2007;246(2):165-170.
37. Noordzij PG, Boersma E, Bax JJ, et al. Prognostic value of routine preoperative electrocardiography in patients undergoing noncardiac surgery. *Am J Cardiol.* 2006;97(7):1103-1106.
38. Center for Medicare and Medicaid Services. ICD-9 Codes. <http://www.cms.hhs.gov>. Accessed June 14, 2010.
39. Charpak Y, Blery C, Chastang C, Szatan M, Fourgeaux B. Prospective assessment of a protocol for selective ordering of preoperative chest x-rays. *Can J Anaesth.* 1988;35(3[Pt 1]):259-264.
40. Zibrak JD, O'Donnell CR, Marton K. Indications for pulmonary function testing. *Ann Intern Med.* 1990;112(10):763-771.
41. Palmer SK, Van Norman GA, Jackson SL. Routine pregnancy testing before elective anesthesia is not an American Society of Anesthesiologists standard. *Anesth Analg.* 2009;108(5):1715-1716.
42. Hennrikus WL, Shaw BA, Gerardi JA. Prevalence of positive preoperative pregnancy testing in teenagers scheduled for orthopedic surgery. *J Pediatr Orthop.* 2001;21(5):677-679.
43. Kahn RL, Stanton MA, Tong-Ngork S, Liguori GA, Edmonds CR, Levine DS. One-year experience with day-of-surgery pregnancy testing before elective orthopedic procedures. *Anesth Analg.* 2008;106(4):1127-1131; table of contents.
44. Lawrence VA, Gafni A, Gross M. The unproven utility of the preoperative urinalysis: economic evaluation. *J Clin Epidemiol.* 1989;42(12):1185-1192.
45. Epstein AM, Begg CB, McNeil BJ. The use of ambulatory testing in prepaid and fee-for-service group practices. Relation to perceived profitability. *N Engl J Med.* 1986;314(17):1089-1094.
46. Wei L, MacDonald TM, Walker BR. Taking glucocorticoids by prescription is associated with subsequent cardiovascular disease. *Ann Intern Med.* 2004;141(10):764-770.
47. Coskun S, Ozoran K, Mermerci B, et al. Cardiac involvement in patients with rheumatoid arthritis. *APLAR J Rheumatol.* 2005;8:23-31.
48. Asanuma Y, Oeser A, Shintani AK, et al. Premature coronary-artery atherosclerosis in systemic lupus erythematosus. *N Engl J Med.* 2003;349(25):2407-2415.
49. McFalls EO, Ward HB, Moritz TE, et al. Coronary-artery revascularization before elective major vascular surgery. *N Engl J Med.* 2004;351(27):2795-2804.
50. Breen P, Lee JW, Pomposelli F, Park KW. Timing of high-risk vascular surgery following coronary artery bypass surgery: a 10-year experience from an academic medical centre. *Anaesthesia.* 2004;59(5):422-427.
51. Back MR, Stordahl N, Cuthbertson D, Johnson BL, Bandyk DF. Limitations in the cardiac risk reduction provided by coronary revascularization prior to elective vascular surgery. *J Vasc Surg.* 2002;36(3):526-533.
52. Dawood MM, Gutpa DK, Southern J, Walia A, Atkinson JB, Eagle KA. Pathology of fatal perioperative myocardial infarction: implications regarding pathophysiology and prevention. *Int J Cardiol.* 1996;57(1):37-44.
53. Grines CL, Bonow RO, Casey DE Jr, et al. Prevention of premature discontinuation of dual antiplatelet therapy in patients with coronary artery stents: a science advisory from the American Heart Association, American College of Cardiology, Society for Cardiovascular Angiography and Interventions, American College of Surgeons, and American Dental Association, with representation from the American College of Physicians. *J Am Coll Cardiol.* 2007;49(6):734-739.
54. American Society of Anesthesiologists Committee on Standards and Practice Parameters. Practice alert for the perioperative management of patients with coronary artery stents: a report by the American Society of Anesthesiologists Committee on Standards and Practice Parameters. *Anesthesiology.* 2009;110(1):22-23.
55. Flu WJ, van Kuijk JP, Hoeks SE, et al. Prognostic implications of asymptomatic left ventricular dysfunction in patients undergoing vascular surgery. *Anesthesiology.* 2010;112(6):1316-1324.
56. The Criteria Committee of the New York Heart Association. *Nomenclature and Diagnosis of Disease of the Heart and Great Vessels.* 9th ed. Boston, MA: Little, Brown; 1994.
57. Matyal R, Hess PE, Subramaniam B, et al. Perioperative diastolic dysfunction during vascular surgery and its association with postoperative outcome. *J Vasc Surg.* 2009;50(1):70-76.
58. de Vos CB, Pisters R, Nieuwlaet R, et al. Progression from paroxysmal to persistent atrial fibrillation clinical correlates and prognosis. *J Am Coll Cardiol.* 2010;55(8):725-731.
59. Otto CM, Lind BK, Kitzman DW, Gersh BJ, Siscovick DS. Association of aortic-valve sclerosis with cardiovascular mortality and morbidity in the elderly. *N Engl J Med.* 1999;341(3):142-147.
60. Aronow WS, Ahn C, Shirani J, Kronzon I. Comparison of frequency of new coronary events in older subjects with and

- without valvular aortic sclerosis. *Am J Cardiol.* 1999;83(4):599-600, A598.
61. Bonow RO, Carabello BA, Chatterjee K, et al. 2008 focused update incorporated into the ACC/AHA 2006 guidelines for the management of patients with valvular heart disease. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 1998 Guidelines for the Management of Patients With Valvular Heart Disease). *J Am Coll Cardiol.* 2008;52(13):e1-142.
 62. American Society of Anesthesiologists Task Force on Perioperative Management of Patients With Cardiac Rhythm Management Devices. Practice advisory for the perioperative management of patients with cardiac rhythm management devices: pacemakers and implantable cardioverter-defibrillators: a report by the American Society of Anesthesiologists Task Force on Perioperative Management of Patients With Cardiac Rhythm Management Devices. *Anesthesiology.* 2005;103(1):186-198.
 63. McAlister FA, Khan NA, Straus SE, et al. Accuracy of the preoperative assessment in predicting pulmonary risk after nonthoracic surgery. *Am J Respir Crit Care Med.* 2003;167(5):741-744.
 64. Warner DO, Warner MA, Barnes RD, et al. Perioperative respiratory complications in patients with asthma. *Anesthesiology.* 1996;85(3):460-467.
 65. DeNino LA, Lawrence VA, Averyt EC, Hilsenbeck SG, Dhanda R, Page CP. Preoperative spirometry and laparotomy: blowing away dollars. *Chest.* 1997;111(6):1536-1541.
 66. Amar D, Munoz D, Shi W, Zhang H, Thaler HT. A clinical prediction rule for pulmonary complications after thoracic surgery for primary lung cancer. *Anesth Analg.* 2010;110(5):1343-1348.
 67. Cerfolio RJ, Bryant AS. Different diffusing capacity of the lung for carbon monoxide as predictors of respiratory morbidity. *Ann Thorac Surg.* 2009;88:405-410.
 68. Castillo R, Haas A. Chest physical therapy: comparative efficacy of preoperative and postoperative in the elderly. *Arch Phys Med Rehabil.* 1985;66(6):376-379.
 69. Ballantyne JC, Carr DB, deFerranti S, et al. The comparative effects of postoperative analgesic therapies on pulmonary outcome: cumulative meta-analyses of randomized, controlled trials. *Anesth Analg.* 1998;86(3):598-612.
 70. Teo YW, Greenhalgh DL. Update on anaesthetic approach to pulmonary hypertension. *Eur J Anaesthesiol.* 2010;27(4):317-323.
 71. Tait AR, Malviya S. Anesthesia for the child with an upper respiratory tract infection: still a dilemma? *Anesth Analg.* 2005;100(1):59-65.
 72. Bradley TD, Floras JS. Sleep apnea and heart failure: Part I: obstructive sleep apnea. *Circulation.* 2003;107(12):1671-1678.
 73. Liao P, Yegneswaran B, Vairavanathan S, Zilberman P, Chung F. Postoperative complications in patients with obstructive sleep apnea: a retrospective matched cohort study. *Can J Anaesth.* 2009;56(11):819-828.
 74. Chung F, Yegneswaran B, Liao P, et al. STOP questionnaire: a tool to screen patients for obstructive sleep apnea. *Anesthesiology.* 2008;108(5):812-821.
 75. Neligan PJ, Malhotra G, Fraser M, et al. Noninvasive ventilation immediately after extubation improves lung function in morbidly obese patients with obstructive sleep apnea undergoing laparoscopic bariatric surgery. *Anesth Analg.* 2010;110(5):1360-1365.
 76. Haffner SM, Lehto S, Rönnemaa T, Pyörälä K, Laakso M. Mortality from coronary heart disease in subjects with type 2 diabetes and in nondiabetic subjects with and without prior myocardial infarction. *N Engl J Med.* 1998;339(4):229-234.
 77. Moitra VK, Greenberg J, Arunajadai S, Sweitzer B. The relationship between glycosylated hemoglobin and perioperative glucose control in patients with diabetes. *Can J Anaesth.* 2010;57(4):322-329.
 78. Garber AJ, Moghissi ES, Bransome ED Jr, et al. American College of Endocrinology position statement on inpatient diabetes and metabolic control. *Endocr Pract.* 2004;10 Suppl 2:4-9.
 79. Howell SJ, Sear JW, Foëx P. Hypertension, hypertensive heart disease and perioperative cardiac risk. *Br J Anaesth.* 2004;92(4):570-583.
 80. American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, American Society of Echocardiography, American Society of Nuclear Cardiology, et al. 2009 ACCF/AHA focused update on perioperative beta blockade. *J Am Coll Cardiol.* 2009;54(22):2102-2128.
 81. Furberg CD, Psaty BM, Pahor M, Alderman MH. Clinical implications of recent findings from the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT) and other studies of hypertension. *Ann Intern Med.* 2001;135(12):1074-1078.
 82. Billah B, Reid CM, Shardey GC, Smith JA. A preoperative risk prediction model for 30-day mortality following cardiac surgery in an Australian cohort. *Eur J Cardiothorac Surg.* 2010;37(5):1086-1092.
 83. Friedman LS. The risk of surgery in patients with liver disease. *Hepatology.* 1999;29(6):1617-1623.
 84. Practice guidelines for blood component therapy: a report by the American Society of Anesthesiologists Task Force on Blood Component Therapy. *Anesthesiology.* 1996;84(3):732-747.
 85. Firth PG, Head CA. Sickle cell disease and anesthesia. *Anesthesiology.* 2004;101(3):766-785.
 86. Cameron CL, Cella D, Herndon JE 2nd, et al. Persistent symptoms among survivors of Hodgkin's disease: an explanatory model based on classical conditioning. *Health Psychol.* 2001;20(1):71-75.
 87. Adams MJ, Hardenbergh PH, Constine LS, Lipshultz SE. Radiation-associated cardiovascular disease. *Crit Rev Oncol Hematol.* 2003;45(1):55-75.
 88. Kennedy JM, van Rij AM, Spears GF, Pettigrew RA, Tucker IG. Polypharmacy in a general surgical unit and consequences of drug withdrawal. *Br J Clin Pharmacol.* 2000;49(4):353-362.
 89. Kearon C, Hirsh J. Management of anticoagulation before and after elective surgery. *N Engl J Med.* 1997;336(21):1506-1511.
 90. McBane RD, Wysokinski WE, Daniels PR, et al. Periprocedural anticoagulation management of patients with venous thromboembolism. *Arterioscler Thromb Vasc Biol.* 2010;30:442-448.
 91. Myles PS, Iacono GA, Hunt JO, et al. Risk of respiratory complications and wound infection in patients undergoing ambulatory surgery: smokers versus nonsmokers. *Anesthesiology.* 2002;97(4):842-847.
 92. Mehta H, Nazzal K, Sadikot RT. Cigarette smoking and innate immunity. *Inflamm Res.* 2008;57(11):497-503.
 93. Woehhck HJ, Connolly LA, Cinquegrani MP, Dunning MB 3rd, Hoffmann RG. Acute smoking increases ST depression in humans during general anesthesia. *Anesth Analg.* 1999;89(4):856-860.
 94. A clinical practice guideline for treating tobacco use and dependence: A US Public Health Service report. The Tobacco Use and Dependence Clinical Practice Guideline Panel, Staff, and Consortium Representatives. *JAMA.* 2000;283(24):3244-3254.

95. Shi Y, Warner DO. Surgery as a teachable moment for smoking cessation. *Anesthesiology*. 2010;112(1):102-107.
96. Polanczyk CA, Marcantonio E, Goldman L, et al. Impact of age on perioperative complications and length of stay in patients undergoing noncardiac surgery. *Ann Intern Med*. 2001;134(8):637-643.
97. National Confidential Enquiry Into Patient Outcome and Death (NCEPOD). Extremes of Age. <http://www.ncepod.org.uk>. Accessed June 14, 2010.
98. Monk TG, Weldon BC, Garvan CW, et al. Predictors of cognitive dysfunction after major noncardiac surgery. *Anesthesiology*. 2008;108(1):18-30.
99. Tappen RM, Muzic J, Kennedy P. Preoperative assessment and discharge planning for older adults undergoing ambulatory surgery. *AORN J*. 2001;73(2):464-470.
100. Schein OD, Katz J, Bass EB, et al. The value of routine preoperative medical testing before cataract surgery. Study of Medical Testing for Cataract Surgery. *N Engl J Med*. 2000;342(3):168-175.
101. Imasogie N, Wong DT, Luk K, Chung F. Elimination of routine testing in patients undergoing cataract surgery allows substantial savings in laboratory costs. A brief report. *Can J Anaesth*. 2003;50(3):246-248.
102. Langeron O, Masso E, Huraux C, et al. Prediction of difficult mask ventilation. *Anesthesiology*. 2000;92(5):1229-1236.
103. Mercier FJ, Bonnet M-P. Tattooing and various piercing: anaesthetic considerations. *Curr Opin Anaesthesiol*. 2009;22(3):436-441.
104. Fleisher LA, Pasternak LR, Herbert R, Anderson GF. Inpatient hospital admission and death after outpatient surgery in elderly patients: importance of patient and system characteristics and location of care. *Arch Surg*. 2004;139(1):67-72.
105. Maurer WG, Borkowski RG, Parker BM. Quality and resource utilization in managing preoperative evaluation. *Anesthesiol Clin North America*. 2004;22(1):155-175.
106. Practice guidelines for preoperative fasting and the use of pharmacologic agents to reduce the risk of pulmonary aspiration: application to healthy patients undergoing elective procedures: a report by the American Society of Anesthesiologist Task Force on Preoperative Fasting. *Anesthesiology*. 1999;90(3):896-905.
107. Murphy GS, Ault ML, Wong HY, Szokol JW. The effect of a new NPO policy on operating room utilization. *J Clin Anesth*. 2000;12(1):48-51.
108. Spell NO 3rd. Stopping and restarting medications in the perioperative period. *Med Clin North Am*. 2001;85(5):1117-1128.
109. Comfere T, Sprung J, Kumar MM, et al. Angiotensin system inhibitors in a general surgical population. *Anesth Analg*. 2005;100(3):636-644.
110. Hirsch IA, Tomlinson DL, Slogoff S, Keats AS. The overstated risk of preoperative hypokalemia. *Anesth Analg*. 1988;67:131-136.
111. Burger W, Chemnitz JM, Kneissl GD, Rucker G. Low-dose aspirin for secondary cardiovascular prevention—cardiovascular risks after its perioperative withdrawal versus bleeding risks with its continuation—review and meta-analysis. *J Intern Med*. 2005;257(5):399-414.
112. Chassot PG, Delabays A, Spahn DR. Perioperative antiplatelet therapy: the case for continuing therapy in patients at risk of myocardial infarction. *Br J Anaesth*. 2007;99(3):316-328.
113. Horlocker TT, Wedel DJ, Rowingson JC, et al. Regional anesthesia in the patient receiving antithrombotic or thrombolytic therapy: American Society of Regional Anesthesia and Pain Medicine Evidence-Based Guidelines (Third Edition). *Reg Anesth Pain Med*. 2010;35(1):64-101.
114. Goldenberg NA, Jacobson L, Manco-Johnson MJ. Brief communication: duration of platelet dysfunction after a 7-day course of ibuprofen. *Ann Intern Med*. 2005;142(7):506-509.
115. van de Pol MA, van Houdenhoven M, Hans EW, et al. Influence of cardiac risk factors and medication on length of hospitalization in patients undergoing major vascular surgery. *Am J Cardiol*. 2006;97(10):1423-1426.
116. Kapoor AS, Kanji H, Buckingham J, Devereaux PJ, McAlister FA. Strength of evidence for perioperative use of statins to reduce cardiovascular risk: systematic review of controlled studies. *BMJ*. 2006;333(7579):1149.
117. Le Manach Y, Coriat P, Collard CD, Riedel B. Statin therapy within the perioperative period. *Anesthesiology*. 2008;108(6):1141-1146.
118. Ouattara A, Benhaoua H, Le Manach Y, et al. Perioperative statin therapy is associated with a significant and dose-dependent reduction of adverse cardiovascular outcomes after coronary artery bypass graft surgery. *J Cardiothorac Vasc Anesth*. 2009;633-638.
119. Smetana GW. Postoperative pulmonary complications: an update on risk assessment and reduction. *Cleve Clin J Med*. 2009;76 Suppl 4:S60-S65.
120. Salem M, Tainsh RE Jr, Bromberg J, Loriaux DL, Chernow B. Perioperative glucocorticoid coverage. A reassessment 42 years after emergence of a problem. *Ann Surg*. 1994;219(4):416-425.
121. Grady D, Wenger NK, Herrington D, et al. Postmenopausal hormone therapy increases risk for venous thromboembolic disease. The Heart and Estrogen/progestin Replacement Study. *Ann Intern Med*. 2000;132(9):689-696.
122. Ang-Lee MK, Moss J, Yuan CS. Herbal medicines and perioperative care. *JAMA*. 2001;286(2):208-216.
123. Adler AG. *Medical Evaluation of the Surgical Patient*. Philadelphia, PA: WB Saunders; 1985.
124. Tsen LC, Segal S, Pothier M, Bader AM. Survey of residency training in preoperative evaluation. *Anesthesiology*. 2000;93(4):1134-1137.
125. Horrocks JC, De Dombal FT. Diagnosis of dyspepsia from data collected by a physician's assistant. *Br Med J*. 1975;3:421-423.
126. Fung D, Cohen M. What do outpatients value most in their anesthesia care? *Can J Anaesth*. 2001;48(1):12-19.
127. Smith AF, Shelly MP. Communication skills for anesthesiologists. *Can J Anaesth*. 1999;46(11):1082-1088.
128. Auquier P, Pernoud N, Bruder N, et al. Development and validation of a perioperative satisfaction questionnaire. *Anesthesiology*. 2005;102(6):1116-1123.
129. Zetterman C, Sweitzer, B.J., Boedeker, B.H. Establishing a virtual preoperative evaluation clinic. *Anesthesiology*. 2009;111:A41.
130. Gibby GL, Paulus DA, Sirota DJ, et al. Computerized pre-anesthetic evaluation results in additional abstracted comorbidity diagnoses. *J Clin Monit*. 1997;13(1):35-41.
131. McBride CM, Emmons KM, Lipkus IM. Understanding the potential of teachable moments: the case of smoking cessation. *Health Educ Res*. 2003;18(2):156-170.
132. Grimaldo DA, Wiener-Kronish JP, Jurson T, Shaughnessy TE, Curtis JR, Liu LL. A randomized, controlled trial of advanced care planning discussions during preoperative evaluations. *Anesthesiology*. 2001;95(1):43-50.
133. Palmer SN, Giesecke NM, Body SC, Shernan SK, Fox AA, Collard CD. Pharmacogenetics of anesthetic and analgesic agents. *Anesthesiology*. 2005;102(3):663-671.