

## Chapter 10

### REFERENCES

1. American Society of Anesthesiologists Task Force on Management of the Difficult Airway. Practice guidelines for management of the difficult airway: an updated report by the American Society of Anesthesiologists' Task Force on Management of the Difficult Airway. *Anesthesiology*. 2003;98:1269-1277.
2. Latto IP. Management of difficult intubation. In: Latto IP, Rosen M, eds. *Difficulties in Tracheal Intubation*. London, UK: Ballière Tindall; 1985:99-141.
3. Lyons G. Failed intubation. Six years' experience in a teaching maternity unit. *Anaesthesia*. 1985;40:759-762.
4. Samsoon GL, Young JR. Difficult tracheal intubation: A retrospective study. *Anaesthesia*. 1987;42:487-490.
5. Savva D. Prediction of difficult tracheal intubation. *Br J Anaesth*. 1994;73:149-153.
6. Wilson ME, Spiegelhalter D, Robertson JA, Lesser P. Predicting difficult intubation. *Br J Anaesth*. 1988;61:211-216.
7. Crosby ET, Elliott RD. Anaesthesia for caesarean section in a parturient with quintuplet gestation, pulmonary oedema and thrombocytopenia. *Can J Anaesth*. 1988;35:417-421.
8. Rocke DA, Murray WB, Rout CC, Gouws E. Relative risk analysis of factors associated with difficult intubation in obstetric anaesthesia. *Anesthesiology*. 1992;77:67-73.
9. Rosenstock C, Hansen EG, Kristensen MS, Rasmussen LS, Skak C, Østergaard D. Qualitative analysis of unanticipated difficult airway management. *Acta Anaesthesiol Scand*. 2006;50:290-297.
10. Williamson JA, Webb RK, Szekely S, Gillies ER, Dreosti AV. The Australian Incident Monitoring Study. Difficult intubation: an analysis of 2000 incident reports. *Anaesth Intensive Care*. 1993;21:602-607.
11. Kheterpal S, Han R, Tremper KK, et al. Incidence and predictors of difficult and impossible mask ventilation. *Anesthesiology*. 2006;105:885-891.
12. Caplan RA, Posner KL, Ward RJ, Cheney FW. Adverse respiratory events in anesthesia: a closed claims analysis. *Anesthesiology*. 1990;72:828-833.
13. Henderson JJ, Popat MT, Latto IP, Pearce AC; Difficult Airway Society. Difficult Airway Society guidelines for management of the unanticipated difficult intubation. *Anaesthesia*. 2004;59:675-694.
14. Cormack RS, Lehane J. Difficult tracheal intubation in obstetrics. *Anaesthesia*. 1984;39:1105-1111.
15. Yentis SM, Lee DJ. Evaluation of an improved scoring system for the grading of direct laryngoscopy. *Anaesthesia*. 1998;53:1041-1044.
16. Adnet F, Borron SW, Racine SX, et al. The Intubation Difficulty Scale (IDS): proposal and evaluation of a new score characterizing the complexity of endotracheal intubation. *Anesthesiology*. 1997;87:1290-1297.
17. Benumof JL. Intubation difficulty scale: anticipated best use. *Anesthesiology*. 1997;87:1273-1274.
18. Bannister FB, Macbeth RG. Direct laryngoscopy and tracheal intubation. *Lancet*. 1944;241:651-654.
19. Bellhouse CP, Doré C. Criteria for estimating likelihood of difficulty of endotracheal intubation with the Macintosh laryngoscope. *Anaesth Intensive Care*. 1988;16:329-337.
20. Nichol HC, Zuck D. Difficult laryngoscopy—the “anterior” larynx and the atlanto-occipital gap. *Br J Anaesth*. 1983;55:141-144.
21. Patil VU, Stehling LC, Zauder HL. Predicting the difficulty of intubation utilizing an intubation gauge. *Anesthesiol Rev*. 1983;10:32-33.
22. Kiser M, Wakim JA, Hill L. Accuracy of fingerbreadth measurements for thyromental distance estimates: a brief report. *AANA*. 2011;79:15-18.
23. Skolimowski J, Urbanski M, Stopa J, Naroznik K. Microgenia as a factor making endotracheal intubation impossible. *Anaesth Resusc Intensive Ther*. 1975;3:273-276.
24. Mallampati SR, Gatt SP, Gugino LD, et al. A clinical sign to predict difficult tracheal intubation: A prospective study. *Can Anaesth Soc J*. 1985;32:429-434.
25. Ezri T, Cohen I, Geva D, Szmuk P. Pharyngoscopic views. *Anesth Analg*. 1998;87:748.
26. Maleck WH, Koetter KK, Less SD. Pharyngoscopic views. *Anesth Analg*. 1999;89:256-257.
27. Ezri T, Warters RD, Szmuk P, et al. The incidence of class “zero” airway and the impact of Mallampati score, age, sex, and body mass index on prediction of laryngoscopy grade. *Anesth Analg*. 2001;93:1073-1075.
28. Oates JD, Macleod AD, Oates PD, Pearsall FJ, Howie JC, Murray GD. Comparison of two methods for predicting difficult intubation. *Br J Anaesth*. 1991;66:305-309.
29. Charters P, Perera S, Horton WA. Visibility of pharyngeal structures as a predictor of difficult intubation. *Anaesthesia*. 1987;42:1115.
30. Oates JD, Oates PD, Pearsall FJ, McLeod AD, Howie JC. Phonation affects Mallampati class. *Anaesthesia*. 1990;45:984.
31. Cattano D, Panicucci E, Paolicchi A, Forfori F, Giunta F, Hagberg C. Risk factors assessment of the difficult airway:

- an Italian survey of 1956 patients. *Anesth Analg*. 2004;99:1774-1779.
32. Tham EJ, Gildersleve CD, Sanders LD, Mapleson WW, Vaughan RS. Effects of posture, phonation and observer on Mallampati classification. *Br J Anaesth*. 1992;68:32-38.
  33. Lewis M, Keramati S, Benumof JL, Berry CC. What is the best way to determine oropharyngeal classification and mandibular space length to predict difficult laryngoscopy? *Anesthesiology*. 1994;81:69-75.
  34. Lee A, Fan LT, Gin T, Karmakar MK, Ngan Kee WD. A systematic review (meta-analysis) of the accuracy of the Mallampati tests to predict the difficult airway. *Anesth Analg*. 2006;102:1867-1878.
  35. Wilson ME. Predicting difficult intubation. *Br J Anaesth*. 1993;71:333-334.
  36. Roberts JT, Ali HH, Shorten GD. Using the bubble inclinometer to measure laryngeal tilt and predict difficulty of laryngoscopy. *J Clin Anesth*. 1993;5:306-309.
  37. White A, Kander PL. Anatomical factors in difficult direct laryngoscopy. *Br J Anaesth*. 1975;47:468-474.
  38. el-Ganzouri AR, McCarthy RJ, Tuman KJ, Tanck EN, Ivankovich AD. Preoperative airway assessment: predictive value of a multivariate risk index. *Anesth Analg*. 1996;82:1197-1204.
  39. Rosenstock C, Gillesberg I, Gätke MR, Levin D, Kristensen MS, Rasmussen LS. Inter-observer agreement of tests used for prediction of difficult laryngoscopy/tracheal intubation. *Acta Anaesthesiol Scand*. 2005;49:1057-1062.
  40. Langeron O, Masso E, Huraux C, et al. Prediction of difficult mask ventilation. *Anesthesiology*. 2000;92:1229-1236.
  41. Frerk CM. Predicting difficult intubation. *Anaesthesia*. 1991;46:1005-1008.
  42. Shiga T, Wajima Z, Inoue T, Sakamoto A. Predicting difficult intubation in apparently normal patients: a meta-analysis of bedside screening test performance. *Anesthesiology*. 2005;103:429-437.
  43. Rosenblatt WH. The airway approach algorithm: a decision tree for organizing preoperative airway information. *J Clin Anesth*. 2004;16:312-316.
  44. Rosenberg H, Rosenberg H. Syndromes associated with upper airway abnormalities. In: Orkin FK, Cooperman LH, eds. *Complications in Anesthesiology*. Philadelphia, PA: Lippincott; 1983:137.
  45. Paul DR, Hoyt JL, Boutros AR. Cardiovascular and respiratory changes in response to change of posture in the very obese. *Anesthesiology*. 1976;45:73-78.
  46. Katz I, Stradling J, Slutsky AS, Zamel N, Hoffstein V. Do patients with obstructive sleep apnea have thick necks? *Am Rev Respir Dis*. 1990;141:1228-1231.
  47. Bixler EO, Vgontzas AN, Lin HM, et al. Prevalence of sleep-disordered breathing in women: effects of gender. *Am J Respir Crit Care Med*. 2001;163:608-613.
  48. Dancy DR, Hanly PJ, Soong C, Lee B, Shepard J Jr, Hoffstein V. Gender differences in sleep apnea: the role of neck circumference. *Chest*. 2003;123:1544-1550.
  49. Brodsky JB, Lemmens HJ, Brock-Utne JG, Vierra M, Saidman LJ. Morbid obesity and tracheal intubation. *Anesth Analg*. 2002;94:732-736.
  50. Bond A. Obesity and difficult intubation. *Anaesth Intensive Care*. 1993;21:828-830.
  51. Buckley FP, Robinson NB, Simonowitz DA, Dellinger EP. Anaesthesia in the morbidly obese. A comparison of anaesthetic and analgesic regimens for upper abdominal surgery. *Anaesthesia*. 1983;38:840-851.
  52. Juvin P, Lavaut E, Dupont H, et al. Difficult tracheal intubation is more common in obese than in lean patients. *Anesth Analg*. 2003;97:595-600.
  53. Hood DD, Dewan DM. Anesthetic and obstetric outcome in morbidly obese parturients. *Anesthesiology*. 1993;79:1210-1218.
  54. Brock-Utne JG, Downing JW, Seedat F. Laryngeal oedema associated with pre-eclamptic toxemia. *Anaesthesia*. 1977;32:556-558.
  55. Jouppila R, Jouppila P, Hollmén A. Laryngeal oedema as an obstetric anaesthesia complication: case reports. *Acta Anaesthesiol Scand*. 1980;24:97-98.
  56. Ovassapian A, Land P, Schafer MF, Cerullo L, Zalkind MS. Anesthetic management for surgical corrections of severe flexion deformity of the cervical spine. *Anesthesiology*. 1983;58:370-372.
  57. Keenan MA, Stiles CM, Kaufman RL. Acquired laryngeal deviation associated with cervical spine disease in erosive polyarticular arthritis. use of the fiberoptic bronchoscope in rheumatoid disease. *Anesthesiology*. 1983;58:441-449.
  58. Hastings RH, Kelley SD. Neurologic deterioration associated with airway management in a cervical spine-injured patient. *Anesthesiology*. 1993;78:580-583.
  59. Ovassapian A, Ovassapian A. *Fiberoptic Endoscopy and the Difficult Airway*. 2nd ed. Philadelphia, PA: Lippincott-Raven; 1996.
  60. Finer NN, Muzyka D. Flexible endoscopic intubation of the neonate. *Pediatr Pulmonol*. 1992;12:48-51.
  61. Reah G, Entress A. Prolonged tracheal intubation in an infant with tracheomalacia secondary to a vascular ring. A useful adjunct to treatment? *Anaesthesia*. 1995;50:341-342.
  62. Wells AL, Wells TR, Landing BH, Cruz B, Galvis DA. Short trachea, a hazard in tracheal intubation of neonates and infants: syndromal associations. *Anesthesiology*. 1989;71:367-373.
  63. Ali Z, Bithal PK, Prabhakar H, Rath GP, Dash HH. An assessment of the predictors of difficult intubation in patients with acromegaly. *J Clin Neurosci*. 2009;16:1043-1045.
  64. Chakravarty C, Yadav N, Ali Z, Prabhakar H. Upper lip bite test in a patient with McCune Albright syndrome with acromegaly. *J Clin Neurosci*. 2010;17:258-259.
  65. Heindel DJ. Deep neck abscesses in adults: management of a difficult airway. *Anesth Analg*. 1987;66:774-776.
  66. Prakash UB, Abel MD, Hubmayr RD. Mediastinal mass and tracheal obstruction during general anesthesia. *Mayo Clin Proc*. 1988;63:1004-1011.
  67. Baxter FJ, Dunn GL. Acute epiglottitis in adults. *Can J Anaesth*. 1988;35:428-435.
  68. Schwartz HC, Bauer RA, Davis NJ, Guralnick WC. Ludwig's angina: use of fiberoptic laryngoscopy to avoid tracheostomy. *J Oral Surg*. 1974;32:608-611.
  69. Kirse DJ, Roberson DW. Surgical management of retropharyngeal space infections in children. *Laryngoscope*. 2001;111:1413-1422.
  70. Sobol SE, Zapata S. Epiglottitis and croup. *Otolaryngol Clin North Am*. 2008;41:551-566.
  71. Flood LM, Astley B. Anaesthetic management of acute laryngeal trauma. *Br J Anaesth*. 1982;54:1339-1343.
  72. Seed RF. Traumatic injury to the larynx and trachea. *Anaesthesia*. 1971;26:55-65.

73. Lee WT, Eliashar R, Eliachar I. Acute external laryngotracheal trauma: diagnosis and management. *Ear Nose Throat J*. 2006;85:179-184.
74. Hastings RH, Marks JD. Airway management for trauma patients with potential cervical spine injuries. *Anesth Analg*. 1991;73:471-482.
75. Jones DH, Cohle SD. Unanticipated difficult airway secondary to lingual tonsillar hyperplasia. *Anesth Analg*. 1993;77:1285-1288.
76. Mason DG, Wark KJ. Unexpected difficult intubation. asymptomatic epiglottic cysts as a cause of upper airway obstruction during anaesthesia. *Anaesthesia*. 1987;42:407-410.
77. Bouaggad A, Nejmi SE, Bouderkka MA, Abbassi O. Prediction of difficult tracheal intubation in thyroid surgery. *Anesth Analg*. 2004;99:603-606.
78. Groves J, Edwards N, Hood G. Difficult intubation following thoracic trauma. *Anaesthesia*. 1994;49:698-699.
79. Faul JL, Kee ST, Rizk NW. Endobronchial stenting for severe airway obstruction in relapsing polychondritis. *Chest*. 1999;116:825-827.
80. Madden BP, Loke TK, Sheth AC. Do expandable metallic airway stents have a role in the management of patients with benign tracheobronchial disease? *Ann Thorac Surg*. 2006;82:274-278.
81. Filston HC, Ferguson TB Jr, Oldham HN. Airway obstruction by vascular anomalies. importance of telescopic bronchoscopy. *Ann Surg*. 1987;205:541-549.
82. Neuman GG, Weingarten AE, Abramowitz RM, Kushins LG, Abramson AL, Ladner W. The anesthetic management of the patient with an anterior mediastinal mass. *Anesthesiology*. 1984;60:144-147.
83. Levin H, Bursztein S, Heifetz M. Cardiac arrest in a child with an anterior mediastinal mass. *Anesth Analg*. 1985;64:1129-1130.
84. Hammer GB. Anaesthetic management for the child with a mediastinal mass. *Paediatr Anaesth*. 2004;14:95-97.
85. Béchar P, Létourneau L, Lacasse Y, Côté D, Bussièrès JS. Perioperative cardiorespiratory complications in adults with mediastinal mass: incidence and risk factors. *Anesthesiology*. 2004;100:826-834; discussion 5A.
86. Lam JC, Chui CH, Jacobsen AS, Tan AM, Joseph VT. When is a mediastinal mass critical in a child? An analysis of 29 patients. *Pediatr Surg Int*. 2004;20:180-184.
87. Goh MH, Liu XY, Goh YS. Anterior mediastinal masses: an anaesthetic challenge. *Anaesthesia*. 1999;54:670-674.
88. Brodsky JB, Macario A, Mark JB. Tracheal diameter predicts double-lumen tube size: a method for selecting left double-lumen tubes. *Anesth Analg*. 1996;82:861-864.
89. Hnatiuk OW, Corcoran PC, Sierra A. Spirometry in surgery for anterior mediastinal masses. *Chest*. 2001;120:1152-1156.
90. Gregori D, Salerni L, Scarinzi C, et al. Foreign bodies in the upper airways causing complications and requiring hospitalization in children aged 0-14 years: Results from the ESFBI study. *Eur Arch Otorhinolaryngol*. 2008;265:971-978.
91. Practice guidelines for management of the difficult airway. A report by the American Society of Anesthesiologists' task force on management of the difficult airway. *Anesthesiology*. 1993;78:597-602.
92. Combes X, Le Roux B, Suen P, et al. Unanticipated difficult airway in anesthetized patients: prospective validation of a management algorithm. *Anesthesiology*. 2004;100:1146-1150.