

## Chapter 11

### REFERENCES

1. Arozullah AM, Daley J, Henderson WG, Khuri SF. Multifactorial risk index for predicting postoperative respiratory failure in men after major noncardiac surgery. The National Veterans Administration Surgical Quality Improvement Program. *Ann Surg.* 2000;232(2):242-253.
2. Lawrence VA, Dhanda R, Hilsenbeck SG, Page CP. Risk of pulmonary complications after elective abdominal surgery. *Chest.* 1996;110(3):744-750.
3. Lawrence VA, Hilsenbeck SG, Noveck H, Poses RM, Carson JL. Medical complications and outcomes after hip fracture repair. *Arch Intern Med.* 2002;162(18):2053-2057.
4. Dimick JB, Chen SL, Taheri PA, Henderson WG, Khuri SF, Campbell DA Jr. Hospital costs associated with surgical complications: a report from the private-sector National Surgical Quality Improvement Program. *J Am Coll Surg.* 2004;199(4):531-537.
5. Wightman JA. A prospective survey of the incidence of postoperative pulmonary complications. *Br J Surg.* 1968;55(2):85-91.
6. Mohr DN, Jett JR. Preoperative evaluation of pulmonary risk factors. *J Gen Intern Med.* 1988;3(3):277-287.
7. Celli BR, MacNee W. Standards for the diagnosis and treatment of patients with COPD: a summary of the ATS/ERS position paper. *Eur Respir J.* 2004;23(6):932-946.
8. Fuster RG, Argudo JA, Albarova OG, et al. Prognostic value of chronic obstructive pulmonary disease in coronary artery bypass grafting. *Eur J Cardiothorac Surg.* 2006;29(2):202-209.
9. Fisher BW, Majumdar SR, McAlister FA. Predicting pulmonary complications after nonthoracic surgery: a systematic review of blinded studies. *Am J Med.* 2002;112(3):219-225.
10. McAlister FA, Khan NA, Straus SE, et al. Accuracy of the preoperative assessment in predicting pulmonary risk after nonthoracic surgery. *Am J Respir Crit Care Med.* 2003;167(5):741-744.
11. Warner DO, Warner MA, Offord KP, Schroeder DR, Maxson P, Scanlon PD. Airway obstruction and perioperative complications in smokers undergoing abdominal surgery. *Anesthesiology.* 1999;90(2):372-379.
12. Kroenke K, Lawrence VA, Theroux JF, Tuley MR. Operative risk in patients with severe obstructive pulmonary disease. *Arch Intern Med.* 1992;152(5):967-971.
13. National Heart, Lung, and Blood Institute. Expert Panel Report 3: Guidelines for the Diagnosis and Management of Asthma. NIH Publication no. 08-4051. Bethesda, MD: National Heart, Lung, and Blood Institute; 2007.
14. Warner DO, Warner MA, Barnes RD, et al. Perioperative respiratory complications in patients with asthma. *Anesthesiology.* 1996;85(3):460-467.
15. Carrillo G, Estrada A, Pedroza J, et al. Preoperative risk factors associated with mortality in lung biopsy patients with interstitial lung disease. *J Invest Surg.* 2005;18(1):39-45.
16. Kumar P, Goldstraw P, Yamada K, et al. Pulmonary fibrosis and lung cancer: risk and benefit analysis of pulmonary resection. *J Thorac Cardiovasc Surg.* 2003;125(6):1321-1327.
17. Martinod E, Azorin JF, Sadoun D, et al. Surgical resection of lung cancer in patients with underlying interstitial lung disease. *Ann Thorac Surg.* 2002;74(4):1004-1007.
18. Badesch DB, Champion HC, Sanchez MA, et al. Diagnosis and assessment of pulmonary arterial hypertension. *J Am Coll Cardiol.* 2009;54(1 Suppl):S55-S66.
19. Simonneau G, Robbins IM, Beghetti M, et al. Updated clinical classification of pulmonary hypertension. *J Am Coll Cardiol.* 2009;54(1 suppl):S43-S54.
20. Taichman DB FA. Pulmonary hypertension and cor pulmonale. In: Fishman AP, ed. *Fishman's Pulmonary Diseases and Disorders.* 4th ed. New York, NY: McGraw-Hill; 2008:1359-1422.
21. Lai HC, Lai HC, Wang KY, Lee WL, Ting CT, Liu TJ. Severe pulmonary hypertension complicates postoperative outcome of non-cardiac surgery. *Br J Anaesth.* 2007;99(2):184-190.
22. Ramakrishna G, Sprung J, Ravi BS, Chandrasekaran K, McGoon MD. Impact of pulmonary hypertension on the outcomes of noncardiac surgery: predictors of perioperative morbidity and mortality. *J Am Coll Cardiol.* 2005;45(10):1691-1699.
23. Zile MR, Baicu CF, Gaasch WH. Diastolic heart failure—abnormalities in active relaxation and passive stiffness of the left ventricle. *N Engl J Med.* 2004;350(19):1953-1959.
24. Ware LB, Matthay MA. Clinical practice. Acute pulmonary edema. *N Engl J Med.* 2005;353(26):2788-2796.
25. Smetana GW, Lawrence VA, Cornell JE, American College of Physicians. Preoperative pulmonary risk stratification for noncardiothoracic surgery: systematic review for the American College of Physicians. *Ann Intern Med.* 2006;144(8):581-595.
26. Johnson RG, Arozullah AM, Neumayer L, Henderson WG, Hosokawa P, Khuri SF. Multivariable predictors of postoperative respiratory failure after general and vascular surgery: results from the patient safety in surgery study. *J Am Coll Surg.* 2007;204(6):1188-1198.

27. Centers for Disease Control and Prevention. Cigarette smoking among adults—United States 2000. *MMWR Morb Mortal Weekly Rep.* 2002;51(1):642-643.
28. Bluman LG, Mosca L, Newman N, Simon DG. Preoperative smoking habits and postoperative pulmonary complications. *Chest.* 1998;113(4):883-889.
29. Myles PS, Iacono GA, Hunt JO, et al. Risk of respiratory complications and wound infection in patients undergoing ambulatory surgery: smokers versus nonsmokers. *Anesthesiology.* 2002;97(4):842-847.
30. Dilworth JP, White RJ. Postoperative chest infection after upper abdominal surgery: an important problem for smokers. *Respir Med.* 1992;86(3):205-210.
31. Svensson LG, Hess KR, Coselli JS, Safi HJ, Crawford ES. A prospective study of respiratory failure after high-risk surgery on the thoracoabdominal aorta. *J Vasc Surg.* 1991;14(3):271-282.
32. Dennis A, Curran J, Sherriff J, Kinnear W. Effects of passive and active smoking on induction of anaesthesia. *Br J Anaesth.* 1994;73(4):450-452.
33. Møller AM, Maaløe R, Pedersen T. Postoperative intensive care admittance: the role of tobacco smoking. *Acta Anaesthesiol Scand.* 2001;45(3):345-348.
34. Niewoehner DE, Kleinerman J, Rice DB. Pathologic changes in the peripheral airways of young cigarette smokers. *N Engl J Med.* 1974;291(15):755-758.
35. Holt PG. Immune and inflammatory function in cigarette smokers. *Thorax.* 1987;42(4):241-249.
36. Warner DO. Perioperative abstinence from cigarettes: physiologic and clinical consequences. *Anesthesiology.* 2006;104(2):356-367.
37. Lange P, Groth S, Nyboe GJ, et al. Effects of smoking and changes in smoking habits on the decline of FEV1. *Eur Respir J.* 1989;2(9):811-816.
38. Cooper CB. Assessment of pulmonary function in COPD. *Semin Respir Crit Care Med.* 2005;26(2):246-252.
39. Qaseem A, Snow V, Fitterman N, et al. Risk assessment for and strategies to reduce perioperative pulmonary complications for patients undergoing noncardiothoracic surgery: a guideline from the American College of Physicians. *Ann Intern Med.* 2006;144(8):575-580.
40. Smetana GW. Preoperative pulmonary assessment of the older adult. *Clin Geriatr Med.* 2003;19(1):35-55.
41. Okeson GC. Pulmonary dysfunction and surgical risk. How to assess and minimize the hazards. *Postgrad Med.* 1983;74(5):75-83.
42. Merli GJ, Weitz HH. Approaching the surgical patient. Role of the medical consultant. *Clin Chest Med.* 1993;14(2):205-210.
43. Crapo R. The aging lung. In: Mahler D, ed. *Pulmonary Disease in the Elderly Patient.* New York, NY: Marcel Dekker; 1993:1-21.
44. Turner JM, Mead J, Wohl ME. Elasticity of human lungs in relation to age. *J Appl Physiol.* 1968;25(6):664-671.
45. Zaugg M, Lucchinetti E. Respiratory function in the elderly. *Anesthesiol Clin North America.* 2000;18(1):47-58, vi.
46. Janssens JP, Pache JC, Nicod LP. Physiological changes in respiratory function associated with ageing. *Eur Respir J.* 1999;13(1):197-205.
47. Tolep K, Higgins N, Muza S, Criner G, Kelsen SG. Comparison of diaphragm strength between healthy adult elderly and young men. *Am J Respir Crit Care Med.* 1995;152(2):677-682.
48. Campbell EJ, Lefrak SS. How aging affects the structure and function of the respiratory system. *Geriatrics.* 1978;33(6):68-74.
49. Craig DB, Wahba WM, Don HF, Couture JG, Becklake MR. "Closing volume" and its relationship to gas exchange in seated and supine positions. *J Appl Physiol.* 1971;31(5):717-721.
50. Sorbini CA, Grassi V, Solinas E, Muiesan G. Arterial oxygen tension in relation to age in healthy subjects. *Respiration.* 1968;25(1):3-13.
51. Guénard H, Marthan R. Pulmonary gas exchange in elderly subjects. *Eur Respir J.* 1996;9(12):2573-2577.
52. Tishler PV, Larkin EK, Schluchter MD, Redline S. Incidence of sleep-disordered breathing in an urban adult population: the relative importance of risk factors in the development of sleep-disordered breathing. *JAMA.* 2003;289(17):2230-2237.
53. Hoch CC, Reynolds CF 3rd, Monk TH, et al. Comparison of sleep-disordered breathing among healthy elderly in the seventh, eighth, and ninth decades of life. *Sleep.* 1990;13(6):502-511.
54. Jennum P, Riha RL. Epidemiology of sleep apnoea/hypopnoea syndrome and sleep-disordered breathing. *Eur Respir J.* 2009;33(4):907-914.
55. Redline S, Schluchter MD, Larkin EK, Tishler PV. Predictors of longitudinal change in sleep-disordered breathing in a non-clinic population. *Sleep.* 2003;26(6):703-709.
56. Marik PE, Kaplan D. Aspiration pneumonia and dysphagia in the elderly. *Chest.* 2003;124(1):328-336.
57. Peterson DD, Pack AI, Silage DA, Fishman AP. Effects of aging on ventilatory and occlusion pressure responses to hypoxia and hypercapnia. *Am Rev Respir Dis.* 1981;124(4):387-391.
58. Epstein LJ, Kristo D, Strollo PJ Jr, et al. Clinical guideline for the evaluation, management and long-term care of obstructive sleep apnea in adults. *J Clin Sleep Med.* 2009;5(3):263-276.
59. Auckley D SJ, Southwell. Does screening for sleep apnea with the Berlin Questionnaire predict elective surgery postoperative complications? *Sleep.* 2003;26(Suppl):A238-A239.
60. O'Keefe T, Patterson EJ. Evidence supporting routine polysomnography before bariatric surgery. *Obes Surg.* 2004;14(1):23-26.
61. Gross JB, Bachenberg KL, Benumof JL, et al. Practice guidelines for the perioperative management of patients with obstructive sleep apnea: a report by the American Society of Anesthesiologists Task Force on Perioperative Management of patients with obstructive sleep apnea. *Anesthesiology.* 2006;104(5):1081-1093.
62. Gupta RM, Parvizi J, Hanssen AD, Gay PC. Postoperative complications in patients with obstructive sleep apnea syndrome undergoing hip or knee replacement: a case-control study. *Mayo Clin Proc.* 2001;76(9):897-905.
63. Sabers C, Plevak DJ, Schroeder DR, Warner DO. The diagnosis of obstructive sleep apnea as a risk factor for unanticipated admissions in outpatient surgery. *Anesth Analg.* 2003;96(5):1328-1335.
64. Isono S. Obstructive sleep apnea of obese adults: pathophysiology and perioperative airway management. *Anesthesiology.* 2009;110(4):908-921.
65. Dales RE, Dionne G, Leech JA, Lunau M, Schweitzer I. Preoperative prediction of pulmonary complications following thoracic surgery. *Chest.* 1993;104(1):155-159.
66. Hofer RE, Kai T, Decker PA, Warner DO. Obesity as a risk factor for unanticipated admissions after ambulatory surgery. *Mayo Clin Proc.* 2008;83(8):908-916.

67. Smetana GW. Preoperative pulmonary evaluation. *N Engl J Med.* 1999;340(12):937-944.
68. Warner DO. Preventing postoperative pulmonary complications: the role of the anesthesiologist. *Anesthesiology.* 2000;92(5):1467-1472.
69. Arozullah AM, Khuri SF, Henderson WG, Daley J, Participants in the National Veterans Affairs Surgical Quality Improvement Program. Development and validation of a multifactorial risk index for predicting postoperative pneumonia after major noncardiac surgery. *Ann Intern Med.* 2001;135(10):847-857.
70. Smetana GW, Macpherson DS. The case against routine preoperative laboratory testing. *Med Clin North Am.* 2003;87(1):7-40.
71. Rubenfeld GD, Caldwell E, Peabody E, et al. Incidence and outcomes of acute lung injury. *N Engl J Med.* 2005;353(16):1685-1693.
72. Asimakopoulos G, Smith PL, Ratnatunga CP, Taylor KM. Lung injury and acute respiratory distress syndrome after cardiopulmonary bypass. *Ann Thorac Surg.* 1999;68(3):1107-1115.
73. D'Journo XB, Michelet P, Marin V, et al. An early inflammatory response to oesophagectomy predicts the occurrence of pulmonary complications. *Eur J Cardiothorac Surg.* 2010;37(5):1144-1151.
74. Licker M, de Perrot M, Spiliopoulos A, et al. Risk factors for acute lung injury after thoracic surgery for lung cancer. *Anesth Analg.* 2003;97(6):1558-1565.
75. Garibaldi RA, Britt MR, Coleman ML, Reading JC, Pace NL. Risk factors for postoperative pneumonia. *Am J Med.* 1981;70(3):677-680.
76. Brooks-Brunn JA. Predictors of postoperative pulmonary complications following abdominal surgery. *Chest.* 1997;111(3):564-571.
77. Pedersen T, Eliassen K, Henriksen E. A prospective study of risk factors and cardiopulmonary complications associated with anaesthesia and surgery: risk indicators of cardiopulmonary morbidity. *Acta Anaesthesiol Scand.* 1990;34(2):144-155.
78. Celli BR, Rodriguez KS, Snider GL. A controlled trial of intermittent positive pressure breathing, incentive spirometry, and deep breathing exercises in preventing pulmonary complications after abdominal surgery. *Am Rev Respir Dis.* 1984;130(1):12-15.
79. Lawrence VA, Cornell JE, Smetana GW, American College of Physicians. Strategies to reduce postoperative pulmonary complications after noncardiothoracic surgery: systematic review for the American College of Physicians. *Ann Intern Med.* 2006;144(8):596-608.
80. Lawrence VA, Page CP, Harris GD. Preoperative spirometry before abdominal operations. A critical appraisal of its predictive value. *Arch Intern Med.* 1989;149(2):280-285.
81. Gass GD, Olsen GN. Preoperative pulmonary function testing to predict postoperative morbidity and mortality. *Chest.* 1986;89(1):127-135.
82. De Nino LA, Lawrence VA, Averyt EC, Hilsenbeck SG, Dhanda R, Page CP. Preoperative spirometry and laparotomy: blowing away dollars. *Chest.* 1997;111(6):1536-1541.
83. Fan ST, Lau WY, Yip WC, et al. Prediction of postoperative pulmonary complications in oesophagogastric cancer surgery. *Br J Surg.* 1987;74(5):408-410.
84. Milledge JS, Nunn JF. Criteria of fitness for anaesthesia in patients with chronic obstructive lung disease. *Br Med J.* 1975;3(5985):670-673.
85. Tisi GM. Preoperative evaluation of pulmonary function. Validity, indications, and benefits. *Am Rev Respir Dis.* 1979;119(2):293-310.
86. Archer C, Levy AR, McGregor M. Value of routine preoperative chest x-rays: a meta-analysis. *Can J Anaesth.* 1993;40(11):1022-1027.
87. Silvanus MT, Groeben H, Peters J. Corticosteroids and inhaled salbutamol in patients with reversible airway obstruction markedly decrease the incidence of bronchospasm after tracheal intubation. *Anesthesiology.* 2004;100(5):1052-1057.
88. Tarhan S, Moffitt EA, Sessler AD, Douglas WW, Taylor WF. Risk of anesthesia and surgery in patients with chronic bronchitis and chronic obstructive pulmonary disease. *Surgery.* 1973;74(5):720-726.
89. Stein M, Cassara EL. Preoperative pulmonary evaluation and therapy for surgery patients. *JAMA.* 1970;211(5):787-790.
90. Celli BR. Perioperative respiratory care of the patient undergoing upper abdominal surgery. *Clin Chest Med.* 1993;14(2):253-261.
91. Warner DO. Preoperative smoking cessation: the role of the primary care provider. *Mayo Clin Proc.* 2005;80(2):252-258.
92. Kotani N, Kushikata T, Hashimoto H, Sessler DI, Muraoka M, Matsuki A. Recovery of intraoperative microbicidal and inflammatory functions of alveolar immune cells after a tobacco smoke-free period. *Anesthesiology.* 2001;94(6):999-1006.
93. Moores LK. Smoking and postoperative pulmonary complications. An evidence-based review of the recent literature. *Clin Chest Med.* 2000;21(1):139-146. ix-x.
94. Erskine RJ, Murphy PJ, Langton JA. Sensitivity of upper airway reflexes in cigarette smokers: effect of abstinence. *Br J Anaesth.* 1994;73(3):298-302.
95. Warner DO, Colligan RC, Hurt RD, Croghan IT, Schroeder DR. Cough following initiation of smoking abstinence. *Nicotine Tob Res.* 2007;9(11):1207-1212.
96. Warner DO. Helping surgical patients quit smoking: why, when, and how. *Anesth Analg.* 2005;101(2):481-487.
97. Ballantyne JC, Carr DB, deFerranti S, et al. The comparative effects of postoperative analgesic therapies on pulmonary outcome: cumulative meta-analyses of randomized, controlled trials. *Anesth Analg.* 1998;86(3):598-612.
98. Pedersen T, Viby-Mogensen J, Ringsted C. Anaesthetic practice and postoperative pulmonary complications. *Acta Anaesthesiol Scand.* 1992;36(8):812-818.
99. Rodgers A, Walker N, Schug S, et al. Reduction of postoperative mortality and morbidity with epidural or spinal anaesthesia: results from overview of randomised trials. *BMJ.* 2000;321(7275):1493.
100. Groeben H, Schäfer B, Pavlakovic G, Silvanus MT, Peters J. Lung function under high thoracic segmental epidural anesthesia with ropivacaine or bupivacaine in patients with severe obstructive pulmonary disease undergoing breast surgery. *Anesthesiology.* 2002;96(3):536-541.
101. Warner DO, Warner MA, Ritman EL. Human chest wall function during epidural anesthesia. *Anesthesiology.* 1996;85(4):761-773.
102. Erickson JM, Louis DS, Naughton NN. Symptomatic phrenic nerve palsy after supraclavicular block in an obese man. *Orthopedics.* 2009;32(5):368.
103. Renes SH, Rettig HC, Gielen MJ, Wilder-Smith OH, van Geffen GJ. Ultrasound-guided low-dose interscalene brachial plexus block reduces the incidence of hemidiaphragmatic paresis. *Reg Anesth Pain Med.* 2009;34(5):498-502.

104. Rau RH, Chan YL, Chuang HI, et al. Dyspnea resulting from phrenic nerve paralysis after interscalene brachial plexus block in an obese male—a case report. *Acta Anaesthesiol Sin.* 1997;35(2):113-118.
105. Kil HK, Rooke GA, Ryan-Dykes MA, Bishop MJ. Effect of prophylactic bronchodilator treatment on lung resistance after tracheal intubation. *Anesthesiology.* 1994;81(1):43-48.
106. Maslow AD, Regan MM, Israel E, et al. Inhaled albuterol, but not intravenous lidocaine, protects against intubation-induced bronchoconstriction in asthma. *Anesthesiology.* 2000;93(5):1198-1204.
107. Pizov R, Brown RH, Weiss YS, et al. Wheezing during induction of general anesthesia in patients with and without asthma. A randomized, blinded trial. *Anesthesiology.* 1995;82(5):1111-1116.
108. Hirshman CA, Downes H, Farbood A, Bergman NA. Ketamine block of bronchospasm in experimental canine asthma. *Br J Anaesth.* 1979;51(8):713-718.
109. Groeben H, Silvanus MT, Beste M, Peters J. Combined intravenous lidocaine and inhaled salbutamol protect against bronchial hyperreactivity more effectively than lidocaine or salbutamol alone. *Anesthesiology.* 1998;89(4):862-868.
110. Groeben H, Schlicht M, Stieglitz S, Pavlakovic G, Peters J. Both local anesthetics and salbutamol pretreatment affect reflex bronchoconstriction in volunteers with asthma undergoing awake fiberoptic intubation. *Anesthesiology.* 2002;97(6):1445-1450.
111. Chang HY, Togiak A, Brown RH. The effects of systemic lidocaine on airway tone and pulmonary function in asthmatic subjects. *Anesth Analg.* 2007;104(5):1109-1115.
112. Burches BR Jr, Warner DO. Bronchospasm after intravenous lidocaine. *Anesth Analg.* 2008;107(4):1260-1262.
113. Beard K, Jick H, Walker AM. Adverse respiratory events occurring in the recovery room after general anesthesia. *Anesthesiology.* 1986;64(2):269-272.
114. Murphy GS, Szokol JW, Marymont JH, Greenberg SB, Avram MJ, Vender JS. Residual neuromuscular blockade and critical respiratory events in the postanesthesia care unit. *Anesth Analg.* 2008;107(1):130-137.
115. Berg H, Roed J, Viby-Mogensen J, et al. Residual neuromuscular block is a risk factor for postoperative pulmonary complications. A prospective, randomised, and blinded study of postoperative pulmonary complications after atracurium, vecuronium and pancuronium. *Acta Anaesthesiol Scand.* 1997;41(9):1095-1103.
116. Andersen BN, Madsen JV, Schurizek BA, Juhl B. Residual curarisation: a comparative study of atracurium and pancuronium. *Acta Anaesthesiol Scand.* 1988;32(2):79-81.
117. Bevan DR, Smith CE, Donati F. Postoperative neuromuscular blockade: a comparison between atracurium, vecuronium, and pancuronium. *Anesthesiology.* 1988;69(2):272-276.
118. Bernard GR, Artigas A, Brigham KL, et al. The American-European Consensus Conference on ARDS. Definitions, mechanisms, relevant outcomes, and clinical trial coordination. *Am J Respir Crit Care Med.* 1994;149(3 Pt 1):818-824.
119. The Acute Respiratory Distress Syndrome Network. Ventilation with lower tidal volumes as compared with traditional tidal volumes for acute lung injury and the acute respiratory distress syndrome. The Acute Respiratory Distress Syndrome Network. *N Engl J Med.* 2000;342(18):1301-1308.
120. Gajic O, Dara SI, Mendez JL, et al. Ventilator-associated lung injury in patients without acute lung injury at the onset of mechanical ventilation. *Crit Care Med.* 2004;32(9):1817-1824.
121. Fernández-Pérez ER, Keegan MT, Brown DR, Hubmayr RD, Gajic O. Intraoperative tidal volume as a risk factor for respiratory failure after pneumonectomy. *Anesthesiology.* 2006;105(1):14-18.
122. Choi G, Wolthuis EK, Bresser P, et al. Mechanical ventilation with lower tidal volumes and positive end-expiratory pressure prevents alveolar coagulation in patients without lung injury. *Anesthesiology.* 2006;105(4):689-695.
123. Michelet P, D'Journo XB, Roch A, et al. Protective ventilation influences systemic inflammation after esophagectomy: a randomized controlled study. *Anesthesiology.* 2006;105(5):911-919.
124. Weingarten TN, Whalen FX, Warner DO, et al. Comparison of two ventilatory strategies in elderly patients undergoing major abdominal surgery. *Br J Anaesth.* 2010;104(1):16-22.
125. Whalen FX, Gajic O, Thompson GB, et al. The effects of the alveolar recruitment maneuver and positive end-expiratory pressure on arterial oxygenation during laparoscopic bariatric surgery. *Anesth Analg.* 2006;102(1):298-305.
126. Liu SS, Wu CL. Effect of postoperative analgesia on major postoperative complications: a systematic update of the evidence. *Anesth Analg.* 2007;104(3):689-702.
127. Yuan Y, Hunt RH. Systematic reviews: the good, the bad, and the ugly. *Am J Gastroenterol.* 2009;104(5):1086-1092.
128. Jayr C, Thomas H, Rey A, Farhat F, Lasser P, Bourgain JL. Postoperative pulmonary complications. Epidural analgesia using bupivacaine and opioids versus parenteral opioids. *Anesthesiology.* 1993;78(4):666-676.
129. Norris EJ, Beattie C, Perler BA, et al. Double-masked randomized trial comparing alternate combinations of intraoperative anesthesia and postoperative analgesia in abdominal aortic surgery. *Anesthesiology.* 2001;95(5):1054-1067.
130. Brooks-Brunn JA. Postoperative atelectasis and pneumonia. *Heart Lung.* 1995;24(2):94-115.
131. Westerdahl E, Lindmark B, Eriksson T, Friberg O, Hedenstierna G, Tenling A. Deep-breathing exercises reduce atelectasis and improve pulmonary function after coronary artery bypass surgery. *Chest.* 2005;128(5):3482-3488.
132. Pasquina P, Tramèr MR, Granier JM, Walder B. Respiratory physiotherapy to prevent pulmonary complications after abdominal surgery: a systematic review. *Chest.* 2006;130(6):1887-1899.
133. Freitas ER, Soares BG, Cardoso JR, Atallah AN. Incentive spirometry for preventing pulmonary complications after coronary artery bypass graft. *Cochrane Database Syst Rev.* 2007(3):CD004466.
134. Guimaraes MM, El Dib R, Smith AF, Matos D. Incentive spirometry for prevention of postoperative pulmonary complications in upper abdominal surgery. *Cochrane Database Syst Rev.* 2009(3):CD006058.
135. Hulzebos EH, Helders PJ, Favié NJ, De Bie RA, Brutel de la Riviere A, Van Meeteren NL. Preoperative intensive inspiratory muscle training to prevent postoperative pulmonary complications in high-risk patients undergoing CABG surgery: a randomized clinical trial. *JAMA.* 2006;296(15):1851-1857.
136. Hill NS, Brennan J, Garpestad E, Nava S. Noninvasive ventilation in acute respiratory failure. *Crit Care Med.* 2007;35(10):2402-2407.

137. Squadrone V, Cocha M, Cerutti E, et al. Continuous positive airway pressure for treatment of postoperative hypoxemia: a randomized controlled trial. *JAMA*. 2005;293(5):589-595.
138. Matte P, Jacquet L, Van Dyck M, Goenen M. Effects of conventional physiotherapy, continuous positive airway pressure and non-invasive ventilatory support with bilevel positive airway pressure after coronary artery bypass grafting. *Acta Anaesthesiol Scand*. 2000;44(1):75-81.
139. Pasquina P, Merlani P, Granier JM, Ricou B. Continuous positive airway pressure versus noninvasive pressure support ventilation to treat atelectasis after cardiac surgery. *Anesth Analg*. 2004;99(4):1001-1008.
140. Zarbock A, Mueller E, Netzer S, Gabriel A, Feindt P, Kindgen-Milles D. Prophylactic nasal continuous positive airway pressure following cardiac surgery protects from postoperative pulmonary complications: a prospective, randomized, controlled trial in 500 patients. *Chest*. 2009;135(5):1252-1259.
141. Aguilló R, Togores B, Pons S, Rubi M, Barbé F, Agust' AG. Noninvasive ventilatory support after lung resectional surgery. *Chest*. 1997;112(1):117-121.
142. Perrin C, Jullien V, Vénissac N, et al. Prophylactic use of non-invasive ventilation in patients undergoing lung resectional surgery. *Respir Med*. 2007;101(7):1572-1578.
143. Joris JL, Sottiaux TM, Chiche JD, Desaive CJ, Lamy ML. Effect of bi-level positive airway pressure (BiPAP) nasal ventilation on the postoperative pulmonary restrictive syndrome in obese patients undergoing gastropasty. *Chest*. 1997;111(3):665-670.
144. Ebeo CT, Benotti PN, Byrd RP Jr, Elmaghraby Z, Lui J. The effect of bi-level positive airway pressure on postoperative pulmonary function following gastric surgery for obesity. *Respir Med*. 2002;96(9):672-676.