

## Chapter 25

### REFERENCES

1. Li G, Warner M, Lang BH, Huang L, Sun LS. Epidemiology of anesthesia-related mortality in the United States, 1999-2005. *Anesthesiology*. 2009;110(4):759-765.
2. Kohn LT, Corrigan JM, Donaldson MS. *To Err Is Human: Building a Safer Health System*. Washington, DC: National Academy Press; 1999:32.
3. Lunn JN, Devlin HB. Lessons from the confidential enquiry into perioperative deaths in three NHS regions. *Lancet*. 1987;2(8572):1384-1386.
4. Gibbs N, Borton C. *Safety of Anaesthesia in Australia: A Review of Anaesthesia Related Mortality, 2000-2002*. Report of the Committee Convened Under the Auspices of the Australian and New Zealand College of Anaesthetists. Melbourne, Australia: Australian and New Zealand College of Anaesthetists; 2006. <http://www.anzca.edu.au/resources/books-and-publications/reports/mortality/Safety%20of%20Anaesthesia%20in%20Australia.pdf>. Accessed June 15, 2010.
5. Estimate based on data in *Trend Watch Chartbook, 2006*. Chicago, IL: American Hospital Association; 2006: Tables 2.4, 3.1, and 3.4.
6. Weiser TG, Regenbogen SE, Thompson KD, et al. An estimation of the global volume of surgery: a modeling strategy based on available data. *Lancet*. 2008;372(9633):139-144.
7. Cullen KA, Hall MJ, Golosinskiy A. *Ambulatory Surgery in the United States, 2006*. National health statistics reports; no 11. Revised. Hyattsville, MD: National Center for Health Statistics; 2009.
8. Beecher HK, Todd DP. A study of deaths associated with anesthesia and surgery: based on a study of 599,548 anesthetics in ten institutions 1948-1952, inclusive. *Ann Surg*. 1954;140(1):2-35.
9. Rothman KJ, Greenland S, Poole C, Lash TL. Causation and causal inference. In: Rothman KJ, Greenland S, Last TL, eds. *Modern Epidemiology*. 3rd ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2008:5-31.
10. Cooper JB, Newbower RS, Long CD, McPeck B. Preventable anesthesia mishaps: a study of human factors. *Anesthesiology*. 1978;49(6):399-406.
11. Cheney FW. The American Society of Anesthesiologists Closed Claims Project: what we have learned, how it has affected practice, and how will affect practice in the future. *Anesthesiology*. 1999;91(2):552-556.
12. Strom BL. When should one perform pharmacoepidemiology studies? In: Strom BL, Kimmel SE, eds. *Textbook of Pharmacoepidemiology*. Hoboken, NJ: Wiley; 2007:55-63.
13. Starr C. Social benefit versus technological risk: what is our society willing to pay for safety? *Science*. 1969;165(899):1232-1238.
14. Lowrance WW. *Of Acceptable Risk*. Los Altos, CA: Kaufmann; 1976.
15. Ropeik D, Gray G. *Risk: A Practical Guide to Deciding What's Really Safe and What's Really Dangerous in the World Around You*. Boston, MA: Houghton Mifflin; 2002:16-18, 421-428.
16. Orkin FK. Patient outcome following anesthesia care: role of the provider. *Probl Anesth*. 1992;6(2):212-227.
17. Runciman WB, Moller JJ. *Iatrogenic Injury in Australia*. Adelaide, Australia: Australian Patient Safety Foundation; 2001: Table 1. <http://www.apsf.net.au>. Accessed June 15, 2010.
18. Monk TG, Saini V, Weldon BC, Sigl JC. Anesthetic management and one-year mortality after noncardiac surgery. *Anesth Analg*. 2005;100(1):4-10.
19. Lindholm ML, Träff S, Granath F, et al. Mortality within 2 years after surgery in relation to low intraoperative bispectral index values and preexisting malignant disease. *Anesth Analg* 2009;108(2):508-512.
20. Kertai MD, Pal N, Palanca BJA, et al. Association of perioperative risk factors and cumulative duration of low bispectral index with intermediate-term mortality after cardiac surgery in the B-Unaware trial. *Anesthesiology*. 2010;112(5):1116-1127.
21. Leslie K, Myles PS, Forbes A, Chan MT. The effect of bispectral index monitoring on long-term survival in the B-aware trial. *Anesth Analg*. 2010;110(3):816-822.
22. Watson PL, Shintani AK, Tyson R, et al. Presence of electroencephalogram burst suppression in sedated, critically ill patients is associated with increased mortality. *Crit Care Med*. 2008;36(12):3171-3177.
23. Jaeschke R, Guyatt G, Barratt A, et al. Does treatment lower risk? Understanding the results. In: Guyatt G, Rennie D, Meade MO, Cook DJ, eds. *Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice*. 2nd ed. New York, NY: McGraw-Hill; 2008:87-97.
24. Van den Berghe G, Wouters P, Weekers F, et al. Intensive insulin therapy in critically ill patients. *N Engl J Med*. 2001;345(19):1359-1367.
25. Mangano DT, Layug EL, Wallace W, Tateo I. Effect of atenolol on mortality and cardiovascular morbidity after noncardiac surgery: Multicenter Study of Perioperative Ischemia Research Group. *N Engl J Med*. 1996;335(23):1713-1720.
26. Lindenaer PK, Pekow P, Wang K, et al. Perioperative beta-blocker therapy and mortality after major noncardiac surgery. *N Engl J Med*. 2005;353(4):349-361.

27. Hanley JA, Lippman-Hand A. If nothing goes wrong, is everything all right? Interpreting zero numerators. *JAMA*. 1983;249(13):1743-1745.
28. Guyatt G, Walter S, Cook DJ, Wyer P, Jaeschke R. Confidence intervals. In: Guyatt G, Rennie D, Meade MO, Cook DJ, eds. *Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice*. 2nd ed. Chicago, IL: AMA Press; 2002:99-108.
29. Walker JA, McIntyre RD, Schleinitz PF, et al. Nurse-administered propofol sedation without anesthesia specialists in 9152 endoscopic cases in an ambulatory surgery center. *Am J Gastroenterol*. 2003;98(8):1744-1750.
30. Vargo JJ, Zuccaro G Jr, Dumot JA, et al. Gastroenterologist-administered propofol versus meperidine and midazolam for advanced upper endoscopy: a prospective, randomized trial. *Gastroenterology*. 2002;123(1):8-16.
31. Fleming TR, DeMets DL. Surrogate end points in clinical trials: are we being misled? *Ann Intern Med*. 1996;125(7):605-613.
32. Echt DS, Liebson PR, Mitchell LB, et al. Mortality and morbidity in patients receiving encainide, flecainide, or placebo. *N Engl J Med*. 1991;324(12):781-788.
33. Fisher DM. Surrogate end points: are they meaningful? *Anesthesiology*. 1994;81(4):795-796.
34. Gold BS, Kitz DS, Lecky JH, Neuhaus JM. Unanticipated admission to the hospital following ambulatory surgery. *JAMA*. 1989;262(21):3008-3010.
35. Fleisher LA, Pasternak LR, Lyles A. A novel index of elevated risk of inpatient hospital admission immediately following outpatient surgery. *Arch Surg*. 2007;142(3):263-268.
36. Wu CL, Rowlingson AJ, Partin AW, et al. Correlation of postoperative pain to quality of recovery in the immediate postoperative period. *Reg Anesth Pain Med*. 2005;30(6):516-522.
37. Food and Drug Administration. *Guidance for Industry: Patient-Reported Outcome Measures: Use in Medical Product Development to Support Labeling Claims*. December 2009. <http://www.fda.gov/downloads/Drugs/guidanceCompliance-RegulatoryInformation/Guidances/UCM193282.pdf>. Accessed May 1, 2010.
38. Guyatt GH, Feeny DH, Patrick DL. Measuring health-related quality of life. *Ann Intern Med*. 1993;118(8):622-629.
39. Wilson IB, Cleary PD. Linking clinical variables with health-related quality of life: a conceptual model of patient outcomes. *JAMA*. 1995;273(1):59-65.
40. Stewart AL, Ware JE Jr. *Measuring Function and Well-Being: The Medical Outcomes Study Approach*. Durham, NC: Duke University Press; 1996.
41. Huskisson EC. Measurement of pain. *Lancet*. 1974;2(7889):1127-1131.
42. Melzack R. The McGill Pain Questionnaire: major properties and scoring properties. *Pain*. 1975;1(3):277-299.
43. McDowell I, Newell C. *Measuring Health: A Guide to Rating Scales and Questionnaires*. 3rd ed. New York, NY: Oxford University Press; 2006.
44. Iezzoni LI. Reasons for risk adjustment. In: Iezzoni LI, ed. *Risk Adjustment for Measuring Health Outcomes*. 3rd ed. Chicago, IL: Health Administration Press; 2003:1-16.
45. Saklad M. Grading of patients for surgical procedures. *Anesthesiology*. 1941;2:281.
46. Dripps RD, Lamont A, Eckenhoff JE. The role of anesthesia in surgical mortality. *JAMA*. 1961;178:261-266.
47. New classification of physical status. *Anesthesiology*. 1963; 24:111.
48. Goldman L, Caldera DL, Nussbaum SR, et al. Multifactorial index of cardiac risk in noncardiac surgical procedures. *N Engl J Med*. 1977;297(16):845-850.
49. Cohen MM, Duncan PG. Physical status score and trends in anaesthetic complications. *J Clin Epidemiol*. 1988;41(1):83-90.
50. Forrest JB, Rehder K, Cahalan MK, et al. Multicenter Study of General Anesthesia: III. Predictors of severe perioperative adverse outcomes. *Anesthesiology*. 1992;76(1):3-15.
51. Pedersen T. Complications and death following anaesthesia: a prospective study with special reference to the influence of patient-, anaesthesia-, and surgery-related risk factors. *Dan Med Bull*. 1994;41(3):319-331.
52. Charlson ME, Pompei P, Ales KL, MacKenzie CR. A new method of classifying prognostic comorbidity in longitudinal studies: development and validation. *J Chronic Dis*. 1987;40(5):373-383.
53. Hasnain-Wynia R, Baker DW. Obtaining data on patient race, ethnicity, and primary language in health care organizations: current challenges and proposed solutions. *Health Serv Res*. 2006;41(4 Pt 1):1501-1518.
54. Neuman MD, Fleisher LA, Even-Shoshan O, Mi L, Silber JH. Nonoperative care for hip fracture in the elderly: the influence of race, income, and comorbidities. *Med Care*. 2010;48(4): 314-320.
55. Bodlander FMS. Deaths associated with anaesthesia. *Br J Anaesth*. 1975;47(1):36-40.
56. Harrison GG. Deaths attributable to anaesthesia: a 10-year survey (1967-1976). *Br J Anaesth*. 1978;50(10):1041-1046.
57. Tiret L, Desmots JM, Hatton F, Vourc'h G. Complications associated with anaesthesia: a prospective survey in France. *Can Anaesth Soc J*. 1986;333 (Pt 1):336-344.
58. Dornette WHL, Orth OS. Death in the operating room. *Anesth Analg*. 1956;35:545.
59. Cohen MM, Duncan PG, Tate RB. Does anesthesia contribute to operative mortality? *JAMA*. 1988;260(19):2859-2863.
60. Turnbull KW, Fancourt-Smith PF, Banting GC. Death within 48 hours of anaesthesia at the Vancouver General Hospital. *Can Anaesth Soc J*. 1980;27(2):159-163.
61. Hovi-Viander M. Deaths associated with anaesthesia in Finland. *Br J Anaesth*. 1980;52(5):483-489.
62. Lunn JN, Mushin WW. *Mortality Associated With Anaesthesia*. London, UK: Nuffield Provincial Hospitals Trust; 1982.
63. Marx GF, Matteo CV, Orkin LR. Computer analysis of post-anesthetic deaths. *Anesthesiology*. 1973;39(1):54-58.
64. Warner MA, Shields SE, Chute CG. Major morbidity and mortality within 1 month of ambulatory surgery and anesthesia. *JAMA*. 1993;270(12):1437-1441.
65. Khuri SF, Daley J, Henderson W, et al. Risk adjustment of the postoperative mortality rate for the comparative assessment of the quality of surgical care: results of the National Veterans Affairs Surgical Risk Study. *J Am Coll Surg*. 1997;185(4): 315-327.
66. Holland R. Special committee investigating deaths under anaesthesia: report on 745 classified cases, 1960-1968. *Med J Aust*. 1970;1:573.
67. Caplan RA, Posner KL, Cheney FW. Effect of outcome on physician judgments of appropriateness of care. *JAMA*. 1991;265(15):1957-1960.

68. Keats AS. What do we know about anesthetic mortality? *Anesthesiology*. 1979;50(5):387-392.
69. Stolley PD, Lasky T. *Investigating Disease Patterns: The Science of Epidemiology*. New York, NY: Scientific American; 1995:23-49.
70. Green LA, Fryer GE Jr, Yawn BP, Lanier D, Dovey SM. The ecology of medical care revisited. *N Engl J Med*. 2001;344(26):2021-2025.
71. Berkson J. Limitations of the application of fourfold table analysis to hospital data. *Biometrics Bull*. 1946;2:47-53.
72. Freiman JA, Chalmers TC, Smith H Jr, Kunzler AM. The importance of beta, the type II error and sample size in the design and interpretation of the randomized clinical trial: survey of 71 "negative" trials. *N Engl J Med*. 1978;299(9):690-694.
73. Subcommittee on the National Halothane Study of the Committee on Anesthesia, National Academy of Sciences-National Research Council: Summary of the National Halothane Study: possible association between halothane anesthesia and postoperative hepatic necrosis. *JAMA*. 1966;197(10):775-788.
74. Mangano DT, Browner WS, Hollenberg M, Li J, Tateo M. Long-term cardiac prognosis following noncardiac surgery: The Study of Perioperative Ischemia Research Group. *JAMA*. 1992;268(2):233-239.
75. Mathew JP, Parks R, Savino JS, et al. Atrial fibrillation following coronary artery bypass graft surgery: predictors, outcomes, and resource utilization. *JAMA*. 1996;276(4):300-306.
76. Mangano DT. Aspirin and mortality from coronary bypass surgery. *N Engl J Med*. 2002;347(17):1309-1317.
77. Mangano DT, Tudor IC, Dietzel C, et al. The risk associated with aprotinin in cardiac surgery. *N Engl J Med*. 2006;354(4):353-365.
78. Grover FL, Shroyer AL, Hammermeister KE. Calculating risk and outcome: The Veterans Affairs database. *Ann Thorac Surg*. 1996;62(Suppl 5):S6-S11.
79. Khuri SF, Daley J, Henderson W, et al. The Department of Veterans Affairs' NSQIP. The first national, validated, outcome-based, risk-adjusted, and peer-controlled program for the measurement and enhancement of the quality of surgical care. National VA Surgical Quality Improvement Program. *Ann Surg*. 1998;228(4):491-507.
80. Daley J, Khuri SF, Henderson W, et al. Risk adjustment of the postoperative morbidity rate for the comparative assessment of the quality of surgical care: results of the National Veterans Affairs Surgical Risk Study. *J Am Coll Surg*. 1997;185(4):328-340.
81. Davenport DL, Henderson WG, Khuri SF, et al. Preoperative risk factors and surgical complexity are more predictive of costs than postoperative complications: a case study using the National Surgical Quality Improvement Program (NSQIP) database. *Ann Surg*. 2005;242(4):463-468.
82. Aust JB, Henderson W, Khuri S, Page CP. The impact of operative complexity on patient risk factors. *Ann Surg*. 2005;241(6):1024-1027.
83. Davenport DL, Bowe EA, Henderson WG, Khuri SF, Mentzer RM Jr. National Surgical Quality Improvement Program (NSQIP) risk factors can be used to validate American Society of Anesthesiologists Physical State Classification (ASA PS) levels. *Ann Surg*. 2006;243(5):636-641.
84. Singh N, Sidawy AN, Dezee K, et al. The effects of the type of anesthesia on outcomes of lower extremity infrainguinal bypass. *J Vasc Surg*. 2006;44(5):964-968.
85. Grover FL, Shroyer AL, Edwards FH, et al. Data quality review program: The Society of Thoracic Surgeons Adult Cardiac National Database. *Ann Thorac Surg*. 1996;62(4):1229-1231.
86. O'Connor GT, Plume SK, Olmstead EM, et al. A regional intervention to improve the hospital mortality associated with coronary artery bypass graft surgery. The Northern New England Cardiovascular Disease Study Group. *JAMA*. 1996;275(11):841-846.
87. Silber JH, Kennedy SK, Even-Shoshan O, et al. Anesthesiologist direction and patient outcomes. *Anesthesiology*. 2000;93(1):152-163.
88. Silber JH, Kennedy SK, Even-Shoshan O, et al. Anesthesiologist board certification and patient outcomes. *Anesthesiology*. 2002;96(5):1044-1052.
89. Fleisher LA, Pasternak LR, Herbert R, Anderson GF. Inpatient hospital admission and death after outpatient surgery in elderly patients: importance of patient and system characteristics and location of care. *Arch Surg*. 2004;139(1):67-72.
90. Silber JH, Rosenbaum PR, Zhang X, Even-Shoshan O. The influence of patient and hospital characteristics on anesthesia time in Medicare patients undergoing general and orthopedic surgery. *Anesthesiology*. 2007;106(2):356-364.
91. Dalton JE, Kurz A, Turan A, et al. Risk quantification for 30-day postoperative mortality and morbidity in non-cardiac surgical patients. *Anesthesiology*. 2011;114(6):1336-1344.
92. Sessler DI, Sigl J, Manberg PJ, et al. A broadly applicable risk stratification system for predicting duration of hospitalization and mortality. *Anesthesiology*. 2010;113(5):1026-1037.
93. Sinclair DR, Chung F, Mezei G. Can postoperative nausea and vomiting be predicted? *Anesthesiology*. 1999;91(1):109-118.
94. Christenfeld NJS, Sloan RP, Carroll D, Greenland S. Risk factors, confounding, and the illusion of statistical control. *Psychosom Med*. 2004;66(6):868-875.
95. Rubin DB. Estimating causal effects from large data sets using propensity scores. *Ann Intern Med*. 1997;127(8 Pt 2):757-763.
96. Weitzen S, Lapane KL, Toledano AY, Hume AL, Mor V. Principles for modeling propensity scores in medical research: a systematic literature review. *Pharmacoepidemiol Drug Saf*. 2004;13(12):841-853.
97. Connors AF, Speroff T, Dawson NV, et al. The effectiveness of right-heart catheterization in the initial care of critically ill patients. *JAMA*. 1996;276(11):889-897.
98. O'Hara DA, Duff A, Berlin JA, et al. The effect of anesthetic technique on postoperative outcomes in hip fracture repair. *Anesthesiology*. 2000;92(4):947-957.
99. Weitzen S, Lapane KL, Toledano AY, Hume AL, Mor V. Weaknesses of goodness-of-fit tests for evaluating propensity score models: the case of the omitted confounder. *Pharmacoepidemiol Drug Saf*. 2005;14(4):227-238.
100. Goldman L, Cook EF, Brand DA, et al. A computer protocol to predict myocardial infarction in emergency department patients with chest pain. *N Engl J Med*. 1988;318(13):797-803.
101. Orkin FK, Dohlman LE. Recursive-partitioning analysis provides a more patient-centric perspective on predicting adverse-event occurrence than logistic regression analysis. *Eur J Anaesth*. 2005;22(Suppl 34):7.
102. Bijker JB, van Klei WA, Vergouwe Y, et al. Intraoperative hypotension and 1-year mortality after noncardiac surgery. *Anesthesiology*. 2009;111(6):1217-1226.
103. Schunemann HJ, Vist GE, Jaeschke R, et al. Grading recommendations. In: Guyatt GH, Rennie D, Meade MO, Cook DJ, eds. *Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice*. 2nd ed. New York, NY: McGraw-Hill; 2008:679-701.



104. Section on Legal Medicine: Fatal application of chloroform. *Edinburgh Med Surg J.* 1848;69:498.
105. Snow J. *On Chloroform and Other Anaesthetics.* London, UK: John Churchill; 1858.
106. Minuck M. Death in the operating room. *Can Anaesth Soc J.* 1967;14(3):197-204.
107. Schapira M, Kepes ER, Hurwitt ES. An analysis of deaths in the operating room and within 24 hours of surgery. *Anesth Analg.* 1960;39(2):149-157.
108. Phillips OC, Frazier TM, Graff TD, DeKornfeld TJ. The Baltimore Anesthesia Study Committee. Review of 1,024 post-operative deaths. *JAMA.* 1960;174:2015-2019.
109. Clifton BS, Hotten WIT. Deaths associated with anaesthesia. *Br J Anaesth.* 1963;35:250-259.
110. Greene NM, Bannister WK, Cohen B, et al. Survey of deaths associated with anesthesia in Connecticut: a review of 120,935 anesthetics. *Conn Med.* 1959;23(8):512-518.
111. Memery HN. Anesthesia mortality in private practice. A ten-year study. *JAMA.* 1965;194(11):1185-1188.
112. Gebbie D. Anaesthesia and death. *Can Anaesth Soc J.* 1966;13(4):390-396.
113. Harrison GG. Anaesthetic contributory death—its incidence and causes. I. Incidence. *S Afr Med J.* 1968;42(21):514-518.
114. Holland R. Anaesthetic mortality in New South Wales. *Br J Anaesth.* 1987;59(7):834-841.
115. Pitt-Miller P. Deaths with 24 hours of surgical procedures at the Port-of-Spain General Hospital (January, 1976 to December, 1987). *West Indian Med J.* 1989;38(3):148-152.
116. Eichhorn JH. Prevention of intraoperative anesthesia accidents and related severe injury through safety monitoring. *Anesthesiology.* 1989;70(4):572-577.
117. Chopra V, Bovill JG, Spierdijk J. Accidents, near accidents and complications during anaesthesia. A retrospective analysis of a 10-year period in a teaching hospital. *Anaesthesia.* 1990;45(1):3-6.
118. Pausawasdi S. Morbidity and mortality of anaesthesia in Thai patients. *J Med Assoc Thai.* 1986;69(8):407-414.
119. Tan I, Delilkan AE. Anaesthetic contribution to deaths in the operating theatre at the University Hospital Kuala Lumpur—a retrospective survey. *Med J Malaysia.* 1993;48(4):397-402.
120. Tikkanen J, Hovi-Viander M. Death associated with anaesthesia and surgery in Finland in 1986 compared to 1975. *Acta Anaesthesiol Scand.* 1995;39(2):262-267.
121. Pedersen T, Eliassen K, Henriksen E. A prospective study of mortality associated with anaesthesia and surgery: risk indicators of mortality in hospital. *Acta Anaesthesiol Scand.* 1990;34(3):176-182.
122. Cohen MM, Duncan PG, Pope WDB, et al. The Canadian four-centre study of anaesthetic outcomes: II. Can outcomes be used to assess the quality of anaesthesia care? *Can J Anaesth.* 1992;39(5 Pt 1):430-439.
123. Warden JC, Borton CL, Horan BF. Mortality associated with anaesthesia in New South Wales, 1984–1990. *Med J Aust.* 1994;161(10):585-593.
124. Coetzee A. Mortality associated with anaesthesia. *S Afr Med J.* 1996;86(8):973, 976.
125. Eagle CC, Davis NJ. Report of the Anaesthetic Mortality Committee of Western Australia 1990–1995. *Anaesth Intensive Care.* 1997;25(1):51-59.
126. Lagasse RS. Anesthesia safety: model or myth? A review of the published literature and analysis of current original data. *Anesthesiology.* 2002;97(6):1609-1617.
127. Arbous MS, Grobbee DE, van Kleef JW, et al. Mortality associated with anaesthesia: a qualitative analysis to identify risk factors. *Anaesthesia.* 2001;56(12):1141-1153.
128. Lienhart A, Auroy Y, Pequignot F, et al. Survey of anesthesia-related mortality in France. *Anesthesiology.* 2006;105(6):1087-1097.
129. Mackay P. *Safety of Anaesthesia in Australia: A Review of Anaesthesia Related Mortality, 1997-1999.* Report of the Committee Convened Under the Auspices of the Australian and New Zealand College of Anaesthetists. Melbourne, Australia: Australian and New Zealand College of Anaesthetists; 2002. <http://www.anzca.edu.au/resources/books-and-publications/reports/mortality/mortality97.pdf>. Accessed June 15, 2010.
130. Noordzij PG, Poldermans D, Schouten O, et al. Postoperative mortality in the Netherlands: A population-based analysis of surgery-specific risk in adults. *Anesthesiology.* 2010;112(5):1105-1115.
131. Charuluxananan S, Chinachoti T, Pulnitiporn A, et al. The Thai Anesthesia Incidents Study (THAI Study) of perioperative death: Analysis of risk factors. *J Med Assoc Thai.* 2005; 88(Suppl 7):S30-40.
132. Comments by Chauncey Starr, as cited by Bendixen HH. What are the important questions regarding the delivery of anesthesia care and how should we go about answering them? In: Hirsh RA, Forrest WH Jr, Orkin FK, Wollman H, eds. *Health Care Delivery in Anesthesia.* Philadelphia, PA: George F. Stickley; 1980:183.
133. US national estimate for Year 2004 based on US Agency for Healthcare Research and Quality's HCUP Nationwide Inpatient Sample. <http://hcup.ahrq.gov/HCUPnet>. Accessed June 15, 2010.
134. Vacanti CJ, Van Houten RJ, Hill RC. A statistical analysis of the relationship of physical status to postoperative mortality in 68,388 cases. *Anesth Analg.* 1970;49(4):564-566.
135. Owens WD, Felts JA, Spitznagel EL Jr. ASA physical status classifications: a study of consistency of ratings. *Anesthesiology.* 1978;49(4):239-243.
136. Haynes SR, Lawler PGP. An assessment of the consistency of ASA physical status classification allocation. *Anaesthesia.* 1995;50(3):195-199.
137. Mak PH, Campbell RC, Irwin MG. The ASA Physical Status Classification: inter-observer consistency. *Anaesth Intensive Care.* 2002;30(5):633-640.
138. Barbeito A, Muir HA, Gan TJ, et al. Use of a modifier reduces inconsistency in the American Society of Anesthesiologists Physical Status Classification in parturients. *Anesth Analg.* 2006;102(4):1231-1233.
139. Wolters U, Wold T, Stützer H, Schröder T. ASA classification and perioperative variables as predictors of postoperative outcome. *Br J Anaesth.* 1996;77(2):217-222.
140. Cullen DJ, Apolone G, Greenfield S, Guadagnoli E, Cleary P. ASA physical status and age predict morbidity after three surgical procedures. *Ann Surg.* 1994;220(1):3-9.
141. Froehner M, Koch R, Litz R, et al. Comparison of the American Society of Anesthesiologists Physical Status classification with the Charlson score as predictors of survival after radical prostatectomy. *Urology.* 2003;62(4):698-701.
142. Boruk M, Chernobilsky B, Rosenfeld RM, Har-El G. Age as a prognostic factor for complications of major head and neck surgery. *Arch Otolaryngol Head Neck Surg.* 2005;131(7):605-609.

143. Carson JL, Duff A, Berlin JA, et al. Perioperative blood transfusion and postoperative mortality. *JAMA*. 1998;279(3):199-205.
144. Knaus WA, Draper EA, Wagner DP, Zimmerman JE. APACHE II: a severity of disease classification system. *Crit Care Med*. 1985;13(10):818-829.
145. Keeler ER, Kahn EL, Draper D, et al. Changes in sickness at admission following the introduction of the prospective payment system. *JAMA*. 1990;264(15):1962-1968.
146. Holt NF, Silverman DG. Modeling perioperative risk: can numbers speak louder than words? *Anesthesiol Clin North America*. 2006;24(3):427-459.
147. Pasternak LR. Preoperative assessment: guidelines and challenges. *Acta Anaesthesiol Scand*. 1997;111(Suppl):318-320.
148. Detsky AS, Abrams HB, Forbath N, Scott JG, Hilliard JR. Cardiac assessment for patients undergoing noncardiac surgery. A multifactorial clinical risk index. *Arch Intern Med*. 1986;146(11):2131-2134.
149. Lee TH, Marcantonio ER, Mangione CM, et al. Derivation and prospective validation of a simple index for prediction of cardiac risk of major noncardiac surgery. *Circulation*. 1999;100(10):1043-1049.
150. O'Connor GT, Plume SK, Olmstead EM, et al. Multivariate prediction of in-house mortality associated with coronary artery bypass graft surgery. *Circulation*. 1992;85(6):2110-2118.
151. Glance LG, Wissler R, Mukamel DB, et al. Perioperative outcomes in patients with the modified metabolic syndrome undergoing non-cardiac surgery. *Anesthesiology*. 2010;113(4):859-872.
152. Iezzoni LI, Ash AS, Shwartz M, et al. Predicting who dies depends on how severity is measured: implications for evaluating patient outcomes. *Ann Intern Med*. 1995;123(10):763-770.
153. Epstein AM, Stern RS, Tognetti J, et al. The association of patients' socioeconomic characteristics with the length of hospital stay and hospital charges within diagnosis-related groups. *N Engl J Med*. 1988;318(24):1579-1585.
154. Liu JH, Zingmond DS, McGory ML, et al. Disparities in the utilization of high-volume hospitals for complex surgery. *JAMA*. 2006;296(16):1973-1990.
155. Silber JH, Williams SV, Krakauer H, Schwartz JS. Hospital and patient characteristics associated with death after surgery: a study of adverse occurrence and failure to rescue. *Med Care*. 1992;30(7):615-629.
156. Silber JH, Rosenbaum PR, Ross RN. Comparing the combinations of groups of predictors: which outcomes vary with hospital rather than patient characteristics? *J Am Stat Assoc*. 1995;90:7.
157. Aiken LH, Clarke SP, Sloane DM, Sochalski J, Silber JH. Hospital nurse staffing and patient mortality, nurse burnout, and job satisfaction. *JAMA*. 2002;288(16):1987-1993.
158. Moses LE, Mosteller F. Institutional differences in postoperative death rates. Commentary on some of the findings of the National Halothane Study. *JAMA*. 1968;203(7):492-494.
159. Scott WR, Forrest WH Jr, Brown BW. Hospital structure and postoperative mortality and morbidity. In: Shortell SM, Brown M, eds. *Organizational Research in Hospitals*. Chicago, IL: Inquiry (Blue Cross Association); 1972:72-89.
160. Staff of the Stanford Center for Health Care Research. Comparison of hospitals with regard to outcomes of surgery. *Health Serv Res*. 1976;11(2):112-127.
161. Flood AB. Hospital organization and outcomes of care. In: Hirsh RA, Forrest WH Jr, Orkin FK, Wollman H, eds. *Health Care Delivery in Anesthesia*. Philadelphia, PA: George F. Stickley; 1980:105-118.
162. Flood AB, Scott WR, eds. *Hospital Structure and Performance*. Baltimore, MD: Johns Hopkins University Press; 1987.
163. Brennan TA, Horwitz RI, Duffy FD, et al. The role of physician specialty board certification status in the quality movement. *JAMA*. 2004;292(9):1038-1043.
164. Prystowsky JB, Bordage G, Feinglass JM. Patient outcomes for segmental colon resection according to surgeon's training, certification, and experience. *Surgery*. 2002;132(4):663-662.
165. Kohatsu ND, Gould D, Ross LK, Fox PJ. Characteristics associated with physician discipline: a case-control study. *Arch Intern Med*. 2004;164(6):653-658.
166. Rosenthal GE, Harper DL, Quinn LM, Cooper GS. Severity-adjusted mortality and length of stay in teaching and non-teaching hospitals. Results of a regional study. *JAMA*. 1997;278(6):485-490.
167. Ayanian JZ, Weissman JS. Teaching hospitals and quality of care: a review of the literature. *Milbank Q*. 2002;80(3):569-593.
168. Luft HS, Bunker JP, Enthoven AC. Should operations be regionalized? The empirical relation between surgical volume and mortality. *N Engl J Med*. 1979;301(25):1364-1369.
169. Luft HS, Garnick DW, Mark DH, McPhee SJ. *Hospital Volume, Physician Volume, and Patient Outcomes: Assessing the Evidence*. Ann Arbor, MI: Health Care Administration Press; 1990.
170. Dimick JB, Welch HG, Birkmeyer JD. Surgical mortality as an indicator of hospital quality: the problem with small sample size. *JAMA*. 2004;292(7):847-851.
171. Jenkins KJ, Newberger JW, Lock JE, et al. In-hospital mortality for surgical repair of congenital heart defects: preliminary observations of variation by hospital caseload. *Pediatrics*. 1995;95(3):323-330.
172. Begg CB, Cramer LD, Hoskins WJ, Brennan MF. Impact of hospital volume on operative mortality for major cancer surgery. *JAMA*. 1998;280(20):1747-1751.
173. Birkmeyer JD, Siewers AE, Finlayson EV, et al. Hospital volume and surgical mortality in the United States. *N Engl J Med*. 2002;346(15):1128-1137.
174. Pronovost PJ, Jenckes MW, Dorman T, et al. Organizational characteristics of intensive care units related to outcomes of abdominal aortic surgery. *JAMA*. 1999;281(14):1310-1317.
175. Pronovost PJ, Dang D, Dorman T, et al. Intensive care unit nurse staffing and the risk for complications after abdominal aortic surgery. *Eff Clin Pract*. 2001;4(5):199-206.
176. Sexton JB, Thomas EJ, Helmreich RL. Error, stress, and teamwork in medicine and aviation: cross sectional surveys. *BMJ*. 2000;320(7237):745-749.
177. Makary MA, Sexton JB, Freischlag JA, et al. Operating room teamwork among physicians and nurses: teamwork in the eye of the beholder. *J Am Coll Surg*. 2006;202(5):746-752.
178. Awad SS, Fagan SP, Bellows C, et al. Bridging the communication gap in the operating room with medical team training. *Am J Surg*. 2005;190(5):770-774.
179. Haynes AB, Weiser TG, Berry WR, et al. A surgical safety checklist to reduce morbidity and mortality in a global population. *N Engl J Med*. 2009;360(5):491-499.
180. McArdle CS, Hole D. Impact of variability among surgeons on postoperative morbidity and mortality and ultimate survival. *BMJ*. 1991;302(6791):1501-1505.
181. Gilbert J. Outcome: experience and training of the anesthetist. In: Hirsh RA, Forrest WH Jr, Orkin FK, Wollman H, eds. *Health Care Delivery in Anesthesia*. Philadelphia, PA: George F. Stickley; 1980:143-150.

182. Slogoff S, Keats AS. Does perioperative myocardial ischemia lead to postoperative myocardial infarction? *Anesthesiology*. 1985;62(2):107-114.
183. Forrest WH Jr. Outcome: the effect of the provider. In: Hirsh RA, Forrest WH Jr, Orkin FK, Wollman H, eds. *Health Care Delivery in Anesthesia*. Philadelphia, PA: George F. Stickley; 1980:137-142.
184. Bechtoldt AA Jr. Committee on Anesthesia Study. Anesthetic-related deaths: 1969-1976. *N C Med J*. 1981;42(4):253-259.
185. Pine M, Holt KD, Lou YB. Surgical mortality and type of anesthesia provider. *AANA J*. 2003;71(2):109-116.
186. Needleman J, Minnick AF. Anesthesia provider model, hospital resources, and maternal outcomes. *Health Serv Res*. 2009;44(2):464-482.
187. Dulisse B, Cromwell J. No harm found when nurse anesthetists work without supervision by physicians. *Health Aff (Millwood)*. 2010;29(8):1469-1475.
188. Rodgers A, Walker N, Schug S, et al. Reduction of postoperative mortality and morbidity with epidural or spinal anesthesia: results from overview of randomized trials. *BMJ*. 2000;321(7275):1493-1505.
189. Arbous MS, Meursing AEE, van Kleef JW, et al. Impact of anesthesia management characteristics on severe morbidity and mortality. *Anesthesiology*. 2005;102(2):257-268.
190. Sessler DI, Sigl JC, Kelley SD, et al. Hospital stay and mortality are increased in patients having a "triple low" of low blood pressure, low bispectral index, and low minimal alveolar concentration of volatile anesthesia. *Anesthesiology*. 2012; in press.
191. Saager L, Greenwald SD, Kelley SD, et al. Vasopressors may reduce mortality associated with a "triple low" of low blood pressure, BIS, and MAC. ASA Abstracts A354, October 2009.
192. Gawande AA, Kwaan MR, Regenbogen SE, Lipsitz SA, Zinner MJ. An Apgar score for surgery. *J Am Coll Surg*. 2007;205(5):201-208.
193. Regenbogen SE, Ehrenfeld JM, Lipsitz SR, et al. Utility of the surgical Apgar score: validation in 4119 patients. *Arch Surg*. 2009;144(1):30-36.
194. Lipkus IM, Samsa G, Rimer BK. General performance on a numeracy scale among highly educated samples. *Med Decis Making*. 2001;21(1):37-44.
195. Woloshin S, Schwartz LM, Welch HG. Patients and medical statistics. Interest, confidence, and ability. *J Gen Intern Med*. 2005;20(11):996-1000.
196. Weinfurt KP, Depuy V, Castel LD, et al. Understanding of an aggregate probability statement by patients who are offered participation in Phase I clinical trials. *Cancer*. 2005;103(1):140-147.
197. Edwards A, Elwyn G, Mulley A. Explaining risks: turning numerical data into meaningful pictures. *BMJ*. 2002;324(7341):827-830.
198. Epstein RM, Alper BS, Quill TE. Communicating evidence for participatory decision making. *JAMA*. 2004;291(19):2359-2366.
199. Wallace AW, Au S, Cadon BA. Association of the pattern of use of perioperative  $\beta$ -blockade and postoperative mortality. *Anesthesiology*. 2010;113(4):794-805.
200. Belda FJ, Aguilera L, Garcia de la Asuncion J, et al. Supplemental perioperative oxygen and the risk of surgical wound infection: a randomized controlled trial. *JAMA*. 2005;294(16):2053-2042.
201. Exadaktylos AK, Buggy DJ, Moriarty DC, Mascha E, Sessler DI. Can anesthetic technique for primary breast cancer surgery affect recurrence of metastasis? *Anesthesiology*. 2006;105(4):660-664.