

Chapter 27

REFERENCES

1. Ward RJ, Danziger F, Bonica JJ, et al. Cardiovascular effects of change of posture. *Aerosp Med*. 1966;37(3):257-259.
2. Pae EK, Lowe AA, Sasaki K, et al. A cephalometric and electromyographic study of upper airway structures in the upright and supine positions. *Am J Orthod Dentofacial Orthop*. 1994;106(1):52-59.
3. Froese AB, Bryan AC. Effects of anesthesia and paralysis on diaphragmatic mechanics in man. *Anesthesiology*. 1974;41(3):242-255.
4. Lumb AB, Nunn JF. Respiratory function and ribcage contribution to ventilation in body positions commonly used during anesthesia. *Anesth Analg*. 1991;73(4):422-426.
5. Fairley HB. Airway closure. *Anesthesiology*. 1972;36(6):529-532.
6. Craig DB, Wahba WM, Don HF, et al. "Closing volume" and its relationship to gas exchange in seated and supine positions. *J Appl Physiol*. 1971;31(5):717-721.
7. Martin JT. *Positioning in Anesthesia and Surgery*. Philadelphia, PA: WB Saunders; 1997.
8. Kopman EA, Sandza JG Jr. Hemodynamic effects of head-down lithotomy position in patients with coronary artery disease. *Obstet Gynecol*. 1979;53(2):237-240.
9. Enderby GE. Postural ischaemia and blood-pressure. *Lancet*. 1954;266(6804):185-187.
10. Jones JR, Jacoby J. The effect of surgical positions on respiration. *Surg Forum*. 1954;5:686-691.
11. Martin JT. Compartment syndromes: concepts and perspectives for the anesthesiologist. *Anesth Analg*. 1992;75(2):275-283.
12. Reneman RS. The anterior and the lateral compartmental syndrome of the leg due to intensive use of muscles. *Clin Orthop Relat Res*. 1975(113):69-80.
13. Marshall WK, Bedford RF, Miller ED. Cardiovascular responses in the seated position—impact of four anesthetic techniques. *Anesth Analg*. 1983;62(7):648-653.
14. Young ML, Smith DS, Murtagh F, et al. Comparison of surgical and anesthetic complications in neurosurgical patients experiencing venous air embolism in the sitting position. *Neurosurgery*. 1986;18(2):157-161.
15. Gildenberg PL, O'Brien RP, Britt WJ, et al. The efficacy of Doppler monitoring for the detection of venous air embolism. *J Neurosurg*. 1981;54(1):75-78.
16. Gottlieb JD, Ericsson JA, Sweet RB. Venous air embolism: a review. *Anesth Analg*. 1965;44(6):773-779.
17. Matjasko J, Petrozza P, Cohen M, et al. Anesthesia and surgery in the seated position: analysis of 554 cases. *Neurosurgery*. 1985;17(5):695-702.
18. Weil MH, Shubin H, Rosoff L. Fluid repletion in circulatory shock: central venous pressure and other practical guides. *JAMA*. 1965;192:668-674.
19. Sibbald WJ, Paterson NA, Holliday RL, et al. The Trendelenburg position: hemodynamic effects in hypotensive and normotensive patients. *Crit Care Med*. 1979;7(5):218-224.
20. Shenkin HA, Scheuerman WG, et al. Effect of change of position upon the cerebral circulation of man. *J Appl Physiol*. 1949;2(6):317-326.
21. Sing RF, O'Hara D, Sawyer MA, et al. Trendelenburg position and oxygen transport in hypovolemic adults. *Ann Emerg Med*. 1994;23(3):564-567.
22. Johannsen G, Andersen M, Juhl B. The effect of general anaesthesia on the haemodynamic events during laparoscopy with CO₂-insufflation. *Acta Anaesthesiol Scand*. 1989;33(2):132-136.
23. Gergis FJ, Kanzai GE, et al. Anesthesia for laparoscopy: a review. *J Clin Anesth*. 2006;16:67-78.
24. Cunningham AJ, Turner J, Sullivan MJ, Nelson R, Lew M. Transesophageal echocardiographic assessment of haemodynamic function during laparoscopic cholecystectomy. *Br J Anaesth*. 1993;70(6):621-625.
25. Falabella A, Moore-Jeffries E, et al. Cardiac function during steep Trendelenburg position and CO₂ pneumoperitoneum for robotic-assisted prostatectomy: a trans-oesophageal Doppler probe study. *Int J Med Robot*. 2007;3:312-315.
26. Douglas WW, Rehder K, Beynen FM, et al. Improved oxygenation in patients with acute respiratory failure: the prone position. *Am Rev Respir Dis*. 1977;115(4):559-566.
27. Lamm WJ, Graham MM, Albert RK. Mechanism by which the prone position improves oxygenation in acute lung injury. *Am J Respir Crit Care Med*. 1994;150(1):184-193.
28. Toole JF. Effects of change of head, limb and body position on cephalic circulation. *N Engl J Med*. 1968;279(6):307-311.
29. Cheney FW, Domino KB, Caplan RA et al. Nerve injury associated with anesthesia: a closed claims analysis. *Anesthesiology*. 1999;90(4):1062-1069.
30. Warner MA, Warner ME, Martin JT. Ulnar neuropathy. Incidence, outcome, and risk factors in sedated or anesthetized patients. *Anesthesiology*. 1994;81(6):1332-1340.
31. Warner MA, Warner DO, Harper CM, et al. Ulnar neuropathy in medical patients. *Anesthesiology*. 2000;92(2):613-615.

32. Prielipp RC, Morell RC, Walker FO, et al. Ulnar nerve pressure: influence of arm position and relationship to somatosensory evoked potentials. *Anesthesiology*. 1999;91(2):345-354.
33. Cooper DE, Jenkins RS, Bready L, et al. The prevention of injuries of the brachial plexus secondary to malposition of the patient during surgery. *Clin Orthop Relat Res*. 1988(228):33-41.
34. Warner MA, Warner DO, Harper CM, et al. Lower extremity neuropathies associated with lithotomy positions. *Anesthesiology*. 2000;93(4):938-942.
35. Jordan LM, Kremer M, Crawford K, et al. Data-driven practice improvement: the AANA Foundation closed malpractice claims study. *AANA J*. 2001;69(4):301-311.
36. Gild WM, Posner KL, Caplan RA, et al. Eye injuries associated with anesthesia. A closed claims analysis. *Anesthesiology*. 1992;76(2):204-208.
37. Rupp-Montpetit K, Moody ML. Visual loss as a complication of nonophthalmologic surgery: a review of the literature. *AANA J*. 2004;72(4):285-292.
38. Shaw PJ, Bates D, Cartlidge NE, et al. Neuro-ophthalmological complications of coronary artery bypass graft surgery. *Acta Neurol Scand*. 1987;76(1):1-7.
39. *A Report by the American Society of Anesthesiologists Task Force on Perioperative Blindness*. Chicago, IL: American Society of Anesthesiologists; October 2005.
40. Henny CP, Hofland J. Laparoscopic surgery. Pitfalls due to anesthesia, positioning and pneumoperitoneum. *Surg Endosc*. 2005;19:1163-1171.
41. Giebler RM, Kabatnik M, Stegen BH, et al. Retroperitoneal and Intraperitoneal CO₂ insufflation have markedly different cardiovascular effects. *J Surg Res*. 1997;68:153-160.