

Chapter 36

REFERENCES

1. Caplan RA, Posner KL, Ward RJ, et al. Adverse respiratory events in anesthesia: a closed claims analysis. *Anesthesiology*. 1990;72:828.
2. Benumof JL. Management of the difficult airway: with special emphasis on awake tracheal intubation. *Anesthesiology*. 1991;75:1087.
3. Ovassapian A. *Fiberoptic Endoscopy and the Difficult Airway*. 2nd ed. New York, NY: Lippincott-Raven; 1996.
4. Sellick BA. Cricoid pressure to control regurgitation of stomach contents during induction of anaesthesia. *Lancet*. 1961;2(7199):404.
5. Brain AI. The laryngeal mask: a new concept in airway management. *Br J Anaesth*. 1983;55:801.
6. Cavo JW Jr. True vocal cord paralysis following intubation. *Laryngoscope*. 1985;95:1352.
7. Cheong KF, Chan MY, Sin-Fai-Lam KN. Bilateral vocal cord paralysis following endotracheal intubation. *Anaesth Intensive Care*. 1994;22:206.
8. Ellis PD, Pallister WK. Recurrent laryngeal nerve palsy and endotracheal intubation. *J Laryngol Otol*. 1975;89:823.
9. Shaw GL. Airway obstruction due to bilateral vocal cord paralysis as a complication of stroke. *South Med J*. 1987;80:1432.
10. Fink BR, Demarest RJ. *Laryngeal Biomechanics*. Cambridge, MA: Harvard University Press; 1978.
11. Williamson JA, Webb RK, Szekely S, et al. The Australian Incident Monitoring Study. Difficult intubation: an analysis of 2000 incident reports. *Anaesth Intensive Care*. 1993;21:602.
12. Finucane BT, Tsui BCH, Santora AH. *Principles of Airway Management*. 4th ed. New York, NY: Springer; 2010.
13. Conrardy PA, Goodman LR, Lainge F, et al. Alteration of endotracheal tube position: flexion and extension of the neck. *Crit Care Med*. 1976;4:8.
14. Westhorpe RN. The position of the larynx in children and its relation to the ease of intubation. *Anaesth Intensive Care*. 1987;15:384.
15. Cone AM, Stott S. Intermittent airway obstruction during anaesthesia in a patient with an undiagnosed anterior mediastinal mass. *Anaesth Intensive Care*. 1994;22:204.
16. Law JH, Barnhart K, Rowlett W, et al. Increased frequency of obstructive airway abnormalities with long-term tracheostomy. *Chest*. 1993;104:136.
17. Shenkman Z, Shir Y, Brodsky JB. Perioperative management of the obese patient. *Br J Anaesth*. 1993;70:349.
18. Langeron O, Masso E, Huraux C, et al. Prediction of difficult mask ventilation. *Anesthesiology*. 2000;92:1229.
19. Kheterpal S, Han R, Tremper KK, et al. Incidence and predictors of difficult and impossible mask ventilation. *Anesthesiology*. 2006;105:885.
20. Mason DG, Wark KJ. Unexpected difficult intubation. Asymptomatic epiglottic cysts as a cause of upper airway obstruction during anaesthesia. *Anaesthesia*. 1987;42:407.
21. Jones DH, Cohle SD. Unanticipated difficult airway secondary to lingual tonsillar hyperplasia. *Anesth Analg*. 1993;77:1285.
22. Ovassapian A, Glassenberg R, Randel GI, et al. The unexpected difficult airway and lingual tonsil hyperplasia. A case series and a review of the literature. *Anesthesiology*. 2002;97:124.
23. Ovassapian A, Meyer RM. Airway management. In Longnecker DE, Murphy FL, eds. *Introduction to Anesthesia*. 9th ed. Philadelphia, PA: WB Saunders; 1997.
24. Frumin MJ, Epstein RM, Cohen G. Apneic oxygenation in man. *Anesthesiology*. 1959;20:789.
25. Norris MC, Dewan DM. Preoxygenation for cesarean section: a comparison of two techniques. *Anesthesiology*. 1985;62:827.
26. Gambee AM, Hertzka RE, Fisher DM. Preoxygenation techniques: comparison of three minutes and four breaths. *Anesth Analg*. 1987;66:468.
27. Severinghaus JW, Kelleher JF. Recent developments in pulse oximetry. *Anesthesiology*. 1992;76:1018.
28. Guggenberger H, Lenz G, Federle R. Early detection of inadvertent oesophageal intubation: pulse oximetry vs. capnography. *Acta Anaesthesiol Scand*. 1989;33:112.
29. Birmingham PK, Cheney FW, Ward RJ. Esophageal intubation: a review of detection techniques. *Anesth Analg*. 1986;65:886.
30. Sum Ping ST. Esophageal intubation [letter]. *Anesth Analg*. 1987;66:483.
31. McGee JP II, Vender JS. Nonintubation management of the airway: mask ventilation. In Hagberg CA, ed. *Benumof's Airway Management: Principles and Practice*. 2nd ed. Philadelphia, PA: Mosby Elsevier; 2007.
32. Fullekrug B, Pothmann W, Werner C, et al. The laryngeal mask airway: anesthetic gas leakage and fiberoptic control of positioning. *J Clin Anesth*. 1993;5:357.
33. Verghese C, Smith TG, Young E. Prospective survey of the use of the laryngeal mask airway in 2359 patients. *Anaesthesia*. 1993;48:58.

34. Asai T, Morris S. The laryngeal mask airway: its features, effects and role. *Can J Anaesth.* 1994;41:930.
35. Cork R, Monk JE. Management of a suspected and unsuspected difficult laryngoscopy with the laryngeal mask airway. *J Clin Anesth.* 1992;4:230.
36. Devitt JH, Wenstone R, Noel AG, et al. The laryngeal mask airway and positive-pressure ventilation. *Anesthesiology.* 1994; 80:550.
37. Dich-Nielsen JO, Nagel P. Flexible fibreoptic bronchoscopy via the laryngeal mask. *Acta Anaesthesiol Scand.* 1993;37:17.
38. Divatia JV, Sareen R, Upadhye SM, et al. Anaesthetic management of tracheal surgery using the laryngeal mask airway. *Anaesth Intensive Care.* 1994;22:69.
39. George SL, Blogg CE. Role of the LMA in tracheal extubation [letter]? *Br J Anaesth.* 1994;72:610.
40. Harris TM, Johnston DF, Collins SR, et al. A new general anaesthetic technique for use in singers: the brain laryngeal mask airway versus endotracheal intubation. *J Voice.* 1990;4:81.
41. McNamee CJ, Meyns B, Pagliero KM. Flexible bronchoscopy via the laryngeal mask: a new technique. *Thorax.* 1991;46:141.
42. Martin PD, Cyna AM, Hunter WA, et al. Training nursing staff in airway management for resuscitation. A clinical comparison of the facemask and laryngeal mask. *Anesthesia.* 1993;48:33.
43. Brimacombe J, Berry A. Insertion of the laryngeal mask airway—a prospective study of four techniques. *Anaesth Intensive Care.* 1993;21:89.
44. *LMA Airway Instruction Manual.* San Diego, CA: LMA North America; 2005.
45. Pennant JH, White PF. The laryngeal mask airway. Its uses in anaesthesiology. *Anesthesiology.* 1993;79:144.
46. Pennant JH, Walker MB. Comparison of the endotracheal tube and laryngeal mask in airway management by paramedical personnel. *Anesth Analg.* 1992;74:531.
47. Barker P, Langton JA, Murphy PJ, et al. Regurgitation of gastric contents during general *Anaesthesia*. using the laryngeal mask airway. *Br J Anaesth.* 1992;69:314.
48. elMikatti N, Luthra AD, Healy TE, et al. Gastric regurgitation during general anaesthesia in the supine position with the laryngeal and facemask airways [proceedings]. *Br J Anaesth.* 1992;69:529P.
49. Rabey PG, Murphy PJ, Langton JA, et al. Effect of the laryngeal mask airway on lower oesophageal sphincter pressure in patients during general anaesthesia. *Br J Anaesth.* 1992;69:346.
50. Brimacombe JR, Berry A. The incidence of aspiration associated with the laryngeal mask airway: a meta-analysis of published literature. *J Clin Anesth.* 1995;7:297.
51. Asai T, Barclay K, Power I, et al. Cricoid pressure impedes placement of the laryngeal mask airway and subsequent tracheal intubation through the mask. *Br J Anaesth.* 1994;72:47.
52. King C, Street MK. Twelfth cranial nerve paralysis following use of a laryngeal mask airway. *Anaesthesia.* 1994;49:786.
53. Nagai K, Sakuramoto C, Goto F. Unilateral hypoglossal nerve paralysis following the use of the laryngeal mask airway. *Anaesthesia.* 1994;49:603.
54. Inomata S, Nishikawa T, Suga A, et al. Transient bilateral vocal cord paralysis after insertion of a laryngeal mask airway. *Anesthesiology.* 1995;82:787.
55. Natalini G, Franceschetti ME, Pantelidi MT, et al. Comparison of the standard laryngeal mask airway and the ProSeal laryngeal mask airway in obese patients. *Br J Anaesth.* 2003;90:323.
56. Drolet P, Girard M. An aid to correct positioning of the ProSeal laryngeal mask [letter]. *Can J Anaesth.* 2001;48:718.
57. Brimacombe J, Keller C, Judd DV. Gum elastic bougie-guided insertion of the ProSeal™ laryngeal mask airway is superior to the digital and introducer tool techniques. *Anesthesiology.* 2004;100:25.
58. Brain AI, Verghese C, Strube PJ. The LMA “ProSeal”—a laryngeal mask with an oesophageal vent. *Br J Anaesth.* 2000; 84:650.
59. O’Connor CJ Jr, Borromeo CJ, Stix MS. Bubble solution diagnoses ProSeal insertion into the glottis [letter]. *Anesth Analg.* 2002;94:1671.
60. O’Connor CJ, Stix MS. Assessing ProSeal laryngeal mask positioning: the suprasternal notch test [letter]. *Anesth Analg.* 2002;94:1374.
61. Brimacombe J, Keller C, Berry A, et al. Assessing ProSeal laryngeal mask positioning: the suprasternal notch test [reply]. *Anesth Analg.* 2002; 94:1375.
62. Bailey P, Brimacombe JR, Keller C. The flexible LMA: literature considerations and practical guide. *Int Anesthesiol Clin.* 1998;36:111.
63. Ferson DZ, Rosenblatt WH, Johansen MJ, et al. Use of the intubating LMA-Fastrach in 254 patients with difficult-to-manage airways. *Anesthesiology.* 2001;95:1175.
64. Kanazi GE, El-Khatib M, Nasr VG, et al. A comparison of a silicone wire-reinforced tube with the Parker and the polyvinyl chloride tubes for tracheal intubation through an intubating laryngeal mask airway in patients with normal airways undergoing general anesthesia. *Anesth Analg.* 2008;107:994.
65. Kundra P, Sujata N, Ravishankar M. Conventional tracheal tubes for intubation through the intubating laryngeal mask airway. *Anesth Analg.* 2005;100:284.
66. Ye L, Liu J, Wong DT, et al. Effects of tracheal tube orientation on the success of intubation through an intubating laryngeal mask airway: study in Mallampati class 3 or 4 patients. *Br J Anaesth.* 2009;102:269.
67. Eschertzhuber S, Brimacombe J, Hohlrieder M, et al. The Laryngeal Mask Airway Supreme™—a single use laryngeal mask airway with an oesophageal vent. A randomised, crossover study with the Laryngeal Mask Airway ProSeal™ in paralysed, anaesthetised patients. *Anaesthesia.* 2009;64:79.
68. Timmermann A, Cremer S, Eich C, et al. Prospective clinical and fiberoptic evaluation of the Supreme laryngeal mask airway. *Anesthesiology.* 2009;110:262.
69. Eichinger S, Schreiber W, Heinz T, et al. Airway management in a case of neck impalement: use of the oesophageal tracheal Combitube airway. *Br J Anaesth.* 1992;68:534.
70. Frass M, Frenzer R, Zdrahal F, et al. The esophageal tracheal Combitube: preliminary results with a new airway for CPR. *Ann Emerg Med.* 1987;16:768.
71. Ovassapian A, Liu S, Krejcie T. Fiberoptic tracheal intubation with Combitube in place [abstract]. *Anesth Analg.* 1993; 76:S315.
72. Staudinger T, Brugger S, Watschinger B, et al. Emergency intubation with the Combitube®: comparison with the endotracheal airway. *Ann Emerg Med.* 1993;22:1573.
73. Wiltschke C, Kment G, Swoboda H, et al. Ventilation with the Combitube during tracheotomy. *Laryngoscope.* 1994;104:763.
74. Davis DP, Valentine C, Ochs M, et al. The Combitube as a salvage airway device for paramedic rapid sequence intubation. *Ann Emerg Med.* 2003;42:697.

75. Hagberg CA. *Benumof's Airway Management: Principles and Practice*. 2nd ed. Philadelphia, PA: Mosby Elsevier; 2007.
76. Warner MA, Warner ME, Weber JG. Clinical significance of pulmonary aspiration during the perioperative period. *Anesthesiology*. 1993;78:56.
77. Dorsch JA, Dorsch SE. *Understanding Anesthesia Equipment*. 5th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2008.
78. Fisher MM, Raper RF. The "cuff-leak" test for extubation. *Anesthesia*. 1992;47:10.
79. Ovassapian A. Flexible bronchoscopic intubation of awake patients. *J Bronchology*. 1994;1:240.
80. Watanabe H, Lindgren L, Rosenberg P, et al. Glycopyrronium prolongs topical anaesthesia of oral mucosa and enhances absorption of lignocaine. *Br J Anaesth*. 1993;70:94.
81. Gross JB, Hartigan ML, Schaffer DW. A suitable substitute for 4% cocaine before blind nasotracheal intubation: 3% lidocaine-0.25% phenylephrine nasal spray. *Anesth Analg*. 1984;63:915.
82. Randell T, Yli-Hankala A, Valli H, et al. Topical anaesthesia of the nasal mucosa for fiberoptic airway endoscopy. *Br J Anaesth*. 1992;68:164.
83. Allman KG. The effect of cricoid pressure application on airway patency. *J Clin Anesth*. 1995;7:197.
84. Georgescu A, Miller JN, Lecklitner ML. The Sellick maneuver causing complete airway obstruction. *Anesth Analg*. 1992;74:457.
85. Haslam N, Parker L, Duggan JE. Effect of cricoid pressure on the view at laryngoscopy. *Anesthesia*. 2005;60:41.
86. Moynihan RJ, Brock-Utne JG, Archer JH, et al. The effect of cricoid pressure on preventing gastric insufflation in infants and children. *Anesthesiology*. 1993;78:652.
87. McElwain J, Malik MA, Harte BH, et al. Comparison of the C-MAC videolaryngoscope with the Macintosh, Glidescope and Airtraq laryngoscopes in easy and difficult laryngoscopy scenarios in manikins. *Anesthesia*. 2010;65:483.
88. Low D, Healy D, Rasburn N. The use of the Berci DCI Video laryngoscope for teaching novices direct laryngoscopy and tracheal intubation. *Anesthesia*. 2008;63:195.
89. Serocki G, Bein B, Scholz J, et al. Management of the predicted difficult airway: a comparison of conventional blade laryngoscopy with video-assisted blade laryngoscopy and the GlideScope. *Eur J Anaesthesiol*. 2010;27:24.
90. Noppens RR, Mabus S, Heid F, et al. Evaluation of the McGrath Series 5 videolaryngoscope after failed direct laryngoscopy. *Anesthesia*. 2010;65:716.
91. Klock PA. A clinician's guide to videolaryngoscopy: tips and techniques. *Anesthesiol News* 2009;11(Suppl).
92. Maassen R, Lee R, Hermans B, et al. A comparison of three videolaryngoscopes: the Macintosh laryngoscope blade reduces, but does not replace routine stylet use for intubation in morbidly obese patients. *Anesth Analg*. 2009;109:1560.
93. Stroumpoulis K, Pagoulatou A, Violari M, et al. Videolaryngoscopy in the management of the difficult airway: a comparison with the Macintosh blade. *Eur J Anaesthesiol*. 2009;26:218.
94. Enomoto Y, Asai T, Arai T, et al. Pentax-AWS, a new videolaryngoscope, is more effective than the Macintosh laryngoscope for tracheal intubation in patients with restricted neck movements: a randomized comparative study. *Br J Anaesth*. 2008;100:544.
95. Sharma DJ, Weightman WM, Travis A. Comparison of the Pentax Airway Scope and McGrath Videolaryngoscope with the Macintosh laryngoscope in tracheal intubation by anaesthetists unfamiliar with videolaryngoscopes: a manikin study. *Anaesth Intensive Care*. 2010;38:39.
96. Kim HJ, Chung SP, Park IC, et al. Comparison of the GlideScope video laryngoscope and Macintosh laryngoscope in simulated tracheal intubation scenarios. *Emerg Med J*. 2008;25:279.
97. vanZundert A, Maassen R, Lee R, et al. A Macintosh laryngoscope blade for videolaryngoscopy reduces stylet use in patients with normal airways. *Anesth Analg*. 2009;109:825.
98. Cavus E, Kieckhafer J, Doerges V, et al. The C-MAC videolaryngoscope: first experiences with a new device for videolaryngoscopy-guided intubation. *Anesth Analg*. 2010;110:473.
99. Asai T, Liu EH, Matsumoto S, et al. Use of the Pentax-AWS in 293 patients with difficult airways. *Anesthesiology*. 2009;110:898.
100. Suzuki A, Kunisawa T, Takahata O, et al. Pentax-AWS (Airway Scope) for awake tracheal intubation [letter]. *J Clin Anesth*. 2007;19:642.
101. Suzuki A, Toyama Y, Katsumi N, et al. The Pentax-AWS® rigid indirect video laryngoscope: clinical assessment of performance in 320 cases. *Anesthesia*. 2008;63:641.
102. Dhonneur G, Abdi W, Amathieu R, et al. Optimising tracheal intubation success rate using the Airtraq laryngoscope. *Anesthesia*. 2009;64:315.
103. Turkstra TP, Pelz DM, Jones PM. Cervical spine motion: a fluoroscopic comparison of the AirTraq laryngoscope versus the Macintosh laryngoscope. *Anesthesiology*. 2009;111:97.
104. Ndoko SK, Amathieu R, Tual L, et al. Tracheal intubation of morbidly obese patients: a randomized trial comparing performance of Macintosh and AirTraq™ laryngoscopes. *Br J Anaesth*. 2008;100:263.
105. Bullingham A, Hampson-Evans D, Palazzo M. An impaled neck. Management of difficult airway access. *Anesthesia*. 1994;49:866.
106. Messeter KH, Pettersson KI. Endotracheal intubation with the fibre-optic bronchoscope. *Anesthesia*. 1980;35:294.
107. Neuman GG, Weingarten AE, Abramowitz RM, et al. The anesthetic management of the patient with an anterior mediastinal mass. *Anesthesiology*. 1984;60:144.
108. Ovassapian A, Yelich SJ, Dykes MH, et al. Fiberoptic nasotracheal intubation-incidence and causes of failure. *Anesth Analg*. 1983;62:692.
109. Ovassapian A, Krejcie TC, Yelich SJ, et al. Awake fiberoptic intubation in the patient at high risk of aspiration. *Br J Anaesth*. 1989;62:13.
110. Ovassapian A, Tuncbilek M, Weitzel EK, et al. Airway management in adult patients with deep neck infections: a case series and review of the literature. *Anesth Analg*. 2005;100:585.
111. Hakala P, Randell T. Comparison between two fibrescopes with different diameter insertion cords for fiberoptic intubation. *Anesthesia*. 1995;50:735.
112. Jones HE, Pearce AC, Moore P. Fiberoptic intubation. Influence of tracheal tube tip design. *Anesthesia*. 1993;48:672.
113. Audenaert SM, Montgomery CL, Stone B, et al. Retrograde-assisted fiberoptic tracheal intubation in children with difficult airways. *Anesth Analg*. 1991;73:660.
114. Barriot P, Riou B. Retrograde technique for tracheal intubation in trauma patients. *Crit Care Med*. 1988;16:712.
115. Bissinger U, Guggenberger H, Lenz G. Retrograde-guided fiberoptic intubation in patients with laryngeal carcinoma. *Anesth Analg*. 1995;81:408.

116. Dhara SS. Retrograde intubation—a facilitated approach. *Br J Anaesth.* 1992;69:631.
117. Lechman MJ, Donahoo JS, Macvaugh H III. Endotracheal intubation using percutaneous retrograde guidewire insertion followed by antegrade fiberoptic bronchoscopy. *Crit Care Med.* 1986;14:589.
118. Sanchez A. Retrograde intubation techniques. In Hagberg CA, ed. *Benumof's Airway Management: Principles and Practice.* 2nd ed. Philadelphia, PA: Mosby Elsevier; 2007.
119. Shantha TR. Retrograde intubation using the subcricoid region. *Br J Anaesth.* 1992;68:109.
120. Bowes WA III, Johnson JO. Pneumomediastinum after planned retrograde fiberoptic intubation. *Anesth Analg.* 1994;78:795.
121. Defalque RJ. Ketamine for blind nasal intubation. *Anesth Analg.* 1971;50:984.
122. Gold MI, Buechel DR. A method of blind nasal intubation for the conscious patient. *Anesth Analg.* 1960;39:257.
123. Gorback MS. Inflation of the endotracheal tube cuff as an aid to blind nasal endotracheal intubation [letter]. *Anesth Analg.* 1987;66:916.
124. Tintinalli JE, Claffey J. Complications of nasotracheal intubation. *Ann Emerg Med.* 1981;10:142.
125. American Society of Anesthesiologists Task Force on Management of the Difficult Airway. Practice guidelines for management of the difficult airway: an updated report by the American Society of Anesthesiologists Task Force on Management of the Difficult Airway. *Anesthesiology.* 2003;98:1269.
126. Benumof JL. Laryngeal mask airway and the ASA difficult airway algorithm. *Anesthesiology.* 1996;84:686.
127. Chadd GD, Crane DL, Phillips RM, et al. Extubation and reintubation guided by the laryngeal mask airway in a child with the Pierre-Robin syndrome. *Anesthesiology.* 1992;76:640.
128. Darling JR, Keohane M, Murray JM. A split laryngeal mask as an aid to training fiberoptic tracheal intubation. A comparison with the Berman II intubating airway. *Anaesthesia.* 1993;48:1079.
129. Hasham F, Kumar CM, Lawler PG. The use of the laryngeal mask airway to assist fiberoptic orotracheal intubation [letter]. *Anaesthesia.* 1991;46:891.
130. Heath ML, Allagain J. Intubation through the laryngeal mask. A technique for unexpected difficult intubation. *Anaesthesia.* 1991;46:545.
131. Johnson CM, Sims C. Awake fiberoptic intubation via a laryngeal mask in an infant with Goldenhar's syndrome. *Anaesth Intensive Care.* 1994;22:194.
132. Smith JE, Sherwood NA. Combined use of laryngeal mask airway and fiberoptic laryngoscope in difficult intubation [letter]. *Anaesth Intensive Care.* 1991;19:471.
133. Asai T, Latto IP, Vaughan RS. The distance between the grille of the laryngeal mask airway and the vocal cords. Is conventional intubation through the laryngeal mask safe? *Anaesthesia.* 1993;48:667.
134. Bainton CR. Cricothyrotomy. *Int Anesthesiol Clin.* 1994;32:95.
135. Benumof JL, Scheller MS. The importance of transtracheal jet ventilation in the management of the difficult airway. *Anesthesiology.* 1989;71:769.
136. McLellan I, Gordon P, Khawaja S, et al. Percutaneous transtracheal high frequency jet ventilation as an aid to difficult intubation. *Can J Anaesth.* 1988;35:404.
137. Weymuller EA Jr, Pavlin EG, Paugh D, et al. Management of difficult airway problems with percutaneous transtracheal ventilation. *Ann Otol Rhinol Laryngol.* 1987;96:34.
138. Howells TH, Riethmuller RJ. Signs of endotracheal intubation. *Anaesthesia.* 1980;35:984.
139. Wafai Y, Salem MR, Baraka A, et al. Effectiveness of the self-inflating bulb for verification of proper placement of the esophageal tracheal Combitube. *Anesth Analg.* 1995;80:122.
140. Wee MY. The oesophageal detection device. Assessment of a method to distinguish oesophageal from tracheal intubation. *Anaesthesia.* 1988;43:27.
141. Heidegger T, Gerig HJ, Ulrich B, et al. Validation of a simple algorithm for tracheal intubation: daily practice is the key to success in emergencies—an analysis of 13,248 intubations. *Anesth Analg.* 2001;92:517.
142. Henderson JJ, Popat MT, Latto IP, et al. Difficult Airway Society guidelines for management of the unanticipated difficult intubation. *Anaesthesia.* 2004;59:675.
143. Hartley M, Vaughan RS. Problems associated with tracheal extubation. *Br J Anaesth.* 1993;71:561.
144. Miller KA, Harkin CP, Bailey PL. Postoperative tracheal extubation. *Anesth Analg.* 1995;80:149.
145. Helfman SM, Gold MI, DeLisser EA, et al. Which drug prevents tachycardia and hypertension associated with tracheal intubation: lidocaine, fentanyl, or esmolol? *Anesth Analg.* 1991;72:482.
146. Dyson A, Isaac PA, Pennant JH, et al. Esmolol attenuates cardiovascular responses to extubation. *Anesth Analg.* 1990;71:675.
147. Pounder DR, Blackstock D, Steward DJ. Tracheal extubation in children: halothane versus isoflurane, anesthetized versus awake. *Anesthesiology.* 1991;74:653.
148. Lang SA, Duncan PG, Shephard DA, et al. Pulmonary oedema associated with airway obstruction. *Can J Anaesth.* 1990;37:210.
149. Chung DC, Rowbottom SJ. A very small dose of suxamethonium relieves laryngospasm. *Anaesthesia.* 1993;48:229.
150. Darmon JY, Rauss A, Dreyfuss D, et al. Evaluation of risk factors for laryngeal edema after tracheal extubation in adults and its prevention by dexamethasone. *Anesthesiology.* 1992; 77:245.
151. Lorch DG, Sahn SA. Post-extubation pulmonary edema following anesthesia induced upper airway obstruction. Are certain patients at risk? *Chest.* 1986;90:802.
152. Maroof M, Bonsu A, MacInnis E. Pulmonary oedema due to upper airway obstruction caused by a Foley catheter. *Anaesth Intensive Care.* 1994;22:605.
153. Geelhoed GW. Tracheomalacia from compressing goiter: management after thyroidectomy. *Surgery.* 1988;104:1100.
154. Peterson GN, Domino KB, Caplan RA, et al. Management of the difficult airway: a closed claims analysis. *Anesthesiology.* 2005;103:33.
155. Holden R, Morsman CD, Butler J, et al. Intra-ocular pressure changes using the laryngeal mask airway and tracheal tube. *Anaesthesia.* 1991;46:922.
156. Mathew JP, Rosenbaum SH, O'Connor T, et al. Emergency tracheal intubation in the postanesthesia care unit: physician error or patient disease? *Anesth Analg.* 1990;71:691.
157. Bedger RC Jr, Chang JL. A jet-stylet endotracheal catheter for difficult airway management. *Anesthesiology.* 1987;66:221.

158. Cooper RM, Cohen DR. The use of an endotracheal ventilation catheter for jet ventilation during a difficult intubation. *Can J Anaesth.* 1994;41:1196.
159. Mort TC. Continuous airway access for the difficult extubation: the efficacy of the airway exchange catheter. *Anesth Analg.* 2007; 105:1357-1362.
160. deLima LG, Bishop MJ. Lung laceration after tracheal extubation over a plastic tube changer. *Anesth Analg.* 1991;73:350.
161. Robles B, Hester J, Brock-Utne JG. Remember the gum-elastic bougie at extubation. *J Clin Anesth.* 1993;5:329.
162. Seitz PA, Gravenstein N. Endobronchial rupture from endotracheal reintubation with an endotracheal tube guide. *J Clin Anesth.* 1989;1:214.
163. Patel P, Vergheze C. Delayed extubation facilitated with the use of a laryngeal mask airway (LMA) on the intensive care unit (ICU) [letter]. *Anaesthesia.* 2000;55:396.
164. Takita K, Yamane M, Morimoto Y, et al. The ED(95) of end-tidal sevoflurane concentration for the smooth exchange of the tracheal tube for a laryngeal mask airway is 2.97%. *Can J Anaesth.* 2003;50:184.
165. Akers JA, Riley RH. Failed extubation due to "sutured" double-lumen tube [letter]. *Anaesth Intensive Care.* 1990;18:577.
166. Asai T. Difficult tracheal extubation in a patient with an unsuspected congenital subglottic stenosis. *Anaesthesia.* 1995; 50:243.
167. Nakagawa H, Komatsu R, Hayashi K, et al. Fiberoptic evaluation of the difficult extubation. *Anesthesiology.* 1995; 82:785.
168. Tavakoli M, Corssen G. An unusual case of difficult extubation. *Anesthesiology.* 1976;45:552.
169. Mark LJ, Beattie C, Ferrell CL, et al. The difficult airway: mechanisms for effective dissemination of critical information. *J Clin Anesth.* 1992;4:247.
170. Brandwein M, Abramson AL, Shikowitz MJ. Bilateral vocal cord paralysis following endotracheal intubation. *Arch Otolaryngol Head Neck Surg.* 1986;112:877.
171. Burton JF, Baker AB. Dental damage during anaesthesia and surgery. *Anaesth Intensive Care.* 1987;15:262.
172. Domino KB, Posner KL, Caplan RA, et al. Airway injury during anesthesia: a closed claims analysis. *Anesthesiology.* 1999; 91:1703.
173. Gamlin F, Caldicott LD, Shah MV. Mediastinitis and sepsis syndrome following intubation. *Anaesthesia.* 1994; 49:883.
174. Lee TS, Jordan JS. Pyriform sinus perforation secondary to traumatic intubation in a difficult airway patient. *J Clin Anesth.* 1994;6:152.
175. Tolley NS, Cheesman TD, Morgan D, et al. Dislocated arytenoid: an intubation induced injury. *Ann R Coll Surg Engl.* 1990;72:353.