

Chapter 45

REFERENCES

1. Hille B. *Ionic Channels of Excitable Membranes*. 3rd ed. Sunderland, MA: Sinauer Associates; 2001.
2. Hollmann MW, Herroeder S, Kurz KS, et al. Time-dependent inhibition of G-protein coupled receptor signaling by local anesthetics. *Anesthesiology*. 2004;100:852-860.
3. Yanagitate F, Strichartz GR. Bupivacaine inhibits activation of neuronal spinal extracellular receptor-activated kinase through selective effects on ionotropic receptors. *Anesthesiology*. 2006;104:805-814.
4. de Jong RH. *Local Anesthetics*. St. Louis, MO: Mosby-Year Book; 1994.
5. IUPHAR database: Voltage-gated sodium channels: Introduction. <http://iuphar-db.org/DATABASE>. Accessed June 18, 2010.
6. Gerner P. "Above all, do no harm": Hippocrates. *Anesthesiology*. 2009;111:938-939.
7. Kindler CH, Yost CS. Two-pore domain potassium channels: new sites of local anesthetic action and toxicity. *Reg Anesth Pain Med*. 2005;30:260-274.
8. Xu F, Garavito-Aguilar Z, Pecio-Pinto E, et al. Local anesthetics modulate neuronal calcium signaling through multiple sites of action. *Anesthesiology*. 2003;98:1139-1146.
9. Strichartz GR, Berde CB. Local anesthetics. In: Miller RD, ed. *Anesthesia*. 5th ed. Philadelphia, PA: Elsevier; 2005:573-603.
10. Gisson AJ, Covino BG, Gregus J. Differential sensitivities of mammalian nerve fibers to local anesthetic agents. *Anesthesiology*. 1980;53:467-474.
11. Fink BR, Cairns A. Lack of size-related differential sensitivity to equilibrium conduction block among mammalian myelinated axons exposed to lidocaine. *Anesth Analg*. 1987;66:948-953.
12. Oda A, Ohashi H, Komori S, et al. Characteristics of ropivacaine block of Na⁺ channels in rat dorsal root ganglion neurons. *Anesth Analg*. 2000;91:1213-1220.
13. Gerner P, Binshtok AM, Wang CF, et al. Capsaicin combined with local anesthetic preferentially prolongs sensory nociceptive block in rat sciatic nerve. *Anesthesiology*. 2008;109:872-878.
14. Brummett CM, Padda A, Amadeo FS, et al. Peridural dexmedetomidine added to ropivacaine causes a dose-dependent increase in the duration of thermal antinociception in sciatic nerve block in rat. *Anesthesiology*. 2008;111:1110-1118.
15. Atkinson RL. Intravenous lidocaine for the treatment of intractable pain of adipositas dolorosa. *Int J Obes*. 1982;56:351-357.
16. Cassuto J, Wallin G, Hagstrom S, et al. Inhibition of postoperative pain by continuous low-dose intravenous infusion of lidocaine. *Anesth Analg*. 1985;64:971-974.
17. Kastrup J, Petersen P, Dejgaard A, et al. Intravenous lidocaine infusion: a new treatment of chronic painful diabetic neuropathy? *Pain*. 1987;25:69-75.
18. Glazer SAB, Portenoy K. Systemic local anesthetics in pain control. *J Pain Symptom Manage*. 1991;6:30-39.
19. Williams DR, Stark RJ. Intravenous lignocaine (lidocaine) infusion for the treatment of chronic daily headache with substantial medication overuse. *Cephalalgia*. 2003;23:963-971.
20. Finnerup NB, Biering-Sorensen F, Johannesen IL, et al. Intravenous lidocaine relieves spinal cord injury pain: a randomized controlled trial. *Anesthesiology*. 2005;102:1023-1030.
21. Koppert W, Weigand M, Neumann F, et al. Perioperative intravenous lidocaine has preventive effects on postoperative pain and morphine consumption after major abdominal surgery. *Anesth Analg*. 2004;98:1050-1055.
22. Attal N, Rouaud J, Brasseur L, et al. Systemic lidocaine in pain due to peripheral nerve injury and predictors of response. *Neurology*. 2004;62:218-225.
23. Schfranski MD, Malucelli T, Machado F, et al. Intravenous lidocaine for fibromyalgia syndrome: an open trial. *Clin Rheumatol*. 2009;28:853-855.
24. Duarte AM, Pospisilova E, Reilly E, et al. Reduction of postincisional allodynia by subcutaneous bupivacaine. *Anesthesiology*. 2005;103:113-125.
25. Zhang JM, Li H, Munir MA. Decreasing sympathetic sprouting in pathologic sensory ganglia: a new mechanism for treating neuropathic pain using lidocaine. *Pain*. 2004;109:143-149.
26. Takatori M, Kuroda Y, Hirose M. Local anesthetics suppress nerve growth factor-mediated neurite outgrowth by inhibition of tyrosine kinase activity of TrkA. *Anesth Analg*. 2006;102:462-467.
27. Frolich MA, McKeown JL, Worrell MJ, et al. Intravenous lidocaine reduces ischemic pain in healthy volunteers. *Reg Anesth Pain Med*. 2010;35:249-254.
28. Karmaker MK, Ho AM-H, Law BK, et al. Arterial and venous pharmacokinetics of ropivacaine with and without epinephrine after thoracic paravertebral block. *Anesthesiology*. 2005;103:704-711.
29. Simon MJG, Veering BT, Vletter AA, et al. The effect of age on the systemic absorption and systemic disposition

- of ropivacaine after epidural administration. *Anesth Analg*. 2006;102:276-282.
30. Buffington CW, Blix UM. A macromolecular tracer indicates that the spinal epidural space connects directly to the venous circulation in pigs. *Reg Anesth Pain Med*. 2010;35:238-244.
 31. Braid P, Scott DB. The systemic absorption of local analgesic drugs. *Br J Anaesth*. 1965;37:394-404.
 32. Tucker GT, Mather LE. Clinical pharmacokinetics of local anesthetics. *Clin Pharmacokinet*. 1979;4:241-278.
 33. Wildsmith JAW, Tucker GT, Cooper S, et al. Plasma concentrations of local anaesthetics after interscalene brachial plexus block. *Br J Anaesth*. 1977;49:461-466.
 34. Tucker GT. Pharmacokinetics of local anesthetics. *Br J Anaesth*. 1986;58:717-731.
 35. Tucker GT, Wiklund L, Berlin-Wahlen AB, et al. Hepatic clearance of local anesthetics in man. *J Pharmacokinet Biopharm*. 1977;5:111-122.
 36. Lee A, Fagan D, Lamont M, et al. Disposition kinetics of ropivacaine in humans. *Anesth Analg*. 1989;69:736-738.
 37. Lofstrom JB. Tissue distribution of local anesthetics with special reference to the lung. *Int Anesthesiol Clin*. 1978;16:53-71.
 38. Lofstrom JB, Alm BE, Bertler A, et al. Lung uptake of lidocaine. *Acta Anaesthesiol Scand*. 1978;70:80-82.
 39. Foldes FF, Davidson DM, Dunclaf D, et al. The intravenous toxicity of local anesthetic agents in man. *Clin Pharmacol Ther*. 1965;6:328-335.
 40. Boyes RN. A review of the metabolism of amide local anaesthetic agents. *Br J Anaesth*. 1975;47:225-230.
 41. Geddes IC. Studies on the metabolism of Citanest C¹⁴. *Acta Anaesthesiol Scand (Suppl)*. 1965;16:37-44.
 42. Eriksson E, Granberg PO. Studies on the renal excretion of citanest and Xylocaine. *Acta Anaesthesiol Scand (Suppl)*. 1965;16:79-85.
 43. Nation RL, Triggs EJ, Selig M. Lignocaine kinetics in cardiac and aged subjects. *Br J Clin Pharmacol*. 1977;4:439-448.
 44. Stenson RE, Constantino RT, Harrison DC. Interrelationships of hepatic blood flow, cardiac output and blood levels of lidocaine in man. *Circulation*. 1971;43:205.
 45. Thompson PD, Melmon KL, Richardson JA, et al. Lidocaine pharmacokinetics in advanced heart failure, liver disease and renal failure in humans. *Ann Intern Med*. 1973;78:499-508.
 46. Sheskey MC, Rocco AG, Bizzarri-Schmid M, et al. A dose-response study of bupivacaine for anesthesia. *Anesth Analg*. 1983;62:931.
 47. Bromage PR, Gretal M. Improved brachial plexus blockade with bupivacaine hydrochloride and carbonated lidocaine. *Anesthesiology*. 1972;36:479-487.
 48. Latzke D, Marhofer P, Zeitlinger M, et al. Minimum local anesthetic volumes for sciatic nerve block: evaluation of ED₉₉ in volunteers. *Br J Anaesth*. 2010;104:239-244.
 49. Wildsmith JAW, Brown DT, Paul D, et al. Structure-activity relationships in differential nerve block at high and low frequency stimulation. *Br J Anaesth*. 1989;63:444-452.
 50. Wildsmith JAW, Gissen AJ, Takman B, et al. Differential nerve blockade: esters vs amides and the influence of pK_a. *Br J Anaesth*. 1987;59:379-384.
 51. Covino BG. Pharmacology of local anaesthetic agents. *Br J Anaesth*. 1986;58:701-716.
 52. Gissen AJ, Covino BG, Gregus J. Differential sensitivity of fast and slow fibers in mammalian nerve. VI. Effect of pH on blocking action of local anesthetics. *Reg Anesth*. 1986;11:132.
 53. Ritchie JM, Ritchie B, Greengard P. The effect of the nerve sheath on the action of local anesthetic. *J Pharmacol Exp Ther*. 1965;150:160-164.
 54. Taboada Muniz M, Rodriguez J, Bermudez M, et al. Low volume and high concentration of local anesthetic is more efficacious than high volume and low concentration in Labot's sciatic nerve block: a prospective, randomized comparison. *Anesth Analg*. 2008;107:2085-2088.
 55. Galindo A, Benavides O, Ortega de Munos S, et al. Comparison of anesthetic solutions used in lumbar and caudal epidural anesthesia. *Anesth Analg*. 1978;57:175-179.
 56. Johns RA, DiFazio CA, Longnecker DE. Lidocaine constricts or dilates rat arterioles in a dose-dependent manner. *Anesthesiology*. 1985;62:141-144.
 57. Johns RA, Seyde WC, DiFazio CA, et al. Dose-dependent effects of bupivacaine on rat muscle arterioles. *Anesthesiology*. 1986;65:186-191.
 58. Kopacz DJ, Carpenter RL, MacKay DL. Effect of ropivacaine on cutaneous capillary blood flow in pigs. *Anesthesiology*. 1989;71:69-74.
 59. Yu J, Tokinaga Y, Kuriyama t, et al. Involvement of Ca²⁺ sensitization in ropivacaine-induced contraction of rat aortic smooth muscle. *Anesthesiology*. 2005;103:548-555.
 60. Choi YS, Jeong YS, Ok SH, et al. The direct effect of levobupivacaine in isolated rat aorta involves lipoxygenase pathway activation and endothelial nitric oxide release. *Anesth Analg*. 2010;110:341-349.
 61. Akerman B, Hellberg I, Trossvik L. Primary evaluation of the local anesthetic properties of the amino agent ropivacaine (LEA-103). *Acta Anaesthesiol Scand*. 1988;32:571-578.
 62. Feldman HS, Covino BG. Comparative motor-blocking effects of bupivacaine and ropivacaine, a new amino amide local anesthetic in the rat and dog. *Anesth Analg*. 1988;67:1047-1052.
 63. Scott, DB, McClure JH, Giasi RM, et al. Effects of concentration of local anaesthetic drugs in extradural block. *Br J Anaesth*. 1980;52:1033-1077.
 64. Concepcion M, Arthur GR, Steele SM, et al. A new local anesthetic, ropivacaine: its epidural effects in humans. *Anesth Analg*. 1990;79:80-85.
 65. Drasner K. Local anesthetic systemic toxicity. A historical prospective. *Reg Anesth Pain Med*. 2010;35:162-166.
 66. Crawford OB. Comparative evaluation in epidural anesthesia of lidocaine, mepivacaine and L-67, a new local anesthetic agent. *Anesthesiology*. 1964;25:321-329.
 67. Erdimir HA, Soper LE, Sweet RB. Studies of factors affecting epidural anesthesia. *Anesth Analg*. 1965;44:400.
 68. Heavner JE, guest ed. Additives to Local Anesthetics. *Techniques Reg Anesth Pain Manage* 2004;8:105-140.
 69. Cunningham NL, Kaplan JA. A rapid onset long-acting regional anesthetic technique. *Anesthesiology*. 1974;41:509-511.
 70. Cohen SE, Thurlow A. Comparison of chloroprocaine-bupivacaine mixture with chloroprocaine and bupivacaine used individually for obstetric epidural analgesia. *Anesthesiology*. 1979;51:288-292.
 71. Corke BG, Carlson CG, Dettbarn WD. The influence of 2-chloroprocaine on the subsequent analgesic potency of bupivacaine. *Anesthesiology*. 1984;60:25-27.

72. Conception M, Maddi R, Francis D, et al. Vasoconstrictors in spinal anesthesia with tetracaine: a comparison of epinephrine and phenylephrine. *Anesth Analg*. 1984;63:134-138.
73. Albert J, Lofstrom B. Bilateral ulnar nerve blocks for the evaluation of local anaesthetic agents. *Acta Anaesthesiol Scand*. 1965;9:203-211.
74. Swerdlow M, Jones R. The duration of action of bupivacaine, prilocaine and lignocaine. *Br J Anaesth*. 1970;42:335-339.
75. Bromage PR. Spread of analgesic solutions in the epidural space and their site of action. *Br J Anaesth*. 1962;34:161-178.
76. Sinclair CJ, Scott DB. Comparison of bupivacaine and etidocaine in extradural blockade. *Br J Anaesth*. 1984;56:147-153.
77. Eisenach JC, Grice SC, Dewan DM. Epinephrine enhances analgesia produced by epidural bupivacaine during labor. *Anesth Analg*. 1987;66:447-451.
78. Eisenach JC, Dewan DM, Rose JC, et al. Epidural clonidine produces antinociception, but not hypotension in sheep. *Anesthesiology*. 1987;66:496-501.
79. Bromage PR, Burfoot MF, Crowell DE, et al. Quality of epidural blockade. I. Influence of physical factors. *Br J Anaesth*. 1964;36:342-352.
80. Bokesch PM, Raymond SA, Strichartz GR. Dependence of lidocaine potency on pH and P_{CO_2} . *Anesth Analg*. 1987;66:9-17.
81. Catchlove RFH. The influence of CO_2 and pH on local anesthetic action. *J Pharmacol Exp Ther*. 1972;181:298-307.
82. Bromage PR, Burfoot MF, Crowell DE, et al. Quality of epidural blockade. III. Carbonated local anaesthetic solutions. *Br J Anaesth*. 1967;39:197-209.
83. Nickel PM, Bromage RP, Sherrill DL. Comparison of hydrochloride and carbonated salts of lidocaine for epidural analgesia. *Reg Anesth*. 1986;11:62-67.
84. Morrison DH. A double-blind comparison of carbonated lidocaine and lidocaine hydrochloride in epidural anesthesia. *Can Anaesth Soc J*. 1981;28:387-389.
85. Eckstein K, Vincente-Eckstein A, Steiner R, et al. Klinische erprobung von bupivacaine CP2. *Anaesthesist*. 1979;27:1.
86. McClure JH, Scott DB. Comparison of bupivacaine hydrochloride and carbonated bupivacaine in brachial plexus block by the inter-scalene technique. *Br J Anaesth*. 1981;51:523-526.
87. DiFazio Ca, Carron H, Grosslilght KR, et al. Comparison of pH-adjusted lidocaine solutions for epidural anesthesia. *Anesth Analg*. 1986;65:760-764.
88. Hilgier M. Alkalinization of bupivacaine for brachial plexus block. *Reg Anesth*. 1985;10:59-61.
89. Bedder MD, Kozody R, Craig DB. Comparison of bupivacaine and alkalinized bupivacaine in brachial plexus anesthesia. *Anesth Analg*. 1988;67:48-52.
90. Liepert DJ, McMorland GH, Cambling DR, et al. Comparison of lidocaine CO_2 : two percent lidocaine hydrochloride and pH adjusted lidocaine hydrochloride for caesarean section anesthesia. *Can J Anaesth*. 1990;37:333-336.
91. Mertes PM, Laxenaire MC, Alla F. Anaphylactic and anaphylactoid reactions occurring during anesthesia in France in 1999–2000. *Anesthesiology*. 2003;99:536-545.
92. Mackley CL, Marks JG, Anderson BE. Delayed-type hypersensitivity to lidocaine. *Arch Dermatol*. 2003;139:343-346.
93. Zaric D, Christiansen C, Pace NL, et al. Transient neurologic symptoms after spinal anesthesia with lidocaine versus other local anesthetics: a systematic review of randomized, controlled trials. *Anesth Analg*. 2005;100:1811-1816.
94. Lund PG, Cwik JG. Propitocaine (citanest) and methemoglobinemia. *Anesthesiology*. 1965;26:569-571.
95. Hjelm M, Holmdahl MH. Biochemical effects of aromatic amines. *Acta Anaesthesiol Scand*. 1965;2:99-120.
96. Albright GA. Cardiac arrest following regional anesthesia with etidocaine or bupivacaine. *Anesthesiology*. 1979;51:285-287.
97. Butterworth JF. Models and mechanisms of local anesthetic cardiac toxicity. *Reg Anesth Pain Med*. 2010;35:167-176.
98. Stewart J, Kellett N, Castro D. The central nervous system and cardiovascular effects of levobupivacaine and ropivacaine in healthy volunteers. *Anesth Analg*. 2003;97:412-416.
99. Knudsen K, Beckman-Suurkula M, Blomberg S, et al. Central nervous and cardiovascular effects of I.V. infusions of ropivacaine, bupivacaine and placebo in volunteers. *Br J Anaesth*. 1997;78:507-514.
100. Scott DB, Lee A, Fagan D, et al. Acute toxicity of ropivacaine compared with that of bupivacaine. *Anesth Analg*. 1989;69:563-569.
101. Brown DL, Ransom DM, Hall JA, et al. Regional anesthesia and local anesthetic-induced systemic toxicity: seizure frequency and accompanying cardiovascular changes. *Anesth Analg*. 1995;81:321-328.
102. Di Gregorio G, Neal JM, Rosenquest RW, et al. Clinical presentation of local anesthetic systemic toxicity. A review of published cases, 1979 to 2009. *Reg Anesth Pain Med*. 2010;35:181-187.
103. Liu PL, Feldman HS, Giasi R, et al. Comparative CNS toxicity of lidocaine, etidocaine, bupivacaine and tetracaine in awake dogs following rapid IV administration. *Anesth Analg*. 1983;62:375-377.
104. Feldman HS, Arthur GR, Covino BG. Comparative systemic toxicity of convulsant and supraconvulsant doses of intravenous ropivacaine, bupivacaine and lidocaine in the conscious dog. *Anesth Analg*. 1989;69:794-801.
105. Arthur GR, Scott DHT, Boyes RN, et al. Pharmacokinetics and clinical pharmacologic studies with mepivacaine and prilocaine. *Br J Anaesth*. 1979;1:481-485.
106. Scott DB. Evaluation of clinical tolerance of local anaesthetic agents. *Br J Anaesth*. 1975;47:328-331.
107. Engleson S. The influence of acid–base changes on central nervous system toxicity of local anesthetic agents. I. An experimental study in cats. *Acta Anaesthesiol Scand*. 1974;18:79-87.
108. Apfelbaum JL, Shaw LA, Gross JB, et al. Modification of lidocaine protein binding with CO_2 . *Can Anaesth Soc J*. 1985;32:468-471.
109. Burney RG, DiFazio CA, Foster JA. Effects of pH on protein binding of lidocaine. *Anesth Analg*. 1978;57:478-480.
110. Heavner JE. Cardiotoxicity of local anesthetics in the intact isolated heart model: a review. *Reg Anesth Pain Med*. 2002;27:545-555.
111. Clarkson CS, Hohdeghem LM. Mechanisms for bupivacaine depression of cardiac conduction: fast block of sodium channels during the action potential with slow recovery from block during diastole. *Anesthesiology*. 1985;62:396-405.
112. Lynch C. Depression of myocardial contractility in vitro by bupivacaine, etidocaine and lidocaine. *Anesth Analg*. 1986;65:551-559.
113. Moller RA, Covino BG. Cardiac electrophysiologic effects of lidocaine and bupivacaine. *Anesth Analg*. 1988;67:107-114.

114. Arlock P. Actions of three local anesthetics: lidocaine, bupivacaine and ropivacaine on guinea pig papillary muscle sodium channels (V_{max}). *Pharmacol Toxicol.* 1988;63:96-104.
115. deJong RH, Ronfeld RA, DeRosa RA. Cardiovascular effects of convulsant and supraconvulsant doses of amide local anesthetics. *Anesth Analg.* 1982;61:3-9.
116. Kasten GW. High serum bupivacaine concentrations produce rhythm disturbances similar to torsades de pointes in anesthetized dogs. *Reg Anesth.* 1986;11:20-25.
117. Kotelko DM, Shnider SM, Dailey PA, et al. Bupivacaine-induced cardiac arrhythmias in sheep. *Anesthesiology.* 1984;60:10-18.
118. Nath S, Haggmark S, Johansson G, Reiz S. Differential depressant and electrophysiologic cardiotoxicity of local anesthetics: an experimental study with special reference to lidocaine and bupivacaine. *Anesth Analg.* 1986;65:1263-1270.
119. Sage D, Feldman H, Arthur G, et al. The cardiovascular effects of convulsant doses of lidocaine and bupivacaine in the conscious dog. *Reg Anesth.* 1985;10:175-183.
120. Coyle DE, Sperelakis N. Bupivacaine and lidocaine blockade of calcium-mediated slow action potentials in guinea pig ventricular muscle. *J Pharmacol Exp Ther.* 1987;242:1001-1005.
121. Tanz RD, Heskett T, Loehning W, et al. Comparative cardiotoxicity of bupivacaine and lidocaine in the isolated perfused mammalian heart. *Anesth Analg.* 1984;63:549-556.
122. Heavner JE. Cardiac dysrhythmias induced in infusion of local anesthetics into the lateral cerebral ventricle of cats. *Anesth Analg.* 1986;65:133-138.
123. Scott DB. Toxic effects of local anaesthetic agents on the central nervous system. *Br J Anaesth.* 1986;48:732-735.
124. Block A, Covino BG. Effect of local anesthetic agents on cardiac conduction and contractility. *Reg Anesth.* 1982;6:55-61.
125. Stewart DM, Rogers WP, Mahaffrey JE, et al. Effect of local anesthetics on the cardiovascular system in the dog. *Anesthesiology.* 1963;24:620-624.
126. MacMillan WH. A hypothesis concerning the effect of cocaine on the action of sympathomimetic amines. *Br J Pharmacol.* 1959;14:385-391.
127. Mather LE, Chang H-T. Cardiotoxicity with modern local anesthetics. *Drugs.* 2001;61:333-342.
128. Morishima HO, Pedersen H, Finster M, et al. bupivacaine toxicity in pregnant and nonpregnant ewes. *Anesthesiology.* 1985;623:134-139.
129. Sage DJ, Feldman HS, Arthur GR, et al. Influence of lidocaine and bupivacaine on isolated guinea pig atria in the presence of acidosis and hypoxia. *Anesth Analg.* 1984;63:1-7.
130. Rosen M, Thigpen J, Shnider S, et al. Bupivacaine-induced cardiotoxicity in hypoxic and acidotic sheep. *Anesth Analg.* 1985;64:1089-1096.
131. Moore DC Crawford RD, Scurlock JE. Severe hypoxia and acidosis following local anesthetic-induced convulsions. *Anesthesiology.* 1980;53:259-260.
132. Heavner JE. Let's abandon blanket maximum recommended doses of local anesthetics. *Reg Anesth Pain Med.* 2004;29:524.
133. Rosenberg PH, Veering BT, Urmev WF. Maximum recommended doses of local anesthetics: a multifactorial concept. *Reg Anesth Pain Med.* 2004;29:564-575.
134. Weinberg G, Ripper R, Feinstein DL, et al. Lipid emulsion infusion rescues dogs from bupivacaine-induced cardiac toxicity. *Reg Anesth Pain Med.* 2003;28:198-202.
135. Neal JM, Bernardis CM, Butterworth JF, et al. ASRA practice advisory on local anesthetic systemic toxicity. *Reg Anesth Pain Med.* 2010;35:152-161.