

Chapter 55

REFERENCES

1. Strong JP, Malcom GT, McMahan CA, et al. Prevalence and extent of atherosclerosis in adolescents and young adults: implications for prevention from the Pathobiological Determinants of Atherosclerosis in Youth Study. *JAMA*. 1999;281:727-735.
2. Viles-Gonzalez JF, Anand SX, Valdiviezo C, et al. Update in atherothrombotic disease. *Mt Sinai J Med*. 2004;71:197-208.
3. Tabas I. Consequences of cellular cholesterol accumulation: basic concepts and physiological implications. *J Clin Invest*. 2002;110:905-911.
4. Paoletti R, Gotto AM Jr, Hajjar DP. Inflammation in atherosclerosis and implications for therapy. *Circulation*. 2004;109:III20-III26.
5. Fruchart JC, Nierman MC, Stroes ES, Kastelein JJ, Duriez P. New risk factors for atherosclerosis and patient risk assessment. *Circulation*. 2004;109:III15-III19.
6. Sary HC, Chandler AB, Dinsmore RE, et al. A definition of advanced types of atherosclerotic lesions and a histological classification of atherosclerosis. A report from the Committee on Vascular Lesions of the Council on Arteriosclerosis, American Heart Association. *Circulation*. 1995;92:1355-1374.
7. Zwolak RM, Cronenwett JL. Pathophysiology of vascular disease. In: Yeager MP, Glass DD, eds. *Anesthesiology and Vascular Surgery*. Norwalk, CT: Appleton & Lange; 1990:3-29.
8. Silverman DG, Rosenbaum SH. Integrated assessment and consultation for the preoperative patient. *Anesthesiol Clin*. 2009;27:617-631.
9. Kelly R, Staines A, MacWalter R, Stonebridge P, Tunstall-Pedoe H, Struthers AD. The prevalence of treatable left ventricular systolic dysfunction in patients who present with noncardiac vascular episodes: a case-control study. *J Am Coll Cardiol*. 2002;39:219-224.
10. Hertzner NR, Beven EG, Young JR, et al. Coronary artery disease in peripheral vascular patients. A classification of 1000 coronary angiograms and results of surgical management. *Ann Surg*. 1984;199:223-233.
11. Criqui MH, Langer RD, Fronek A, et al. Mortality over a period of 10 years in patients with peripheral arterial disease. *N Engl J Med*. 1992;326:381-386.
12. Mangano DT. Perioperative cardiac morbidity. *Anesthesiology*. 1990;72:153-184.
13. Mangano DT, Browner WS, Hollenberg M, Li J, Tateo IM. Long-term cardiac prognosis following noncardiac surgery. The Study of Perioperative Ischemia Research Group. *JAMA*. 1992;268:233-239.
14. L'Italien GJ, Cambria RP, Cutler BS, et al. Comparative early and late cardiac morbidity among patients requiring different vascular surgery procedures. *J Vasc Surg*. 1995;21:935-944.
15. Birkmeyer JD, Siewers AE, Finlayson EV, et al. Hospital volume and surgical mortality in the United States. *N Engl J Med*. 2002;346:1128-1137.
16. Fleisher LA, Beckman JA, Brown KA, et al. ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery) developed in collaboration with the American Society of Echocardiography, American Society of Nuclear Cardiology, Heart Rhythm Society, Society of Cardiovascular Anesthesiologists, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, and Society for Vascular Surgery. *J Am Coll Cardiol*. 2007;50:1707-1732.
17. Lee TH, Marcantonio ER, Mangione CM, et al. Derivation and prospective validation of a simple index for prediction of cardiac risk of major noncardiac surgery. *Circulation*. 1999;100:1043-1049.
18. Fleisher LA. Preoperative cardiac evaluation. *Anesthesiol Clin North America*. 2004;22:59-75.
19. Licker M, Khatchaturian G, Schweizer A, Bednarkiewicz M, Tassaux D, Chevalley C. The impact of a cardioprotective protocol on the incidence of cardiac complications after aortic abdominal surgery. *Anesth Analg*. 2002;95:1525-1533, table of contents.
20. Rao TL, Jacobs KH, El-Etr AA. Reinfarction following anesthesia in patients with myocardial infarction. *Anesthesiology*. 1983;59:499-505.
21. Rivers SP, Scher LA, Gupta SK, Veith FJ. Safety of peripheral vascular surgery after recent acute myocardial infarction. *J Vasc Surg*. 1990;11:70-75; discussion 6.
22. Kertai MD, Bountiokos M, Boersma E, et al. Aortic stenosis: an underestimated risk factor for perioperative complications in patients undergoing noncardiac surgery. *Am J Med*. 2004;116:8-13.
23. Zahid M, Sonel AF, Saba S, Good CB. Perioperative risk of noncardiac surgery associated with aortic stenosis. *Am J Cardiol*. 2005;96:436-8.
24. Sweitzer BJ, Smetana GW. Identification and evaluation of the patient with lung disease. *Anesthesiol Clin*. 2009;27:673-686.

25. Kertai MD, Boersma E, Bax JJ, et al. Comparison between serum creatinine and creatinine clearance for the prediction of postoperative mortality in patients undergoing major vascular surgery. *Clin Nephrol*. 2003;59:17-23.
26. Liu LL, Dzankic S, Leung JM. Preoperative electrocardiogram abnormalities do not predict postoperative cardiac complications in geriatric surgical patients. *J Am Geriatr Soc*. 2002;50:1186-1191.
27. Auerbach A, Goldman L. Assessing and reducing the cardiac risk of noncardiac surgery. *Circulation*. 2006;113:1361-1376.
28. McPhail N, Calvin JE, Shariatmadar A, Barber GG, Scobie TK. The use of preoperative exercise testing to predict cardiac complications after arterial reconstruction. *J Vasc Surg*. 1988;7:60-68.
29. Etchells E, Meade M, Tomlinson G, Cook D. Semiquantitative dipyridamole myocardial stress perfusion imaging for cardiac risk assessment before noncardiac vascular surgery: a meta-analysis. *J Vasc Surg*. 2002;36:534-540.
30. Shaw LJ, Eagle KA, Gersh BJ, Miller DD. Meta-analysis of intravenous dipyridamole-thallium-201 imaging (1985 to 1994) and dobutamine echocardiography (1991 to 1994) for risk stratification before vascular surgery. *J Am Coll Cardiol*. 1996;27:787-798.
31. Kertai MD, Boersma E, Bax JJ, et al. A meta-analysis comparing the prognostic accuracy of six diagnostic tests for predicting perioperative cardiac risk in patients undergoing major vascular surgery. *Heart*. 2003;89:1327-1334.
32. Boersma E, Poldermans D, Bax JJ, et al. Predictors of cardiac events after major vascular surgery: role of clinical characteristics, dobutamine echocardiography, and beta-blocker therapy. *JAMA*. 2001;285:1865-1873.
33. Rohde LE, Polanczyk CA, Goldman L, Cook EF, Lee RT, Lee TH. Usefulness of transthoracic echocardiography as a tool for risk stratification of patients undergoing major noncardiac surgery. *Am J Cardiol*. 2001;87:505-509.
34. Flu WJ, van Kuijk JP, Hoeks SE, et al. Prognostic implications of asymptomatic left ventricular dysfunction in patients undergoing vascular surgery. *Anesthesiology*. 2010;112:1316-1324.
35. Eagle KA, Rihal CS, Mickel MC, Holmes DR, Foster ED, Gersh BJ. Cardiac risk of noncardiac surgery: influence of coronary disease and type of surgery in 3368 operations. CASS Investigators and University of Michigan Heart Care Program. Coronary Artery Surgery Study. *Circulation*. 1997;96:1882-1887.
36. Kertai MD. Preoperative coronary revascularization in high-risk patients undergoing vascular surgery: a core review. *Anesth Analg*. 2008;106:751-758.
37. McFalls EO, Ward HB, Moritz TE, et al. Coronary-artery revascularization before elective major vascular surgery. *N Engl J Med*. 2004;351:2795-2804.
38. Poldermans D, Schouten O, Vidakovic R, et al. A clinical randomized trial to evaluate the safety of a noninvasive approach in high-risk patients undergoing major vascular surgery: the DECREASE-V Pilot Study. *J Am Coll Cardiol*. 2007;49:1763-1769.
39. Landesberg G, Mosseri M, Wolf YG, et al. Preoperative thallium scanning, selective coronary revascularization, and long-term survival after major vascular surgery. *Circulation*. 2003;108:177-183.
40. Lagerqvist B, James SK, Stenestrand U, Lindback J, Nilsson T, Wallentin L. Long-term outcomes with drug-eluting stents versus bare-metal stents in Sweden. *N Engl J Med*. 2007;356:1009-1019.
41. Spaulding C, Daemen J, Boersma E, Cutlip DE, Serruys PW. A pooled analysis of data comparing sirolimus-eluting stents with bare-metal stents. *N Engl J Med*. 2007;356:989-997.
42. Stone GW, Moses JW, Ellis SG, et al. Safety and efficacy of sirolimus- and paclitaxel-eluting coronary stents. *N Engl J Med*. 2007;356:998-1008.
43. Mauck KF, Manjarrez EC, Cohn SL. Perioperative cardiac evaluation: assessment, risk reduction, and complication management. *Clin Geriatr Med*. 2008;24:585-605, vii.
44. Grines CL, Bonow RO, Casey DE Jr, et al. Prevention of premature discontinuation of dual antiplatelet therapy in patients with coronary artery stents: a science advisory from the American Heart Association, American College of Cardiology, Society for Cardiovascular Angiography and Interventions, American College of Surgeons, and American Dental Association, with representation from the American College of Physicians. *J Am Coll Cardiol*. 2007;49:734-739.
45. Mangano DT, Layug EL, Wallace A, Tateo I. Effect of atenolol on mortality and cardiovascular morbidity after noncardiac surgery. Multicenter Study of Perioperative Ischemia Research Group. *N Engl J Med*. 1996;335:1713-1720.
46. Poldermans D, Boersma E, Bax JJ, et al. The effect of bisoprolol on perioperative mortality and myocardial infarction in high-risk patients undergoing vascular surgery. Dutch Echocardiographic Cardiac Risk Evaluation Applying Stress Echocardiography Study Group. *N Engl J Med*. 1999;341:1789-1794.
47. London MJ, Zaugg M, Schaub MC, Spahn DR. Perioperative beta-adrenergic receptor blockade: physiologic foundations and clinical controversies. *Anesthesiology*. 2004;100:170-175.
48. Devereaux PJ, Yang H, Yusuf S, et al. Effects of extended-release metoprolol succinate in patients undergoing non-cardiac surgery (POISE trial): a randomised controlled trial. *Lancet*. 2008;371:1839-1847.
49. Feringa HH, Bax JJ, Boersma E, et al. High-dose beta-blockers and tight heart rate control reduce myocardial ischemia and troponin T release in vascular surgery patients. *Circulation*. 2006;114:I344-I349.
50. Poldermans D, Bax JJ, Schouten O, et al. Should major vascular surgery be delayed because of preoperative cardiac testing in intermediate-risk patients receiving beta-blocker therapy with tight heart rate control? *J Am Coll Cardiol*. 2006;48:964-969.
51. Kertai MD, Boersma E, Westerhout CM, et al. Association between long-term statin use and mortality after successful abdominal aortic aneurysm surgery. *Am J Med*. 2004;116:96-103.
52. Schouten O, Boersma E, Hoeks SE, et al. Fluvastatin and perioperative events in patients undergoing vascular surgery. *N Engl J Med*. 2009;361:980-989.
53. Landesberg G, Mosseri M, Wolf Y, Vesselov Y, Weissman C. Perioperative myocardial ischemia and infarction: identification by continuous 12-lead electrocardiogram with online ST-segment monitoring. *Anesthesiology*. 2002;96:264-270.
54. MRC European Carotid Surgery Trial: interim results for symptomatic patients with severe (70-99%) or with mild (0-29%) carotid stenosis. European Carotid Surgery Trialists' Collaborative Group. *Lancet*. 1991;337:1235-1243.
55. Beneficial effect of carotid endarterectomy in symptomatic patients with high-grade carotid stenosis. North American Symptomatic Carotid Endarterectomy Trial Collaborators. *N Engl J Med*. 1991;325:445-453.

56. Rothwell PM, Eliasziw M, Gutnikov SA, et al. Analysis of pooled data from the randomised controlled trials of endarterectomy for symptomatic carotid stenosis. *Lancet*. 2003;361:107-116.
57. Chambers BR, Donnan GA. Carotid endarterectomy for asymptomatic carotid stenosis. *Cochrane Database Syst Rev*. 2005;CD001923.
58. Rothwell PM, Goldstein LB. Carotid endarterectomy for asymptomatic carotid stenosis: asymptomatic carotid surgery trial. *Stroke*. 2004;35:2425-2427.
59. Bond A, Rerkasem K, Rothwell PM. High morbidity due to endarterectomy for asymptomatic carotid disease. *Cerebrovasc Dis*. 2003;16(suppl):65.
60. Brott TG, Hobson RW 2nd, Howard G, et al. Stenting versus endarterectomy for treatment of carotid-artery stenosis. *N Engl J Med*. 2010;363:11-23.
61. Reed AB, Gaccione P, Belkin M, et al. Preoperative risk factors for carotid endarterectomy: defining the patient at high risk. *J Vasc Surg*. 2003;37:1191-1199.
62. Chaturvedi S, Bruno A, Feasby T, et al. Carotid endarterectomy—an evidence-based review: report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. *Neurology*. 2005;65:794-801.
63. Arnold M, Sturzenegger M, Schaffler L, Seiler RW. Continuous intraoperative monitoring of middle cerebral artery blood flow velocities and electroencephalography during carotid endarterectomy. A comparison of the two methods to detect cerebral ischemia. *Stroke*. 1997;28:1345-1350.
64. Pinkerton JA Jr. EEG as a criterion for shunt need in carotid endarterectomy. *Ann Vasc Surg*. 2002;16:756-761.
65. Hans SS, Jareunpoon O. Prospective evaluation of electroencephalography, carotid artery stump pressure, and neurologic changes during 314 consecutive carotid endarterectomies performed in awake patients. *J Vasc Surg*. 2007;45:511-515.
66. Lam AM, Manninen PH, Ferguson GG, Nantau W. Monitoring electrophysiologic function during carotid endarterectomy: a comparison of somatosensory evoked potentials and conventional electroencephalogram. *Anesthesiology*. 1991;75:15-21.
67. Kearse LA Jr, Brown EN, McPeck K. Somatosensory evoked potentials sensitivity relative to electroencephalography for cerebral ischemia during carotid endarterectomy. *Stroke*. 1992;23:498-505.
68. Sloan MA. Prevention of ischemic neurologic injury with intraoperative monitoring of selected cardiovascular and cerebrovascular procedures: roles of electroencephalography, somatosensory evoked potentials, transcranial Doppler, and near-infrared spectroscopy. *Neurol Clin*. 2006;24:631-645.
69. Ackerstaff RG, Moons KG, van de Vlasakker CJ, et al. Association of intraoperative transcranial doppler monitoring variables with stroke from carotid endarterectomy. *Stroke*. 2000;31:1817-1823.
70. Samra SK, Dorje P, Zelenock GB, Stanley JC. Cerebral oximetry in patients undergoing carotid endarterectomy under regional anesthesia. *Stroke*. 1996;27:49-55.
71. Pennekamp CW, Bots ML, Kappelle LJ, Moll FL, de Borst GJ. The value of near-infrared spectroscopy measured cerebral oximetry during carotid endarterectomy in perioperative stroke prevention. A review. *Eur J Vasc Endovasc Surg*. 2009;38:539-545.
72. Moritz S, Kasprzak P, Arlt M, Taeger K, Metz C. Accuracy of cerebral monitoring in detecting cerebral ischemia during carotid endarterectomy: a comparison of transcranial Doppler sonography, near-infrared spectroscopy, stump pressure, and somatosensory evoked potentials. *Anesthesiology*. 2007;107:563-569.
73. Rigamonti A, Scandroglio M, Minicucci F, Magrin S, Carozzo A, Casati A. A clinical evaluation of near-infrared cerebral oximetry in the awake patient to monitor cerebral perfusion during carotid endarterectomy. *J Clin Anesth*. 2005;17:426-430.
74. Davies MJ, Mooney PH, Scott DA, Silbert BS, Cook RJ. Neurologic changes during carotid endarterectomy under cervical block predict a high risk of postoperative stroke. *Anesthesiology*. 1993;78:829-833.
75. Practice guidelines for pulmonary artery catheterization: an updated report by the American Society of Anesthesiologists Task Force on Pulmonary Artery Catheterization. *Anesthesiology*. 2003;99:988-1014.
76. Donato AT, Hill SL. Carotid arterial surgery using local anesthesia: a private practice retrospective study. *Am Surg*. 1992;58:446-450.
77. Lee KS, Davis CH Jr, McWhorter JM. Low morbidity and mortality of carotid endarterectomy performed with regional anesthesia. *J Neurosurg*. 1988;69:483-487.
78. Shah DM, Darling RC 3rd, Chang BB, Bock DE, Paty PS, Leather RP. Carotid endarterectomy in awake patients: its safety, acceptability, and outcome. *J Vasc Surg*. 1994;19:1015-1019; discussion 20.
79. Allen BT, Anderson CB, Rubin BG, et al. The influence of anesthetic technique on perioperative complications after carotid endarterectomy. *J Vasc Surg*. 1994;19:834-842; discussion 42-43.
80. Lipsett PA, Tierney S, Gordon TA, Perler BA. Carotid endarterectomy—is intensive care unit care necessary? *J Vasc Surg*. 1994;20:403-409; discussion 9-10.
81. Rerkasem K, Bond R, Rothwell PM. Local versus general anaesthesia for carotid endarterectomy. *Cochrane Database Syst Rev*. 2004;CD000126.
82. Lewis SC, Warlow CP, Bodenham AR, et al. General anaesthesia versus local anaesthesia for carotid surgery (GALA): a multicentre, randomised controlled trial. *Lancet*. 2008;372:2132-2142.
83. Pandit JJ, Satya-Krishna R, Gratton P. Superficial or deep cervical plexus block for carotid endarterectomy: a systematic review of complications. *Br J Anaesth*. 2007;99:159-169.
84. Umbrain V, Keeris J, D'Haese J, et al. Isoflurane, desflurane and sevoflurane for carotid endarterectomy. *Anaesthesia*. 2000;55:1052-1057.
85. Mouren S, De Winter G, Guerrero SP, Baillard C, Bertrand M, Coriat P. The continuous recording of blood pressure in patients undergoing carotid surgery under remifentanyl versus sufentanil analgesia. *Anesth Analg*. 2001;93:1402-1409, table of contents.
86. Wilhelm W, Schlaich N, Harrer J, Kleinschmidt S, Muller M, Larsen R. Recovery and neurological examination after remifentanyl-desflurane or fentanyl-desflurane anaesthesia for carotid artery surgery. *Br J Anaesth*. 2001;86:44-49.
87. Yastrebov K. Intraoperative management: carotid endarterectomies. *Anesthesiol Clin North America*. 2004;22:265-287, vi-vii.
88. Harukuni I, Bhardwaj A. Mechanisms of brain injury after global cerebral ischemia. *Neurol Clin*. 2006;24:1-21.
89. Breen JC, Caplan LR, DeWitt LD, Belkin M, Mackey WC, O'Donnell TP. Brain edema after carotid surgery. *Neurology*. 1996;46:175-181.

90. Komoribayashi N, Ogasawara K, Kobayashi M, et al. Cerebral hyperperfusion after carotid endarterectomy is associated with preoperative hemodynamic impairment and intraoperative cerebral ischemia. *J Cereb Blood Flow Metab.* 2006;26:878-884.
91. Ogasawara K, Konno H, Yukawa H, Endo H, Inoue T, Ogawa A. Transcranial regional cerebral oxygen saturation monitoring during carotid endarterectomy as a predictor of postoperative hyperperfusion. *Neurosurgery.* 2003;53:309-314; discussion 14-15.
92. McArdle PJ, Sanders KD. Postoperative care of vascular surgery patients. *Anesthesiol Clin North America.* 2004;22:333-347, vii-viii.
93. Selvin E, Erlinger TP. Prevalence of and risk factors for peripheral arterial disease in the United States: results from the National Health and Nutrition Examination Survey, 1999-2000. *Circulation.* 2004;110:738-743.
94. Hirsch AT, Haskal ZJ, Hertzner NR, et al. ACC/AHA 2005 practice guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): a collaborative report from the American Association for Vascular Surgery/Society for Vascular Surgery, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, Society of Interventional Radiology, and the ACC/AHA Task Force on Practice Guidelines (Writing Committee to Develop Guidelines for the Management of Patients With Peripheral Arterial Disease): endorsed by the American Association of Cardiovascular and Pulmonary Rehabilitation; National Heart, Lung, and Blood Institute; Society for Vascular Nursing; TransAtlantic Inter-Society Consensus; and Vascular Disease Foundation. *Circulation.* 2006;113:e463-e654.
95. Norgren L, Hiatt WR, Dormandy JA, et al. Inter-society consensus for the management of peripheral arterial disease. *Int Angiol.* 2007;26:81-157.
96. Fleisher LA, Eagle KA, Shaffer T, Anderson GF. Perioperative and long-term mortality rates after major vascular surgery: the relationship to preoperative testing in the medicare population. *Anesth Analg.* 1999;89:849-855.
97. Frank SM, Fleisher LA, Breslow MJ, et al. Perioperative maintenance of normothermia reduces the incidence of morbid cardiac events. A randomized clinical trial. *JAMA.* 1997;277:1127-1134.
98. Barone JE, Tucker JB, Rassias D, Corvo PR. Routine perioperative pulmonary artery catheterization has no effect on rate of complications in vascular surgery: a meta-analysis. *Am Surg.* 2001;67:674-679.
99. Rodgers A, Walker N, Schug S, et al. Reduction of postoperative mortality and morbidity with epidural or spinal anaesthesia: results from overview of randomised trials. *BMJ.* 2000;321:1493.
100. Yeager MP, Glass DD, Neff RK, Brinck-Johnsen T. Epidural anesthesia and analgesia in high-risk surgical patients. *Anesthesiology.* 1987;66:729-736.
101. Tuman KJ, McCarthy RJ, March RJ, DeLaria GA, Patel RV, Ivankovich AD. Effects of epidural anesthesia and analgesia on coagulation and outcome after major vascular surgery. *Anesth Analg.* 1991;73:696-704.
102. Cook PT, Davies MJ, Cronin KD, Moran P. A prospective randomised trial comparing spinal anaesthesia using hyperbaric cinchocaine with general anaesthesia for lower limb vascular surgery. *Anaesth Intensive Care.* 1986;14:373-380.
103. Pierce ET, Pomposelli FB Jr, Stanley GD, et al. Anesthesia type does not influence early graft patency or limb salvage rates of lower extremity arterial bypass. *J Vasc Surg.* 1997;25:226-232; discussion 32-33.
104. Christopherson R, Beattie C, Frank SM, et al. Perioperative morbidity in patients randomized to epidural or general anesthesia for lower extremity vascular surgery. Perioperative Ischemia Randomized Anesthesia Trial Study Group. *Anesthesiology.* 1993;79:422-434.
105. Rosenfeld BA, Beattie C, Christopherson R, et al. The effects of different anesthetic regimens on fibrinolysis and the development of postoperative arterial thrombosis. Perioperative Ischemia Randomized Anesthesia Trial Study Group. *Anesthesiology.* 1993;79:435-443.
106. Breslow MJ, Parker SD, Frank SM, et al. Determinants of catecholamine and cortisol responses to lower extremity revascularization. The PIRAT Study Group. *Anesthesiology.* 1993;79:1202-1209.
107. Bode RH Jr, Lewis KP, Zarich SW, et al. Cardiac outcome after peripheral vascular surgery. Comparison of general and regional anesthesia. *Anesthesiology.* 1996;84:3-13.
108. Horlocker TT, Wedel DJ, Rowlingson JC, et al. Regional anesthesia in the patient receiving antithrombotic or thrombolytic therapy: American Society of Regional Anesthesia and Pain Medicine Evidence-Based Guidelines (Third Edition). *Reg Anesth Pain Med.* 2010;35:64-101.
109. Shibamura H, Olson JM, van Vlijmen-Van Keulen C, et al. Genome scan for familial abdominal aortic aneurysm using sex and family history as covariates suggests genetic heterogeneity and identifies linkage to chromosome 19q13. *Circulation.* 2004;109:2103-2108.
110. MacSweeney ST, Powell JT, Greenhalgh RM. Pathogenesis of abdominal aortic aneurysm. *Br J Surg.* 1994;81:935-941.
111. Long-term outcomes of immediate repair compared with surveillance of small abdominal aortic aneurysms. *N Engl J Med.* 2002;346:1445-1452.
112. Lederle FA, Wilson SE, Johnson GR, et al. Immediate repair compared with surveillance of small abdominal aortic aneurysms. *N Engl J Med.* 2002;346:1437-1444.
113. Ashton HA, Buxton MJ, Day NE, et al. The Multicentre Aneurysm Screening Study (MASS) into the effect of abdominal aortic aneurysm screening on mortality in men: a randomised controlled trial. *Lancet.* 2002;360:1531-1539.
114. Brewster DC, Cronenwett JL, Hallett JW Jr, Johnston KW, Krupski WC, Matsumura JS. Guidelines for the treatment of abdominal aortic aneurysms. Report of a subcommittee of the Joint Council of the American Association for Vascular Surgery and Society for Vascular Surgery. *J Vasc Surg.* 2003;37:1106-1117.
115. Frezza EE, Mezgebe H. Indications and complications of arterial catheter use in surgical or medical intensive care units: analysis of 4932 patients. *Am Surg.* 1998;64:127-131.
116. Isaacson IJ, Lowdon JD, Berry AJ, et al. The value of pulmonary artery and central venous monitoring in patients undergoing abdominal aortic reconstructive surgery: a comparative study of two selected, randomized groups. *J Vasc Surg.* 1990;12:754-760.
117. Sandham JD, Hull RD, Brant RF, et al. A randomized, controlled trial of the use of pulmonary-artery catheters in high-risk surgical patients. *N Engl J Med.* 2003;348:5-14.
118. Iberti TJ, Fischer EP, Leibowitz AB, Panacek EA, Silverstein JH, Albertson TE. A multicenter study of physicians' knowledge of the pulmonary artery catheter. Pulmonary Artery Catheter Study Group. *JAMA.* 1990;264:2928-2932.

119. Practice guidelines for perioperative transesophageal echocardiography. An updated report by the American Society of Anesthesiologists and the Society of Cardiovascular Anesthesiologists Task Force on Transesophageal Echocardiography. *Anesthesiology*. 2010;112:1084-1096.
120. Comunale ME, Body SC, Ley C, et al. The concordance of intraoperative left ventricular wall-motion abnormalities and electrocardiographic S-T segment changes: association with outcome after coronary revascularization. Multicenter Study of Perioperative Ischemia (McSPI) Research Group. *Anesthesiology*. 1998;88:945-954.
121. Smith JS, Cahalan MK, Benefiel DJ, et al. Intraoperative detection of myocardial ischemia in high-risk patients: electrocardiography versus two-dimensional transesophageal echocardiography. *Circulation*. 1985;72:1015-1021.
122. Shenaq SA, Svensson LG. Paraplegia following aortic surgery. *J Cardiothorac Vasc Anesth*. 1993;7:81-94.
123. Greenberg RK, Lu Q, Roselli EE, et al. Contemporary analysis of descending thoracic and thoracoabdominal aneurysm repair: a comparison of endovascular and open techniques. *Circulation*. 2008;118:808-817.
124. Messe SR, Bavaria JE, Mullen M, et al. Neurologic outcomes from high risk descending thoracic and thoracoabdominal aortic operations in the era of endovascular repair. *Neurocrit Care*. 2008;9:344-351.
125. Sinha AC, Cheung AT. Spinal cord protection and thoracic aortic surgery. *Curr Opin Anaesthesiol*. 2010;23:95-102.
126. Jacobs MJ, Mess W, Mochtar B, Nijenhuis RJ, Stadius van Eps RG, Schurink GW. The value of motor evoked potentials in reducing paraplegia during thoracoabdominal aneurysm repair. *J Vasc Surg*. 2006;43:239-246.
127. Coselli JS, Tsai PI. Motor evoked potentials in thoracoabdominal aortic surgery: CON. *Cardiol Clin*. 2010;28:361-368.
128. Bush HL Jr, Hydo LJ, Fischer E, Fantini GA, Silane MF, Barie PS. Hypothermia during elective abdominal aortic aneurysm repair: the high price of avoidable morbidity. *J Vasc Surg*. 1995;21:392-400; discussion 400-402.
129. Gelman S. The pathophysiology of aortic cross-clamping and unclamping. *Anesthesiology*. 1995;82:1026-1060.
130. O'Connor CJ, Rothenberg DM. Anesthetic considerations for descending thoracic aortic surgery: part II. *J Cardiothorac Vasc Anesth*. 1995;9:734-747.
131. Pagani M, Pizzinelli P, Bergamaschi M, Malliani A. A positive feedback sympathetic pressor reflex during stretch of the thoracic aorta in conscious dogs. *Circ Res*. 1982;50:125-132.
132. Stokland O, Miller MM, Ilebekk A, Kiil F. Mechanism of hemodynamic responses to occlusion of the descending thoracic aorta. *Am J Physiol*. 1980;238:H423-H429.
133. Roizen MF, Beaupre PN, Alpert RA, et al. Monitoring with two-dimensional transesophageal echocardiography. Comparison of myocardial function in patients undergoing supraceliac, suprarenal-infraceliac, or infrarenal aortic occlusion. *J Vasc Surg*. 1984;1:300-305.
134. Brusoni B, Colombo A, Merlo L, Marchetti G, Longo T. Hemodynamic and metabolic changes induced by temporary clamping of the thoracic aorta. *Eur Surg Res*. 1978;10:206-216.
135. O'Rourke K, Beattie C, Walman A. Acidosis during high cross-clamp surgery. *Anesthesiology*. 1985;63.
136. Makkad B, Pilling S. Management of thoracic aneurysm. *Semin Cardiothorac Vasc Anesth*. 2005;9:227-240.
137. Shenaq SA, Chelly JE, Karlberg H, Cohen E, Crawford ES. Use of nitroprusside during surgery for thoracoabdominal aortic aneurysm. *Circulation*. 1984;70:I7-I10.
138. Hummel BW, Raess DH, Gewertz BL, Wheeler HT, Fry WJ. Effect of nitroglycerin and aortic occlusion on myocardial blood flow. *Surgery*. 1982;92:159-166.
139. Godet G, Bertrand M, Coriat P, Kieffer E, Mouren S, Viars P. Comparison of isoflurane with sodium nitroprusside for controlling hypertension during thoracic aortic cross-clamping. *J Cardiothorac Anesth*. 1990;4:177-184.
140. Kazui T, Komatsu S, Yokoyama H. Surgical treatment of aneurysms of the thoracic aorta with the aid of partial cardiopulmonary bypass: an analysis of 95 patients. *Ann Thorac Surg*. 1987;43:622-627.
141. Verdant A, Cossette R, Page A, Baillet R, Dontigny L, Page P. Aneurysms of the descending thoracic aorta: three hundred sixty-six consecutive cases resected without paraplegia. *J Vasc Surg*. 1995;21:385-390; discussion 90-91.
142. Godet G, Fleron MH, Vicaut E, et al. Risk factors for acute post-operative renal failure in thoracic or thoracoabdominal aortic surgery: a prospective study. *Anesth Analg*. 1997;85:1227-1232.
143. Huynh TT, Miller CC 3rd, Estrera AL, Sheinbaum R, Allen SJ, Safi HJ. Determinants of hospital length of stay after thoracoabdominal aortic aneurysm repair. *J Vasc Surg*. 2002;35:648-653.
144. Swaminathan M, Stafford-Smith M. Renal dysfunction after vascular surgery. *Curr Opin Anaesthesiol*. 2003;16:45-51.
145. Wahlberg E, Dimuzio PJ, Stoney RJ. Aortic clamping during elective operations for infrarenal disease: the influence of clamping time on renal function. *J Vasc Surg*. 2002;36:13-18.
146. Abbott WM, Austen WG. The reversal of renal cortical ischemia during aortic occlusion by mannitol. *J Surg Res*. 1974;16:482-489.
147. Miller DC, Myers BD. Pathophysiology and prevention of acute renal failure associated with thoracoabdominal or abdominal aortic surgery. *J Vasc Surg*. 1987;5:518-523.
148. Gamulin Z, Forster A, Morel D, Simonet F, Aymon E, Favre H. Effects of infrarenal aortic cross-clamping on renal hemodynamics in humans. *Anesthesiology*. 1984;61:394-399.
149. Adams RP, Cain SM. Total and hindlimb oxygen deficit and "repayment" in hypoxic anesthetized dogs. *J Appl Physiol*. 1983;55:913-922.
150. Waurick R, Van Aken H. Update in thoracic epidural anaesthesia. *Best Pract Res Clin Anaesthesiol*. 2005;19:201-213.
151. Adolphs J, Schmidt DK, Mousa SA, et al. Thoracic epidural anesthesia attenuates hemorrhage-induced impairment of intestinal perfusion in rats. *Anesthesiology*. 2003;99:685-692.
152. Buggy DJ, Doherty WL, Hart EM, Pallett EJ. Postoperative wound oxygen tension with epidural or intravenous analgesia: a prospective, randomized, single-blind clinical trial. *Anesthesiology*. 2002;97:952-958.
153. Park WY, Thompson JS, Lee KK. Effect of epidural anesthesia and analgesia on perioperative outcome: a randomized, controlled Veterans Affairs cooperative study. *Ann Surg*. 2001;234:560-569; discussion 9-71.
154. Boylan JF, Katz J, Kavanagh BP, et al. Epidural bupivacaine-morphine analgesia versus patient-controlled analgesia following abdominal aortic surgery: analgesic, respiratory, and myocardial effects. *Anesthesiology*. 1998;89:585-593.
155. Veering BT. Are epidurals worthwhile in vascular surgery? *Curr Opin Anaesthesiol*. 2008;21:616-618.

156. Mangano DT, Goldman L. Preoperative assessment of patients with known or suspected coronary disease. *N Engl J Med.* 1995;333:1750-1756.
157. Ballantyne JC, Carr DB, deFerranti S, et al. The comparative effects of postoperative analgesic therapies on pulmonary outcome: cumulative meta-analyses of randomized, controlled trials. *Anesth Analg.* 1998;86:598-612.
158. Greenhalgh RM, Brown LC, Powell JT, Thompson SG, Epstein D, Sculpher MJ. Endovascular versus open repair of abdominal aortic aneurysm. *N Engl J Med.* 2010;362:1863-1871.
159. Prinssen M, Verhoeven EL, Buth J, et al. A randomized trial comparing conventional and endovascular repair of abdominal aortic aneurysms. *N Engl J Med.* 2004;351:1607-1618.
160. De Bruin JL, Baas AF, Buth J, et al. Long-term outcome of open or endovascular repair of abdominal aortic aneurysm. *N Engl J Med.* 2010;362:1881-1889.
161. Hughes GC, Sulzer CF, McCann RL, Swaminathan M. Endovascular approaches to complex thoracic aortic disease. *Semin Cardiothorac Vasc Anesth.* 2008;12:298-319.
162. Ruppert V, Leurs LJ, Steckmeier B, Buth J, Umscheid T. Influence of anesthesia type on outcome after endovascular aortic aneurysm repair: an analysis based on EUROSTAR data. *J Vasc Surg.* 2006;44:16-21; discussion 21.
163. De Virgilio C, Romero L, Donayre C, et al. Endovascular abdominal aortic aneurysm repair with general versus local anesthesia: a comparison of cardiopulmonary morbidity and mortality rates. *J Vasc Surg.* 2002;36:988-991.
164. Bettex DA, Lachat M, Pfammatter T, Schmidlin D, Turina MI, Schmid ER. To compare general, epidural and local anaesthesia for endovascular aneurysm repair (EVAR). *Eur J Vasc Endovasc Surg.* 2001;21:179-184.