

## Chapter 56

### REFERENCES

1. Rentschler ME, Dumpert J, Platt SR, et al. Natural orifice surgery with an endoluminal mobile robot. *Surg Endosc.* 2007;21:1212-1215.
2. Goyal RK, Hirano I. The enteric nervous system. *N Engl J Med.* 1996;334:1106.
3. Phee SJ, Ho KY, Lomanto D, et al. Natural orifice transgastric endoscopic wedge hepatic resection in an experimental model using an intuitively controlled master and slave transluminal endoscopic robot (MASTER). *Surg Endosc.* 2010;24:2293-2298.
4. Brock-Utne J, Rout C, Moodley J, et al. Does pre-operative gastric emptying decrease the risk of acid aspiration in obstetrical anaesthesia? A study of gastric acidity and volume at emergency cesarean section. *Anesth Analg.* 1989;68:S39.
5. Edwards G, Morton H, Pask E, et al. Deaths resulting from anaesthesia: a report on 1,000 cases. *Anaesthesia.* 1995;50(5):440-453.
6. Brock-Utne J, Moshal M, Downing J, et al. Fasting volume and acidity of stomach contents associated with gastrointestinal symptoms. *Anaesthesia.* 1977;32:749.
7. Burgess G, Cooper J, Marino R, et al. Laryngeal competence after tracheal extubation. *Anesthesiology.* 1979;51:73.
8. Mendelson C. The aspiration of stomach contents into the lungs during obstetric anaesthesia. *Am J Obstet Gynecol.* 1946;52:191.
9. Olsson GL, Hallen B, Hambraeus-Jonzon K. Aspiration during anaesthesia: a computer-aided study of 185,358 anaesthetics. *Acta Anaesthesiol Scand.* 1986;30:84.
10. Carlsson C, Islander G. Silent gastropharyngeal regurgitation during anaesthesia. *Anesth Analg.* 1981;60:655.
11. Weiss WA. Regurgitation and aspiration of gastric contents during inhalation anaesthesia. *Anesthesiology.* 1950;11:102.
12. Schwartz D, Wynne J, Gibbs C, et al. The pulmonary consequences of aspiration of gastric contents at pH values greater than 2.5. *Am Rev Respir Dis.* 1980;121:119.
13. Roberts R, Shirley M. Reducing the risk of acid aspiration during cesarean section. *Anesth Analg.* 1974;53:859.
14. James C, Modell J, Gibbs C, et al. Pulmonary aspiration: effects of volume and pH in the rat. *Anesth Analg.* 1984;63:665.
15. Viegas O, Ravindran R, Stoops C. Duration of efficacy of sodium citrate as an antacid [abstract]. *Anesth Analg.* 1982;61:220.
16. Abe K, Shibata M, Demizu A, et al. Effect of oral and intramuscular famotidine on pH and volume of gastric contents. *Anesth Analg.* 1989;68:541.
17. Dubois F, Icard P, Berthelot G, et al. Coelioscopic cholecystectomy: preliminary report of 36 cases. *Ann Surg.* 1990;211:60.
18. Coursin D, Farin-Rusk C, Springman S, et al. The hemodynamic effects of intravenous cimetidine versus ranitidine in intensive care unit patients: a double-blind, prospective, crossover study. *Anesthesiology.* 1988;69:975.
19. Cousins M, Mather L. Intrathecal and epidural administration of opioids. *Anesthesiology.* 1984;61:276.
20. Mitchard M, Harris A, Mullinger B. Ranitidine drug interactions—a literature review. *Pharmacol Ther.* 1987;32:293.
21. Bauer L, Edwards A, Randolph F, et al. Cimetidine-induced decrease in lidocaine metabolism. *Am Heart J.* 1984;198:413.
22. Smith S, Kendall M, Lobo J, et al. Ranitidine and cimetidine: drug interactions with single dose and steady-state nifedipine administration. *Br J Clin Pharmacol.* 1987;23:311.
23. Memis D, Turan A, Karamanlioglu B, Saral P, Ture M, Pamukcu Z. The effect of intravenous pantoprazole and ranitidine for improving preoperative gastric fluid properties in adults undergoing elective surgery. *Anesth Analg.* 2003;97:1360-1363.
24. Sellick BA. Cricoid pressure to control regurgitation of stomach contents during induction of anaesthesia. *Lancet.* 1961;2:404.
25. Butler J, Sen A. Best evidence topic report. Cricoid pressure in emergency rapid sequence induction. *Emerg Med J.* 2005;22:815-816.
26. Snider DD, Clarke D, Finucane BT. The “BURP” maneuver worsens the glottic view when applied in combination with cricoid pressure. *Can J Anaesth.* 2005;52:100-104.
27. Crawford M, Lerman J, Christensen S, et al. Effects of duration of fasting on gastric fluid pH and volume in healthy children. *Anesth Analg.* 1990;71:400.
28. Hutchinson A, Maltby J, Reid C. Gastric fluid volume pH in elective inpatients. I. Coffee or orange juice versus overnight fast. *Can J Anaesth.* 1988;35:12.
29. Maltby J, Reid C, Hutchinson A. Gastric fluid volume and pH in elective inpatients. II. Coffee or orange juice with ranitidine. *Can J Anaesth.* 1988;35:16.
30. McGrady E, MacDonald A. Effect of the preoperative administration of water on gastric volume and pH. *Br J Anaesth.* 1988;60:803.
31. Sutherland A, Maltby J, Sale JP, et al. The effect of preoperative oral fluid and ranitidine on gastric fluid volume and pH. *Can J Anaesth.* 1987;34:117.

32. Eger EI, Saidman LJ. Hazards of nitrous oxide anesthesia in bowel obstruction and pneumothorax. *Anesthesiology*. 1965; 26:61.
33. Child CS. Prevention of neostigmine-induced colonic activity: a comparison of atropine and glycopyrronium. *Anaesthesia*. 1984;39:1083.
34. Birnbaum D, Ben-Menachem J, Schwartz A. The influence of oral diazepam on gastrointestinal motility. *Am J Proctol*. 1970;21:263.
35. Dowlatshahi K, Evander A, Walther B, et al. Influence of morphine on the distal oesophagus and the lower oesophageal sphincter—a manometric study. *Gut*. 1985;26:802.
36. Lamki L, Sullivan S. A study of gastrointestinal opiate receptors: the role of the mu receptor on gastric emptying: concise communication. *J Nucl Med*. 1983;24:689.
37. Painter NS, Truelove SC. The intraluminal pressure patterns in diverticulosis of the colon. Part II. The effect of morphine. *Gut*. 1964;5:201.
38. Aitkenhead A, Gilmour D, Hothersall A, et al. Effects of subarachnoid nerve block and arterial PCO<sub>2</sub> on colon blood flow in the dog. *Br J Anaesth*. 1980;52:1071.
39. Yamada T, Alpers DH, Owyang C, et al., eds. *Textbook of Gastroenterology*. Philadelphia, PA: JB Lippincott; 1991.
40. Rawal N, Coombs DW, eds. *Spinal Narcotics*. Boston, MA: Kluwer Academic; 1990.
41. Bardon T, Ruckebusch Y. Comparative effects of opiate agonists on proximal and distal colonic motility in dogs. *Eur J Pharmacol*. 1985;110:329.
42. Ryan P, Schweitzer S, Collopy B, et al. Combined epidural and general anesthesia versus general anesthesia in patients having colon and rectal anastomoses. *Acta Chir Scand Suppl*. 1988;550:146.
43. Kozian A, Schilling T, Hachenberg T. Non-analgetic effects of thoracic epidural anaesthesia. *Curr Opin Anaesthesiol*. 2005;18:29-34.
44. Marret E, Remy C, Bonnet F. Meta-analysis of epidural analgesia versus parenteral opioid analgesia after colorectal surgery. *Br J Surg*. 2007;94:665-673.
45. Thompson DR. Narcotic analgesic effects on the sphincter of Oddi: a review of the data and therapeutic implications in treating pancreatitis. *Am J Gastroenterol*. 2001;96: 1266-1272.
46. Hynynen MJ, Turanen M, Kortilla KT. Effects of alfentanil and fentanyl on common bile duct pressure. *Anesth Analg*. 1986;65:370.
47. Radnay PA, Duncalf D, Novakoric M, et al. Common bile duct pressure changes after fentanyl, morphine, meperidine, butorphanol and naloxone. *Anesth Analg*. 1984;63:441.
48. Jones R, Detmer M, Hill A, et al. Incidence of choledochoduodenal sphincter spasm during fentanyl-supplemented anesthesia. *Anesth Analg*. 1981;60:638.
49. Wind J, Polle SW, Fung Kon Jin PH, et al. Systematic review of enhanced recovery programmes in colonic surgery. *Br J Surg*. 2006;93:800-809.
50. McCammon R, Stoelting R, Madura J. Effects of butorphanol, nalbuphine and fentanyl on intrabiliary tract dynamics. *Anesth Analg*. 1984;63:139.
51. Mead, J. The respiratory system, volume III, parts 1 & 2: mechanics of breathing. In: *Handbook of Physiology*. Bethesda, MD: American Physiological Society; 1988.
52. Nunn J. Pulmonary ventilation: mechanisms and work of breathing. In: Nunn JF, *Applied Respiratory Physiology*. 4th ed. Oxford: Butterworth; 1993:117-134.
53. Don H. The mechanical properties of the respiratory system during anesthesia. In: Kafer E, ed. *Anesthesia and Respiratory Function*. Boston, MA: Little Brown; 1977.
54. Alexander J, Spence A, Parikh R, et al. The role of airway closure in postoperative hypoxemia. *Br J Anaesth*. 1973;45:34.
55. Druart-Blazy A, Pariente A, Berthelemy P, Arotçarena R. The underestimated role of opiates in patients with suspected sphincter of Oddi dysfunction after cholecystectomy. *Gastroenterol Clin Biol*. 2005;29:1220-1223.
56. Slocum H, Hoeflich E, Allen CR. Circulatory and respiratory distress from extreme positions on the operating table. *Surg Gynecol Obstet*. 1947;84:1065.
57. Ali J, Weisel R, Layug A, et al. Consequences of postoperative alterations in respiratory mechanics. *Am J Surg*. 1974;128:376.
58. Ford G, Whitelaw W, Rosenal T, et al. Diaphragm function after upper abdominal surgery in humans. *Am Rev Respir Dis*. 1983;127:431.
59. Ray J, Yost L, Moallem S, et al. Immobility, hypoxemia, and pulmonary arteriovenous shunting. *Arch Surg*. 1974;109:537.
60. Moller AM, Pedersen T, Svendsen PE, Engquist A. Perioperative risk factors in elective pneumonectomy: the impact of excess fluid balance. *Eur J Anaesthesiol*. 2002;19:57-62.
61. Joshi GP. Intraoperative fluid restriction improves outcome after major elective gastrointestinal surgery. *Anesth Analg*. 2005;101:601-605.
62. Rorstat O. Prognostic indicators for carcinoid neuroendocrine tumors of the gastrointestinal tract. *J Surg Oncol*. 2005;89: 151-160.
63. Doherty GM. Rare endocrine tumours of the GI tract. *Best Pract Res Clin Gastroenterol*. 2005;19:807-817.
64. Hoffman KM, Furukawa M, Jensen RT. Duodenal neuroendocrine tumors: classification, functional syndromes, diagnosis and medical treatment. *Best Pract Res Clin Gastroenterol*. 2005;19:675-697.
65. Pasiaka JL. Carcinoid tumors. *Surg Clin North Am*. 2009; 89:1123-1137.
66. Zikusoka MN, Kidd M, Eick G, Latich I, Modlin IM. The molecular genetics of gastroenteropancreatic neuroendocrine tumors. *Cancer*. 2005;104:2292-2309.
67. Appetecchia M, Baldelli R. Somatostatin analogues in the treatment of gastroenteropancreatic neuroendocrine tumours, current aspects and new perspectives. *J Exp Clin Cancer Res*. 2010;29:19.
68. Niederhuber JE, Fojo T. Treatment of metastatic disease in patients with neuroendocrine tumors. *Surg Oncol Clin N Am*. 2006;15:511-533.
69. Kinney MA, Warner ME, Nagorney DM, et al. Perianaesthetic risks and outcomes of abdominal surgery for metastatic carcinoid tumours. *Br J Anaesth*. 2001;87:447-452.
70. Wilde MI, Markham A. Ondansetron. A review of its pharmacology and preliminary clinical findings in novel applications. *Drugs*. 1996;52:773-794.
71. Farling PA, Durairaju AK. Remifentanyl and anaesthesia for carcinoid syndrome. *Br J Anaesth*. 2004;92:893-895.
72. Hurwitz A, Duranceau A. Upper-esophageal sphincter dysfunction: pathogenesis and treatment. *Am J Dig Dis*. 1978;23:275.

73. Palmer E. Disorders of the cricopharyngeus muscle: a review. *Gastroenterology*. 1976;71:510.
74. Winship D. Upper esophageal sphincter: does it care about reflux? *Gastroenterology*. 1983;85:470.
75. Kahrilas P, Dodds W, Dent J, et al. Effect of sleep, spontaneous gastroesophageal reflux, and a meal on upper esophageal sphincter pressure in normal human volunteers. *Gastroenterology*. 1987;92:466.
76. Behar J. Gastroesophageal reflux disease and its complications with a critical analysis of treatment. In: Cohen S, Soloway R, eds. *Diseases of the Esophagus*. Edinburgh, UK: Churchill-Livingstone; 1982:195-213.
77. Biancani P, Walsh J, Behar J. Vasoactive intestinal peptide: a neurotransmitter for lower esophageal sphincter relaxation. *J Clin Invest*. 1984;73:963.
78. Grossman M. Chemical messengers: a view from the gut. *Fed Proc*. 1979;38:2341.
79. Aggestrup S. Effect of thyrotropin-releasing hormone on the human lower esophageal sphincter pressure. *Scand J Gastroenterol*. 1984;19:631.
80. DeMeester TR, Stein HJ. Gastroesophageal reflux disease. In: Moody FG, ed. *Surgical Treatment of Digestive Disease*. 2nd ed. Chicago, IL: Mosby-Year Book; 1990:63-108.
81. Dent J, Dodds W, Friedman R, et al. Mechanism of gastroesophageal reflux in recumbent asymptomatic human subjects. *J Clin Invest*. 1980;65:256.
82. Babka J, Hagar G, Castell D. The effect of body position on lower esophageal sphincter pressure. *Am J Dig Dis*. 1973;18:441.
83. Bancharo N, Schwartz PE, Wood E. Intraesophageal pressure gradient in man. *J Appl Physiol*. 1967;22:1066.
84. Orr W, Robinson M, Johnson L. Acid clearing during sleep in patients with esophagitis and controls. *Dig Dis Sci*. 1981;26:423.
85. Zaninotto G, DeMeester T, Schwizer W, et al. The lower esophageal sphincter in health and disease. *Am J Surg*. 1988;155:104.
86. Crookes PF. Physiology of reflux disease: role of the lower esophageal sphincter. *Surg Endosc*. 2006;S462-S466.
87. Streets CG, DeMeester TR. Ambulatory 24-hour esophageal pH monitoring: why, when, and what to do. *J Clin Gastroenterol*. 2003;37:14-22.
88. DeMeester T, Lafontaine E, Joelsson B, et al. The relationship of a hiatal hernia to the function of the body of the esophagus and the gastroesophageal junction. *J Thorac Cardiovasc Surg*. 1981;82:547.
89. Bonavina L, Evander A, DeMeester T, et al. Length of the distal esophageal sphincter and competency of the cardia. *Am J Surg*. 1986;151:25.
90. O'Sullivan G, DeMeester T, Joelsson B, et al. The interaction of the lower esophageal sphincter pressure and length of sphincter in the abdomen as determinants of gastroesophageal competence. *Am J Surg*. 1982;143:40.
91. Pellegrini C, DeMeester T, Skinner D. Response of the distal esophageal sphincter to respiratory and positional maneuvers in humans. *Surg Forum*. 1976;27:380.
92. Ng A, Smith G. Gastroesophageal reflux and aspiration of gastric contents in anesthetic practice. *Anesth Analg*. 2001;93:494-513.
93. Helm J, Dodds W, Pelc L, et al. Effect of esophageal emptying and saliva on clearance of acid from the esophagus. *N Engl J Med*. 1984;310:284.
94. Helm J, Dodds W, Hogan W. Salivary responses to esophageal acid in normal subjects and patients with reflux esophagitis. *Gastroenterology*. 1982;93:1393.
95. Cheatham M, Chapman W, Key S, Sawyers J. A meta-analysis of selective versus routine nasogastric decompression after elective laparotomy. *Ann Surg*. 1995;221:469-478.
96. Manning BJ, Winter DC, McGreal G, Kirwan WO, Redmond HP. Nasogastric intubation causes gastroesophageal reflux in patients undergoing elective laparotomy. *Surgery*. 2001;130:788-791.
97. Mittal R, Lange R, McCallum R. Identification and mechanism of delayed esophageal acid clearance in subjects with hiatus hernia. *Gastroenterology*. 1987;92:130.
98. Crozier R, Jonasson H. Symptomatic esophageal hiatus hernias: study of 105 patients. *Arch Intern Med*. 1964;113:737.
99. Davenport HW. *Physiology of the Digestive Tract*. 5th ed. Chicago, IL: Mosby-Year Book; 1982.
100. McCallum R, Berkowitz D, Lerner E. Gastric emptying in patients with gastroesophageal reflux. *Gastroenterology*. 1981;80:285.
101. Schwizer W, Hinder R, DeMeester T. Does delayed gastric emptying contribute to gastroesophageal reflux disease? *Am J Surg*. 1989;157(1):74-81.
102. Oh JJ, Kim CH. Gastroparesis after a presumed viral illness: clinical and laboratory features and natural history. *Mayo Clin Proc*. 1990;65:636.
103. Ganey J, Johnson P, Prillaman P, et al. Cholecystectomy: clinical experience with a large series. *Am J Surg*. 1986;151:352.
104. Barlow AP, DeMeester T, Ball C, et al. The significance of the gastric secretory state in gastroesophageal reflux disease. *Arch Surg*. 1989;124(8):937-940.
105. Casten DF. Esophageal hiatal hernia and gastric acid secretion. *Arch Surg*. 1964;88:255.
106. Moody FG, ed. *Surgical Treatment of Digestive Disease*. 2nd ed. Chicago, IL: Mosby-Year Book; 1990.
107. Lunca S, Bouras G, Stanescu AC. Gastrointestinal robot-assisted surgery. A current perspective. *Rom J Gastroenterol*. 2005;14:385-391.
108. Fry LC, Monkemuller K, Malfertheiner P. Systematic review: endoluminal therapy for gastro-oesophageal reflux disease: evidence from clinical trials. *Eur J Gastroenterol Hepatol*. 2007;19:1125-1139.
109. Velanovich V. Endoscopic, endoluminal fundoplication for gastroesophageal reflux disease: initial experience and lessons learned. *Surgery*. 2010;148:646-651.
110. Tryzelaar JF, Neptune WB, Ellis FA, et al. Esophagectomy without thoracotomy for carcinoma of the esophagus. *Am J Surg*. 1982;143:486.
111. Braiteh F, Correa AM, Hofstetter WL, et al. Association of age and survival in patients with gastroesophageal cancer undergoing surgery with or without preoperative therapy. *Cancer*. 2009;115:4450-4458.
112. Josun Hui A, Wing Loong Leong R, Ka Leung Chan F. Gastric ulcer. In: *Encyclopedia of Gastroenterology*. Philadelphia, PA: Elsevier; 2004:157-162.
113. Yuan Y, Padol IT, Hunt RH. Peptic ulcer disease today. *Nat Clin Pract Gastroenterol Hepatol*. 2006;3:80-89.
114. Baron JH. Current views on pathogenesis of peptic ulcer. *Scand J Gastroenterol*. 1982;17(Suppl 80):1.

115. Feldman M, Richardson CT. Total 24-hour gastric acid secretion in patients with duodenal ulcer: comparison with normal subjects and effects of cimetidine and parietal vagotomy. *Gastroenterology*. 1986;90:540.
116. Isenberg JJ, Selling JA, Hogan D, et al. Impaired proximal duodenal mucosal bicarbonate secretion in patients with duodenal ulcer. *N Engl J Med*. 1987;316:374.
117. Lam SK, Isenberg JJ, Grossman MI, et al. Rapid gastric emptying in duodenal ulcer patients. *Dig Dis Sci*. 1982;27:598.
118. Richardson C. Gastric ulcer. In: Sleisenger MH, Fordtran J, eds. *Gastrointestinal Disease: Pathophysiology, Diagnosis, Management*. Philadelphia, PA: WB Saunders; 1983:672-693.
119. Fisher R, Cohen S. Pyloric sphincter dysfunction in patients with gastric ulcer. *N Engl J Med*. 1976;288:273.
120. Cheung LY, Ashley SW. The pathogenesis of acid-peptic disease. In: Moody FG, ed. *Surgical Treatment of Digestive Disease*. 2nd ed. Chicago, IL: Mosby-Year Book; 1990:151-172.
121. Cash BD. Evidence-based medicine as it applies to acid suppression in the hospitalized patient. *Crit Care Med*. 2002;30:S373-S378.
122. Boey J, Choi S, Alagaratnam T. Risk stratification in perforated duodenal ulcers. *Ann Surg*. 1987;205:22.
123. Korenaga D, Okamura T, Baba H, et al. Results of resection of gastric cancer extending to adjacent organs. *Br J Surg*. 1988;75:12.
124. Shiu M, Moore E, Sanders M, et al. Influence of the extent of resection on survival after curative treatment of gastric carcinoma. *Arch Surg*. 1987;122:1347-1351.
125. LaMorte W, Booker M, Scott T, et al. Increases in gallbladder prostaglandin synthesis before the formation of cholesterol gallstones. *Surgery*. 1985;98:445.
126. Been J, Bills P, Lewis D. Microstructure of gallstones. *Gastroenterology*. 1979;76:548.
127. Sjobahl R, Tagesson C, Wetterfors J. Lysolecithin-mediated inflammatory reaction in rabbit gallbladder. *Acta Chir Scand*. 1975;141:403.
128. Reiss R, Eliashiv A, Deutsch A. Septic complications and bile cultures in 800 consecutive cholecystectomies. *World J Surg*. 1982;6:192.
129. Chetlin S, Elliott D. Biliary bacteremia. *Arch Surg*. 1971;102:303.
130. Fukunaga F. Gallbladder bacteriology, histology and gallstones: study of unselected cholecystectomy specimens in Honolulu. *Arch Surg*. 1973;106:169.
131. Glenn F. Silent gallstones. *Ann Surg*. 1981;193:251.
132. Gracie W, Ransohoff D. The natural history of silent gallstones: the innocent gallstone is not a myth. *N Engl J Med*. 1982;307:798.
133. Jarvinen H, Hastabacka J. Early cholecystectomy for acute cholecystitis, a prospective randomized study. *Ann Surg*. 1980;191:501.
134. Lahtinen, Alhava E, Aukee S. Acute cholecystitis treated by early and delayed surgery: a controlled clinical trial. *Scand J Gastroenterol*. 1978;13:673.
135. Glenn F. Surgical management of acute cholecystitis in patients 65 years of age and older. *Ann Surg*. 1981;193:56.
136. Morrow D, Thompson J, Wilson S. Acute cholecystitis in the elderly: a surgical emergency. *Arch Surg*. 1978;113:1149.
137. Roslyn J, Busuttill R. Perforation of the gallbladder: a frequently mismanaged condition. *Am J Surg*. 1979;137:307.
138. Sackmann M, Delius M, Sauerbruch T, et al. Shockwave lithotripsy of gallbladder stones: the first 175 patients. *N Engl J Med*. 1988;318:393.
139. Pitt HA, Miyamoto T, Parapatis SK, et al. Factors influencing outcome in patients with postoperative biliary strictures. *Am J Surg*. 1982;144:14.
140. Southern Surgeons Club. A prospective analysis of 1518 laparoscopic cholecystectomies. *N Engl J Med*. 1991;324:1073.
141. McDougall EM, Clayman RV, Fadden PT. Retroperitoneoscopy: the Washington University Medical School experience. *Urology*. 1994;43:446.
142. Novitsky YW, Litwin DE, Callery MP. The net immunologic advantage of laparoscopic surgery. *Surg Endosc*. 2004;18:1411-1419.
143. Cunningham AJ. Laparoscopic surgery—anaesthetic implications. *Surg Endosc*. 1994;8:1271.
144. Wilcox S, Vandam LD. Alas, poor Trendelenburg and his position! A critique of its uses and effectiveness. *Anesth Analg*. 1988;67:574.
145. Burton A, Steinbrook RA. Precipitous decrease in oxygen saturation during laparoscopic surgery. *Anesth Analg*. 1993;76:1177.
146. Cunningham AJ. Laparoscopic surgery—anaesthetic implications. *Surg Endosc*. 1994;8:1272.
147. Critchley LAH, Critchley AJH, Gin T. Haemodynamic changes in patients undergoing laparoscopic cholecystectomy: measurement by transthoracic electrical bioimpedance. *Br J Anaesth*. 1993;70:681.
148. Johannsen G, Anderson M, Juhl B. The effect of general anesthesia on the haemodynamic events during laparoscopy with CO<sub>2</sub>-insufflation. *Acta Anaesthesiol Scand*. 1989;33:132.
149. Joris JL, Noirot DP, Legrand MJ, et al. Hemodynamic changes during laparoscopic cholecystectomy. *Anesth Analg*. 1993;76:1067.
150. Safran D, Sgambati S, Orlando R. Laparoscopy in high-risk cardiac patients. *Surg Gynecol Obstet*. 1993;176:548.
151. Ekman LG, Abrahamsson J, Biber B, et al. Hemodynamic changes during laparoscopy with positive end-expiratory pressure ventilation. *Acta Anaesthesiol Scand*. 1988;32:447.
152. Odeberg S, Ljungqvist O, Svenberg T, et al. Haemodynamic effects of pneumoperitoneum and the influence of posture during anaesthesia for laparoscopic surgery. *Acta Anaesthesiol Scand*. 1994;38:276.
153. Cunningham AJ, Turner J, Rosenbaum S, et al. Transesophageal echocardiographic assessment of haemodynamic function during laparoscopic cholecystectomy. *Br J Anaesth*. 1993;70:621.
154. Millard JA, Hill BB, Cook PS, et al. Intermittent sequential pneumatic compression in prevention of venous stasis associated with pneumoperitoneum during laparoscopic cholecystectomy. *Arch Surg*. 1993;128:914.
155. Wittgen CM, Andrus CH, Fitzgerald SD, et al. Analysis of the hemodynamic and ventilatory effects of laparoscopic cholecystectomy. *Arch Surg*. 1991;12:997.
156. Giebler RM, Walz MK, Peitgen K, et al. Hemodynamic changes after retroperitoneal CO<sub>2</sub> insufflation for posterior retroperitoneoscopic adrenalectomy. *Anesth Analg*. 1996;82:827.
157. Derouin M, Couture P, Boudreault D, et al. Detection of gas embolism by transesophageal echocardiography during laparoscopic cholecystectomy. *Anesth Analg*. 1996;82:119.
158. Lantz PE, Smith JD. Fatal carbon dioxide embolism complicating attempted laparoscopic cholecystectomy: case report and literature review. *J Forensic Sci*. 1994;39:1468.

159. Root B, Levy M, Pollack S, et al. Gas embolism death after laparoscopy delayed by "trapping" in portal circulation. *Anesth Analg*. 1978;57:232.
160. Kalhan SB, Reaney JA, Collins RL. Pneumomediastinum and subcutaneous emphysema during laparoscopy. *Cleve Clin J Med*. 1990;57:639.
161. Wahba RWM, Tessler MJ, Kleiman SJ. Acute ventilatory complications during laparoscopic upper abdominal surgery. *Can J Anaesth*. 1996;43:77.
162. Chice JD, Joris J, Lamy M. Respiratory changes induced by subcutaneous emphysema during laparoscopic fundoplication. *Br J Anaesth*. 1994;72:A37.
163. Hedenstierna G. Mechanisms of postoperative pulmonary dysfunction. *Acta Chir Scand*. 1989;550(Suppl):152.
164. Becquemin JP, Piquet J, Becquemin MH, et al. Pulmonary function after transverse or midline incision in patients with obstructive pulmonary disease. *Intensive Care Med*. 1985;11:247.
165. Johnson WC. Postoperative ventilatory performance: dependence upon surgical incision. *Am Surg*. 1975;41:15.
166. Rademaker BM, Ringers J, Odoom JA, et al. Pulmonary function and stress response after laparoscopic cholecystectomy: comparison with subcostal incision and influence of thoracic epidural analgesia. *Anesth Analg*. 1992;75:381.
167. Putensen-Himmer G, Putensen C, Lammer H, et al. Functional residual capacity, post-operative lung function, and gas exchange following open laparotomy or laparoscopy for cholecystectomy. *Anesthesiology*. 1992;77:A1253.
168. Hsing CH, Hseu SS, Tsai SK, et al. The physiologic effect of CO<sub>2</sub> pneumoperitoneum in pediatric laparoscopy. *Acta Anaesthesiol Sin*. 1995;33:1.
169. Pelosi P, Foti G, Cereda M, et al. Effects of carbon dioxide insufflation for laparoscopic cholecystectomy on the respiratory system. *Anaesthesia*. 1996;51:744-749.
170. Hirvonen EA, Nuutinen LS, Kauko M. Ventilatory effects, blood gas changes, and oxygen consumption during laparoscopic hysterectomy. *Anesth Analg*. 1995;80:961.
171. Edelman DS. Laparoscopic cholecystectomy under continuous epidural anesthesia in patients with cystic fibrosis. *Am J Dis Child*. 1991;145:723.
172. Diemunsch PA, Torp KD, Van Dorsselaer T, et al. Nitrous oxide fraction in the carbon dioxide pneumoperitoneum during laparoscopy under general inhaled anesthesia in pigs. *Anesth Analg*. 2000;90:951-953.
173. Neukman GG. Laparoscopy explosion hazards with nitrous oxide. *Anesthesiology*. 1993;78:875.
174. Lejus C, Delile L, Plattner V, et al. Randomized, single-blinded trial of laparoscopic versus open appendectomy in children: effects on postoperative analgesia. *Anesthesiology*. 1996;84:801.
175. Smith I, Ding Y, White PF. Muscle pain after outpatient laparoscopy: influence of propofol versus thiopental and enflurane. *Anesth Analg*. 1993;76:1181.
176. Beattie WS, Lindblad T, Buckley DN, et al. Menstruation increases the risk of nausea and vomiting after laparoscopy. *Anesthesiology*. 1993;78:272.
177. Thomson AB, Sauve MD, Kassam N, Kamitakahara H. Safety of the long-term use of proton pump inhibitors. *World J Gastroenterol*. 2010;16:2323-2330.
178. Sodergren MH, Clark J, Athanasiou T, et al. Natural orifice transluminal endoscopic surgery: critical appraisal of applications in clinical practice. *Surg Endosc*. 2009;23:680-687.
179. Rattner D, Kalloo A. ASGE/SAGES Working Group on natural orifice transluminal endoscopic surgery. *Surg Endosc*. 2005;20:329-333.
180. Mokdad AH, Bowman BA, Ford ES, Vinicor F, Marks JS, Koplan JP. The continuing epidemics of obesity and diabetes in the United States. *JAMA*. 2001;286:1195-1200.
181. Pi-Sunyer FX. The medical risks of obesity. *Obes Surg*. 2002;12(Suppl 1):6S-11S.
182. Crookes PF. Surgical treatment of morbid obesity. *Annu Rev Med*. 2006;57:243-264.
183. Schauer P, Chand B, Brethauer S. New applications for endoscopy: the emerging field of endoluminal and transgastric bariatric surgery. *Surg Endosc*. 2007;21(3):347-356.
184. Tsemlis N, Coumaros D. The future of bariatrics: endoscopy, endoluminal surgery, and natural orifice transluminal endoscopic surgery. *Endoscopy*. 2010;42:155-162.
185. Gilbert TB, Seneff MG, Becker RB. Facilitation of internal jugular venous cannulation using an audio-guided Doppler ultrasound vascular access device: results from a prospective, dual-center, randomized, crossover clinical study. *Crit Care Med*. 1995;23:60-65.
186. Juvin P, Blarel A, Bruno F, Desmonts JM. Is peripheral line placement more difficult in obese than in lean patients? *Anesth Analg*. 2003;96:1218, table of contents.
187. Schulz-Stubner S. Bilateral occipital neuropathy as a rare complication of positioning for thyroid surgery in a morbidly obese patient. *Acta Anaesthesiol Scand*. 2004;48:126-127.
188. Ezri T, Weisenberg M, Khazin V, et al. Difficult laryngoscopy: incidence and predictors in patients undergoing coronary artery bypass surgery versus general surgery patients. *J Cardiothorac Vasc Anesth*. 2003;17:321-324.
189. Ezri T, Gewurtz G, Sessler DI, et al. Prediction of difficult laryngoscopy in obese patients by ultrasound quantification of anterior neck soft tissue. *Anaesthesia*. 2003;58:1111-1114.
190. Nowbar S, Burkart KM, Gonzales R, et al. Obesity-associated hypoventilation in hospitalized patients: prevalence, effects, and outcome. *Am J Med*. 2004;116:1-7.
191. Kenchaiah S, Evans JC, Levy D, et al. Obesity and the risk of heart failure. *N Engl J Med*. 2002;347:305-313.
192. Anderson JW, Konz EC. Obesity and disease management: effects of weight loss on comorbid conditions. *Obes Res*. 2001;9(Suppl 4):326S-334S.
193. Fernandez AZ Jr, DeMaria EJ, Tichansky DS, et al. Experience with over 3,000 open and laparoscopic bariatric procedures: multivariate analysis of factors related to leak and resultant mortality. *Surg Endosc*. 2004;18:193-197.
194. Lynch RL, Eisenberg D, Bell RL. Metabolic consequences of bariatric surgery. *J Clin Gastroenterol*. 2006;40:659-668.
195. Shah M, Simha V, Garg A. Long-term impact of bariatric surgery on body weight, comorbidities, and nutritional status [review]. *J Clin Endocrinol Metab*. 2006;91:4223-4231.
196. Mango VL, Frishman WH. Physiologic, psychologic, and metabolic consequences of bariatric surgery. *Cardiol Rev*. 2006;14:232-237.
197. Tsemlis N, Coumaros D. The future of bariatrics: endoscopy, endoluminal surgery, and natural orifice transluminal endoscopic surgery. *Endoscopy*. 2010;42:155-162.
198. Ramos AC, Zundel N, Neto MG, et al. Human hybrid NOTES transvaginal sleeve gastrectomy: initial experience. *Surg Obes Relat Dis*. 2008;4:660-663.

199. De Waele JJ, Hoste E, Blot SI, et al. Perioperative factors determine outcome after surgery for severe acute pancreatitis. *Crit Care*. 2004;8:R504-R511.
200. Imrie CW, Ferguson JC, Murphy D, et al. Arterial hypoxia in acute pancreatitis. *Br J Surg*. 1997;64:185.
201. Lankisch P, Rahlf G, Koop H. Pulmonary complications in fatal acute hemorrhagic pancreatitis. *Dig Dis Sci*. 1983;28:111.
202. Ranson JH, Turner J, Roses D, et al. Respiratory complications in acute pancreatitis. *Ann Surg*. 1974;179:557.
203. Prinz RA, Greenlee HB. Pancreatic duct drainage in 100 patients with chronic pancreatitis. *Ann Surg*. 1981;194:313.
204. DuVal MK. Caudal pancreatico-jejunostomy for chronic relapsing pancreatitis. *Ann Surg*. 1954;140:775.
205. Puestow CB, Gillesby WJ. Retrograde surgical drainage of the pancreas for chronic relapsing pancreatitis. *Arch Surg*. 1958;76:898.
206. Partington P, Rochelle R. Modified Puestow procedure for retrograde drainage of the pancreatic duct. *Ann Surg*. 1960;152:1037.
207. Kooby DA, Gillespie T, Bentram D, et al. Left-sided pancreatectomy: a multicenter comparison of laparoscopic and open approaches. *Ann Surg*. 2008;248:438-446.
208. Vijan SS, Ahmed KA, Harmsen WS, et al. Laparoscopic vs open distal pancreatectomy: a single institution comparative study. *Arch Surg*. 2010;145:616-621.
209. Larson-Wadd K, Belani KG. Pancreas and islet cell transplantation. *Anesthesiol Clin N Am*. 2004;22:663-674.
210. Kelly W, Lillehei R, Merkel F, et al. Allograft transplantation of the pancreas and duodenum along with the kidney in diabetic nephropathy. *Surgery*. 1967;61:827.
211. Sollinger HW. Pancreas transplantation in humans. In: Moody FG, ed. *Surgical Treatment of Digestive Disease*. 2nd ed. Chicago, IL: Mosby-Year Book; 1990:577-598.
212. Orié J, Jabi H, Besozzi M, et al. Thallium-201 myocardial perfusion imaging and coronary arteriography in asymptomatic patients with end stage renal disease secondary to juvenile onset diabetes mellitus. *Transplant Proc*. 1986;18:1709.
213. Hesse U, Sutherland D. Influence of serum amylase and plasma glucose levels in pancreas cadaver donors on graft function in recipients. *Diabetes*. 1989;38(Suppl 1):1.
214. Marsh C, Perkins J, Sutherland D, et al. Combined hepatic and pancreatico-duodenal procurement for transplantation. *Surg Gynecol Obstet*. 1989;168:254.
215. Fromme G, Janossy T. Glucose changes during pancreas transplantation. *Anesth Analg*. 1989;68:S92.
216. Perkins J, Fromme G, Narr B, et al. Pancreas transplantation at Mayo. II. Operative and perioperative management. *Mayo Clin Proc*. 1990;65:483.
217. Squifflet J, Carlier M, Pirson Y, et al. Six human pancreas transplants: results and perioperative management. *Acta Anaesthesiol Belg*. 1986;37:107.
218. Fryer J, Pellar S, Ormond D, Koffron A, Abecassis M. Mortality in candidates waiting for combined liver-intestine transplants exceeds that for other candidates waiting for liver transplants. *Liver Transpl*. 2003;9:748-753.
219. Abu-Elmagd K, Reyes J, Bond G, et al. Clinical intestinal transplantation: a decade of experience at a single center. *Ann Surg*. 2001;234:404-416; discussion 416-417.
220. Gangemi A, Tzvetanov IG, Beatty E, et al. Lessons learned in pediatric small bowel and liver transplantation from living-related donors. *Transplantation*. 2009; 87:1027-1030.
221. Nishida S, Levi D, Kato T, et al. Ninety-five cases of intestinal transplantation at the University of Miami. *J Gastrointest Surg*. 2002;6:233-239.
222. Farmer DG, McDiarmid SV, Edelstein S, et al. Induction therapy with interleukin-2 receptor antagonist after intestinal transplantation is associated with reduced acute cellular rejection and improved renal function. *Transplant Proc*. 2004;36:331-332.
223. Farmer DG, McDiarmid SV, Edelstein S, et al. Improved outcome after intestinal transplantation at a single institution over 12 years. *Transplant Proc*. 2004;36:303-304.
224. Greenberger NJ. *Gastrointestinal Disorders: A Pathophysiologic Approach*. 4th ed. Chicago, IL: Mosby-Year Book; 1990.
225. Greenberger NJ. Gastrointestinal bleeding. In: Moody FG, ed. *Surgical Treatment of Digestive Disease*. 2nd ed. Chicago, IL: Mosby-Year Book; 1990:19-29.
226. Shaldon S, Dolle W, Guevara L, et al. Effect of pitressin on the splanchnic circulation in man. *Circulation*. 1961;24:797.
227. Anderson J, Johnston G. Development of cutaneous gangrene during continuous peripheral infusion of vasopressin. *Br Med J*. 1983;287:1657.
228. Lambert M, de Peyer R, Muller A. Reversible ischemic colitis after intravenous vasopressin therapy. *JAMA*. 1982;247:666.
229. McLaughlin SD, Anderson SH. Single- vs. double-balloon enteroscopy in patients with small-bowel disorders: the jury is still out. *Am J Gastroenterol*. 2010;105:211.
230. Christensen J. Intestinal pseudo-obstruction and paralytic ileus. In: Moody FG, ed. *Surgical Treatment of Digestive Disease*. 2nd ed. Chicago, IL: Mosby-Year Book; 1990:605-623.
231. Person B, Wexner SD. The management of postoperative ileus. *Curr Probl Surg*. 2006;43:6-65.
232. Carmichael MJ, Weisbrodt NW, Copeland EM. Effect of abdominal surgery on intestinal myoelectrical activity in the dog. *Am J Surg*. 1977;133:34.
233. Neely J, Catchpole B. Ileus: the restoration of alimentary-tract motility by pharmacological means. *Br J Surg*. 1971;58:21.
234. Huger A, Kreis ME, Zittel TT, Becker HD, Starlinger MJ, Jehle EC. Postoperative colonic motility and tone in patients after colorectal surgery. *Dis Colon Rectum*. 2000;43:932-939.
235. Ogilvy AJ, Smith G. The gastrointestinal tract after anaesthesia. *Eur J Anaesthesiol*. 1995;10(Suppl):35-42.
236. Nelson R, Tse B, Edwards S. Systematic review of prophylactic nasogastric decompression after abdominal operations. *Br J Surg*. 2005;92:673-680.
237. van Nieuwenhoven MA, Brouns F, Brummer RJ. The effect of physical exercise on parameters of gastrointestinal function. *Neurogastroenterol Motil*. 1999;11:431-439.
238. Block BM, Liu SS, Rowlingson AJ, Cowan AR, Cowan JA Jr, Wu CL. Efficacy of postoperative epidural analgesia: a meta-analysis. *JAMA*. 2003;290:2455-2463.
239. Wolff BG, Michelassi F, Gerkin TM, et al. Alvimopan, a novel, peripherally acting mu opioid antagonist: results of a multicenter, randomized, double-blind, placebo-controlled, phase III trial of major abdominal surgery and postoperative ileus. *Ann Surg*. 2004;240:728-734; discussion 734-735.
240. Yuan CS. Clinical status of methylnaltrexone, a new agent to prevent and manage opioid-induced side effects. *J Support Oncol*. 2004;2:111-117; discussion 119-122.
241. Welch J. *Bowel Obstruction: Differential Diagnosis and Clinical Management*. Philadelphia, PA: WB Saunders; 1989.

242. Phillips SF. Diarrhea: a current view of the pathophysiology. *Gastroenterology*. 1972;63:495.
243. Herrin R, Meek W. Distention as a factor in intestinal obstruction. *Arch Intern Med*. 1933;51:152.
244. Sung D, Williams L. Intestinal secretion after intravenous infusion in small bowel obstruction. *Am J Surg*. 1971;121:91.
245. Wright H, O'Brien J, Tilson M. Water absorption in experimental closed segment obstruction of the ileum in man. *Am J Surg*. 1971;121:96.
246. Welch J. Mechanical obstruction of the small and large intestines. In: Moody FG, ed. *Surgical Treatment of Digestive Disease*. 2nd ed. Chicago, IL: Mosby-Year Book; 1990.
247. Beal AL, Cerra FB. Multiple organ system failure syndrome in the 1990s. Systemic inflammatory response and organ dysfunction. *JAMA*. 1994;271:226.
248. Moore EE, Moore FA, Harken AH, Johnson JL, Ciesia D, Ganerjee A. The two-event construct of postinjury multiple organ failure. *Shock*. 2006;24:71-74.
249. Bone RC. Sepsis, sepsis syndrome, and the systemic inflammatory response syndrome (SIRS). Gulliver in Laputa. *JAMA*. 1995;273:155.
250. Rangel-Frausto MS, Pittet D, Costigan M, et al. The natural history of the systemic inflammatory response syndrome (SIRS): a prospective study. *JAMA*. 1995;273:117.
251. Casey LC, Balk RA, Bone RC. Plasma cytokine and endotoxin levels correlate with survival in patients with the sepsis syndrome. *Ann Intern Med*. 1993;119:771.
252. Singer M, De Santis V, Vitale D, Jeffcoate W. Multiorgan failure is an adaptive, endocrine-mediated, metabolic response to overwhelming systemic inflammation. *Lancet*. 2004;363:545-548.
253. Porter J, Sussman M, Bulkley G. Splanchnic vasospasm in circulatory shock. In: Marston A, Bulkley G, Fiddian-Green RG, et al., eds. *Splanchnic Ischemia and Multiple Organ Failure*. London, UK: Edward Arnold; 1989:73-88.
254. Bailey R, Bulkley G, Hamilton S, et al. Pathogenesis of non-occlusive ischemic colitis. *Ann Surg*. 1986;203:590.
255. Bulkley GB. Mediators of splanchnic organ injury: overview and perspective. In: Marston A, Bulkley G, Fiddian-Green RG, et al., eds. *Splanchnic Ischemia and Multiple Organ Failure*. London, UK: Edward Arnold; 1989:183-194.
256. Bynum T, Gallavan R, Jacobson E. The pathophysiology of nonocclusive ischemia. In: Shepherd A, Granger D, eds. *Physiology of the Intestinal Circulation*. New York, NY: Raven Press; 1984:369-376.
257. Cheung L. Gastric mucosal blood flow: its measurement and importance in mucosal defense mechanisms. *J Surg Res*. 1984;36:282.
258. Singer M. Metabolic failure. *Crit Care Med*. 2005;33:S539-S542.
259. Barie PS, Hydo LJ. Epidemiology of multiple organ dysfunction syndrome in critical surgical illness. *Surg Infect*. 2000;1:173-186.