

## Chapter 60

### REFERENCES

1. Sonksen P, Sonksen J. Insulin: understanding its action in health and disease. *Br J Anaesth*. 2000;85:69-79.
2. Meneghini LF. Perioperative management of diabetes: translating evidence into practice. *Clev Clin J Med*. 2009;76:S53-S59.
3. Kohl BA, Schwartz S. Surgery in the patient with endocrine dysfunction. *Med Clin North Am*. 2009;93(5):1031-1047.
4. Akhtar, S, Barash PG, Inzucchi S. Scientific principles and clinical implications of perioperative glucose regulation and control. *Anesth Analg*. 2010;110(2):478-497.
5. Lipshutz AK, Gropper M. Perioperative glycemic control: an evidence-based review. *Anesthesiology*. 2009;110:408-421.
6. Hirsch IB. Insulin analogues. *N Engl J Med*. 2005;352:174-183.
7. Davidson JA. Advances in therapy for type 2 diabetes: GLP-1 receptor agonists and DPP-4 inhibitors. *Clev Clin J Med*. 2009;76:S28-38.
8. Chen D, Lee SL, Peterfreund RA. New therapeutic agents for diabetes mellitus: implications for anesthetic management. *Anesth Analg*. 2009;108(6):1803-1810.
9. Nicholson G, Hall GM. Diabetes mellitus: new drugs for a new epidemic. *Br J Anesth*. 2001; 65-73.
10. Scranton R, Cincotta A. Bromocriptine- a unique formulation of a dopamine agonist for the treatment of type 2 diabetes. *Expert Opin Pharmacother*. 2010;11(2):1-11.
11. Kitabachi AE, Nyenzwe EA. Hyperglycemic crises in diabetes mellitus: diabetic ketoacidosis and hyperglycemic hyperosmolar state. *Endocrinol Metab Clin North Am*. 2006(35):725-751.
12. Eckel RH, Grundy SM, Zimmet PZ. The metabolic syndrome. *Lancet*. 2005;365:1415-1428.
13. Moller DE, Kaufman KD. Metabolic syndrome: a clinical and molecular perspective. *Ann Rev Med*. 2005;56:45-62.
14. Candiotti K, Sharma S, Shankar R. Obesity, obstructive sleep apnoea, and diabetes mellitus: anesthetic implications. *Br J Anesth*. 2009;103:121-130.
15. Nieuwdorp M, Stroes ES, Meijers JC, Büller H. Hypercoagulability in the metabolic syndrome. *Curr Opin Pharmacol*. 2005;5:155-159.
16. Brubaker PL. Update on incretin biology: focus on glucagon-like peptide-1. *Endocrinology*. 2010;151(5):1984-1989.
17. Ahmed Z, Lockhart CH, Weiner M, Klingensmith G. Advances in diabetic management: implications for anesthesia. *Anesth Analg*. 2005;100:666-669.
18. Miriam A, Korula G. A simple glucose insulin regimen for perioperative blood glucose control: the Vellore regimen. *Anesth Analg*. 2004;99:598-602.
19. Coursin DB, Connery LE, Ketzler JT. Perioperative diabetic and hyperglycemic management issues. *Crit Care Med*. 2004;32 (4 Suppl):S116-S125.
20. Carvalho G, Moore A, Qizilbash B, Lachapelle K, Schrickler T. Maintenance of normoglycemia during cardiac surgery. *Anesth Analg*. 2004;99:319-324.
21. Rhodes ET, Ferrari LR, Wolfsdorf JI. Perioperative management of pediatric surgical patients with diabetes mellitus. *Anesth Analg*. 2005;101:986-999.
22. Inzucchi SE, Siegel MD. Glucose control in the ICU—how tight is too tight? *N Eng J Med*. 2009;360(13):1346-1349.
23. Keegan MT, Coursin DB. Glycemic control in the ICU. *ASA Newsletter* 2009;73(9):14-21.
24. Van den Berghe G, Schetz M, Vlasselaers D, et al. Clinical review: intensive insulin therapy in critically ill patients: NICE-SUGAR or Leuven blood glucose target? *J Clin Endocrinol Metab*. 2009;94(9):3163-3170.
25. Bagry HS, Raghavendran S, Carli F. Metabolic syndrome and insulin resistance: perioperative considerations. *Anesthesiology*. 2008;108(3):506-523.
26. Coursin DB, Prielipp RC. The new anesthesia diet plan: keeping perioperative carbs in check. *Anesth Analg*. 2004;99:316-318.
27. Rice MJ, Pitkin Ad, Coursin DB. Glucose measurement in the operating room: more complicated than it seems. *Anesth Analg*. 2010;110(4):1056-1065.
28. Peterfreund RA, Akhtar S. How sweet it is... (or isn't)! *Anesth Analg*. 2010;110(4):979-981.
29. Setter SM, Iltz JL, Thams J, Campbell RK. Metformin hydrochloride in the treatment of type 2 diabetes mellitus: a clinical review with a focus on dual therapy. *Clin Ther*. 2003;25:2991-3026.
30. Stades AM, Heikens JT, Erkelens DW, Holleman F, Hoekstra JB. Metformin and lactic acidosis: cause or coincidence? A review of case reports. *J Intern Med*. 2004;255:179-187.
31. Salpeter SR, Greyber E, Pasternak GA, Salpeter EE. Risk of fatal and nonfatal lactic acidosis with metformin use in type 2 diabetes mellitus. *Cochrane Database Syst Rev*. 2010;14(4):CD002967.
32. Jones GC, Macklin JP, Alexander WD. Contraindications to the use of metformin. *BMJ*. 2003;326:4-5.
33. Vreven R, De Kock M. Metformin lactic acidosis and anaesthesia: myth or reality? *Acta Anaesthesiol Belg*. 2005;56:297-302.
34. Arner P, Gunnarsson R, Blomdahl S, Groth CG. Some characteristics of steroid diabetes: a study in renal-transplant recipients

- receiving high-dose corticosteroid therapy. *Diabetes Care*. 1983;6:23-25.
35. McMahon M, Gerich J, Rizza R. Effects of glucocorticoids on carbohydrate metabolism. *Diabetes Metab Rev*. 1988;4:17-30.
  36. Gerich JE, Charles MA, Grodsky GM. Regulation of pancreatic insulin and glucagon secretion. *Annu Rev Physiol*. 1976;38:353-388.
  37. Lecavalier L, Bolli G, Cryer P, Gerich J. Contributions of gluconeogenesis and glycogenolysis during glucose counter-regulation in normal humans. *Am J Physiol*. 1989;256(6 Pt 1):E844-E851.
  38. Cryer PE. Hierarchy of physiological responses to hypoglycemia: relevance to clinical hypoglycemia in type I (insulin dependent) diabetes mellitus. *Horm Metab Res*. 1997;29:92-96.
  39. Feldman JM, Plonk JW, Bivens CH. The role of cortisol and growth hormone in the counter-regulation of insulin-induced hypoglycemia. *Horm Metab Res*. 1975;7:378-381.
  40. Shamon H, Hendler R, Sherwin RS. Synergistic interactions among antiinsulin hormones in the pathogenesis of stress hyperglycemia in humans. *J Clin Endocrinol Metab*. 1981;52:1235-1241.
  41. Robertshaw HJ, McAnulty GR, Hall GH. Strategies for managing the diabetic patient. *Best Pract Res Clin Anaesthesiol*. 2004;18:631-643.
  42. Barker JP, Robinson PN, Vafidis GC, Burrin JM, Sapsed-Byrne S, Hall GM. Metabolic control of non-insulin-dependent diabetic patients undergoing cataract surgery: comparison of local and general anaesthesia. *Br J Anaesth*. 1995;74:500-505.
  43. Echevarria M, Hachero A, Martinez A, et al. Spinal anesthesia with 0.5% isobaric bupivacaine in patients with diabetes mellitus: the influence of CSF composition on sensory and motor block. *Eur J Anesthesiol*. 2008;25(12):1014-1019.
  44. Williams BA, Murinson BB. Diabetes mellitus and subclinical neuropathy: a call for new paths in peripheral nerve block research. *Anesthesiology*. 2008;109(3):361-362.
  45. Blumenthal S, Borgeat A, Maurer K, et al. Preexisting subclinical neuropathy as a risk factor for nerve injury after continuous ropivacaine administration through a femoral nerve catheter. *Anesthesiology*. 2006;105:1053-1056.
  46. Hebl JR, Kopp SL, Schroeder DR, Horlocker TT. Neurological complications after neuraxial anesthesia or analgesia in patients with preexisting peripheral sensorimotor neuropathy or diabetic polyneuropathy. *Anesth Analg*. 2006;103(5):1294-1299.
  47. Williams BA, Murinson BB, Grable BR, Orebaugh SL. Future considerations for pharmacologic adjuvants in single-injection peripheral nerve blocks for patients with diabetes mellitus. *Reg Anesth Pain Med*. 2009;34(5):445-457.
  48. McAnulty GR, Hall GM. Anaesthesia for the diabetic patient. *Br J Anaesth*. 2003;90:428-429.
  49. Farling PA. Thyroid disease. *Br J Anaesth*. 2000;85:15-28.
  50. Franchini M, Montagnana M, Manzato F, Vescovi PP. Thyroid dysfunction and hemostasis: an issue still unresolved. *Semin Thromb Hemost*. 2009;35(3):288-294.
  51. Cooper DS. Hyperthyroidism. *Lancet*. 2003;362:459-468.
  52. Klein I, Ojamaa K. Thyroid hormone and the cardiovascular system. *N Engl J Med*. 2001;344:501-509.
  53. Klein I, Danzi S. Thyroid disease and the heart. *Circulation*. 2007;116(15):1725-1735.
  54. Biondi B. Cardiovascular effects of mild hypothyroidism. *Thyroid*. 2007;17(7):625-630.
  55. Roberts CG, Ladenson PW. Hypothyroidism. *Lancet*. 2004;363:793-803.
  56. Devdhar M, Ousman YH, Burman KD. Hypothyroidism. *Endocrinol Metab Clin North Am*. 2007;36(3):595-615.
  57. Babad AA, Eger EI 2nd. The effects of hyperthyroidism and hypothyroidism on halothane and oxygen requirements in dogs. *Anesthesiology*. 1968;29:1087-1093.
  58. Munson ES, Hoffman JC, DiFazio CA. The effects of acute hypothyroidism and hyperthyroidism on cyclopropane requirement (MAC) in rats. *Anesthesiology*. 1968;29:1094-1098.
  59. Siegers CP, Mackenroth T, Wächter S, Younes M. Effects of thyroid dysfunction on the metabolism of halothane, enflurane and methoxyflurane in rats. *Pharmacology*. 1981;22:41-46.
  60. Murkin JM. Anesthesia and hypothyroidism: a review of thyroxine physiology, pharmacology, and anesthetic implications. *Anesth Analg*. 1982;61:371-383.
  61. Bolon M, Bastien O, Flamens C, Bouliou R. Prolonged sedation due to an accumulation of midazolam in an intensive care patient with hypothyroidism. *Eur J Clin Pharmacol*. 2000;56:771-772.
  62. Loh KC. Amiodarone-induced thyroid disorders: a clinical review. *Postgrad Med J*. 2000;76:133-140.
  63. Martino E, Bartalena L, Bogazzi F, Braverman LE. The effects of amiodarone on the thyroid. *Endocr Rev*. 2001;22:240-254.
  64. Bogazzi F, Miccoli P, Berti P, et al. Preparation with iopanoic acid rapidly controls thyrotoxicosis in patients with amiodarone-induced thyrotoxicosis before thyroidectomy. *Surgery*. 2002;132:1114-1117.
  65. Panzer C, Beazley R, Braverman L. Rapid preoperative preparation for severe hyperthyroid Graves' disease. *J Clin Endocrinol Metab*. 2004;89:2142-2144.
  66. Bogazzi F, Aghini-Lombardi F, Cosci C, et al. Iopanoic acid rapidly controls type I amiodarone-induced thyrotoxicosis prior to thyroidectomy. *J Endocrinol Invest*. 2002;25:176-180.
  67. Franklyn J. Thyrotoxicosis. *Clin Med*. 2003;3:11-15.
  68. Langley RW, Burch HB. Perioperative management of the thyrotoxic patient. *Endocrinol Metab Clin North Am*. 2003;32:519-534.
  69. Bacuzzi A, Dionigi G, Del Bosco A, et al. Anesthesia for thyroid surgery: perioperative management. *Int J Surg*. 2008;6(Suppl 1):S82-S85.
  70. Shah EF, Allen JG, Greatorex RA. Use of the laryngeal mask airway in thyroid and parathyroid surgery as an aid to the identification and preservation of the recurrent laryngeal nerves. *Ann R Coll Surg Engl*. 2001;83:315-318.
  71. Eltzschig HK, Posner M, Moore FD Jr. The use of readily available equipment in a simple method for intraoperative monitoring of recurrent laryngeal nerve function during thyroid surgery: initial experience with more than 300 cases. *Arch Surg*. 2002;137:452-456.
  72. Scheuller MC, Ellison D. Laryngeal mask anesthesia with intraoperative laryngoscopy for identification of the recurrent laryngeal nerve during thyroidectomy. *Laryngoscope*. 2002;112:1594-1597.
  73. Hobbiger HE, Allen JG, Greatorex RG, Denny NM. The laryngeal mask airway for thyroid and parathyroid surgery. *Anaesthesia*. 1996;51:972-974.
  74. Tanigawa K, Inoue Y, Iwata S. Protection of recurrent laryngeal nerve during neck surgery: a new combination of neotracer, laryngeal mask airway, and fiberoptic bronchoscope. *Anesthesiology*. 1991;74:966-967.

75. Hillermann CL, Tarpey J, Phillips DE. Laryngeal nerve identification during thyroid surgery—feasibility of a novel approach. *Can J Anaesth.* 2003;50:189-192.
76. Stefanov CS, Dimov RS, Doikov IY, Konsulov SS. Method of anaesthesia in thyroid surgery with intraoperative monitoring of the recurrent laryngeal nerves. *Folia Med (Plovdiv).* 2001;43:14-18.
77. Tobias JD. Cervical plexus block in adolescents. *J Clin Anesth.* 1999;11:606-608.
78. Kulkarni R, Braverman L, Patwardhan NA. Bilateral cervical plexus block for thyroidectomy and parathyroidectomy in healthy and high-risk patients. *J Endocrinol Invest.* 1996;19:714-718.
79. Miccoli P, Berti P, Materazzi G, Massi M, Picone A, Minuto MN. Results of video-assisted parathyroidectomy: single institution's six-year experience. *World J Surg.* 2004;28:1216-1218.
80. Suh YJ, Kim YS, In JH, Joo JD, Jeon YS, Kim HK. Comparison of analgesic efficacy between bilateral superficial and combined (superficial and deep) cervical plexus block administered before thyroid surgery. *Eur J Anesthesiol.* 2009;26(12):1043-1047.
81. Aunac S, Carlier M, Singelyn F, De Kock M. The analgesic efficacy of bilateral combined superficial and deep cervical plexus block administered before thyroid surgery under general anesthesia. *Anesth Analg.* 2002;95:746-750.
82. Michalek P, David I, Adamec M, Janousek L. Cervical epidural anesthesia for combined neck and upper extremity procedure: a pilot study. *Anesth Analg.* 2004;99:1833-1836.
83. Dieudonne N, Gomola A, Bonnichon P, Ozier YM. Prevention of postoperative pain after thyroid surgery: a double-blind randomized study of bilateral superficial cervical plexus blocks. *Anesth Analg.* 2001;92:1538-1542.
84. Eti Z, Irmak P, Gulluoglu BM, Manukyan MN, Gogus FY. Does bilateral superficial cervical plexus block decrease analgesic requirements after thyroid surgery? *Anesth Analg.* 2006;102(4):1174-1176.
85. Herbland A, Cantini O, Reynier P, et al. The bilateral superficial cervical plexus block with 0.75% ropivacaine administered before or after surgery does not prevent postoperative pain after total thyroidectomy. *Reg Anesth Pain Med.* 2006;31(1):34-39.
86. Miller FR. Surgical anatomy of the thyroid and parathyroid glands. *Otolaryngol Clin North Am.* 2003;36:1-7.
87. Calhoun KH, Weiss RL, Scott B, Guendert D, Hokanson JA. Management of the thyroid isthmus in tracheostomy: a prospective and retrospective study. *Otolaryngol Head Neck Surg.* 1994;111:450-452.
88. Dexter TJ. A cadaver study appraising accuracy of blind placement of percutaneous tracheostomy. *Anaesthesia.* 1995;50:863-864.
89. Tschang TP, Cramer S. Massive hemorrhage from perforated thyroid complicating tracheostomy. Report of two cases. *Arch Otolaryngol.* 1977;103:557-559.
90. Monfared A, Kim D, et al. Microsurgical anatomy of the superior and recurrent laryngeal nerves. *Neurosurgery.* 2001;49:925-932.
91. Monfared A, Gorti G, Jaikumar S, Gorti G, Kam A. Microsurgical anatomy of the laryngeal nerves as related to thyroid surgery. *Laryngoscope.* 2002;112:386-392.
92. Barnes TW, Olsen KD, Morgenthaler TI. Obstructive lingual thyroid causing sleep apnea: a case report and review of the literature. *Sleep Med.* 2004;5:605-607.
93. Bouaggad A, Nejmi SE, Bouderkha MA, Abbassi O. Prediction of difficult tracheal intubation in thyroid surgery. *Anesth Analg.* 2004;99:603-606.
94. Toyota K, Uchida H, Ozasa H, Motooka A, Sakura S, Saito Y. Preoperative airway evaluation using multi-slice three-dimensional computed tomography for a patient with severe tracheal stenosis. *Br J Anaesth.* 2004;93:865-867.
95. Fewins J, Simpson CB, Miller FR. Complications of thyroid and parathyroid surgery. *Otolaryngol Clin North Am.* 2003;36:189-206.
96. Sulica L. The superior laryngeal nerve: function and dysfunction. *Otolaryngol Clin North Am.* 2004;37:183-201.
97. Randolph GW, Kobler JB, Wilkins J. Recurrent laryngeal nerve identification and assessment during thyroid surgery: laryngeal palpation. *World J Surg.* 2004;28:755-760.
98. Hermann M, Hellebart C, Freissmuth M. Neuromonitoring in thyroid surgery: prospective evaluation of intraoperative electrophysiological responses for the prediction of recurrent laryngeal nerve injury. *Ann Surg.* 2004;240:9-17.
99. Hemmerling TM, Schmidt J, Bosert C, Jacobi KE, Klein P. Intraoperative monitoring of the recurrent laryngeal nerve in 151 consecutive patients undergoing thyroid surgery. *Anesth Analg.* 2001;93:396-399.
100. Rosato L, Avenia N, Bernante P, et al. Complications of thyroid surgery: analysis of a multicentric study on 14,934 patients operated on in Italy over 5 years. *World J Surg.* 2004;28:271-276.
101. Goncalves Filho J, Kowalski LP. Surgical complications after thyroid surgery performed in a cancer hospital. *Otolaryngol Head Neck Surg.* 2005;132:490-494.
102. Chiang FY, Wang LF, Huang YF, Lee KW, Kuo WR. Recurrent laryngeal nerve palsy after thyroidectomy with routine identification of the recurrent laryngeal nerve. *Surgery.* 2005;137:342-347.
103. Beldi G, Kinsbergen T, Schlumpf R. Evaluation of intraoperative recurrent nerve monitoring in thyroid surgery. *World J Surg.* 2004;28:589-591.
104. Filho JG, Kowalski LP. Postoperative complications of thyroidectomy for differentiated thyroid carcinoma. *Am J Otolaryngol.* 2004;25:225-230.
105. Affleck BD, Swartz K, Brennan J. Surgical considerations and controversies in thyroid and parathyroid surgery. *Otolaryngol Clin North Am.* 2003;36:159-187.
106. Dralle H, Sekulla C, Haerting J, et al. Risk factors of paralysis and functional outcome after recurrent laryngeal nerve monitoring in thyroid surgery. *Surgery.* 2004;136:1310-1322.
107. Yarbrough DE, Thompson GB, Kasperbauer JL, Harper CM, Grant CS. Intraoperative electromyographic monitoring of the recurrent laryngeal nerve in reoperative thyroid and parathyroid surgery. *Surgery.* 2004;136:1107-1115.
108. Dionigi G, Bacuzzi A, Boni L, et al. The technique of intraoperative neuromonitoring in thyroid surgery. *Surg Technol Int.* 2020;19:25-37.
109. Angelos P. Recurrent laryngeal nerve monitoring: state of the art, ethical and legal issues. *Surg Clin North Am.* 2009;89(5):1157-1169.
110. Donnellan KA, Pitman KT, Cannon CR, Replogle WH, Simmons JD. Intraoperative laryngeal nerve monitoring during thyroidectomy. *Arch Otolaryngol Head Neck Surg.* 2009;135(12):1196-1198.
111. Chiang FY, Lee KW, Chen HC, et al. Standardization of intraoperative neuromonitoring of recurrent laryngeal nerve in thyroid operation. *World J Surg.* 2010;34(2):223-229.
112. Atallah I, Dupret A, Carpentier AS, Weingertner AS, Volkmar PP, Rodier JF. Role of intraoperative neuromonitoring of the recurrent laryngeal nerve in high-risk thyroid surgery. *J Otolaryngol Head Neck Surg.* 2009;38(6):613-618.

113. Barczyński M, Konturek A, Cichoń S. Randomized clinical trial of visualization versus neuromonitoring of recurrent laryngeal nerves during thyroidectomy. *Br J Surg*. 2009;96(3):240-246.
114. Dralle H, Sekulla C, Lorenz K, Brauckhoff M, Machens A; German IONM Study Group. Intraoperative monitoring of the recurrent laryngeal nerve in thyroid surgery. *World J Surg*. 2008;32(7):1358-1366.
115. Myssiorek D. Recurrent laryngeal nerve paralysis: anatomy and etiology. *Otolaryngol Clin North Am*. 2004;37:25-44.
116. Lombardi CP, Raffaelli M, Princi P, et al. Early prediction of postthyroidectomy hypocalcemia by one single iPTH measurement. *Surgery*. 2004;136:1236-1241.
117. Quiros RM, Pesce CE, Wilhelm SM, Djuricin G, Prinz RA. Intraoperative parathyroid hormone levels in thyroid surgery are predictive of postoperative hypoparathyroidism and need for vitamin D supplementation. *Am J Surg*. 2005;189:306-309.
118. Schulz-Stubner S. Bilateral occipital neuropathy as a rare complication of positioning for thyroid surgery in a morbidly obese patient. *Acta Anaesthesiol Scand*. 2004;48:126-127.
119. Carty SE. Prevention and management of complications in parathyroid surgery. *Otolaryngol Clin North Am*. 2004;37:897-907.
120. Monchik JM, Barellini L, Langer P, Kahya A. Minimally invasive parathyroid surgery in 103 patients with local/regional anesthesia, without exclusion criteria. *Surgery*. 2002;131:502-508.
121. Sokoll LJ, Wians FH Jr, Remaley AT. Rapid intraoperative immunoassay of parathyroid hormone and other hormones: a new paradigm for point-of-care testing. *Clin Chem*. 2004;50:1126-1135.
122. Sippel RS, Becker YT, Odorico JS, Springman SR, Chen H. Does propofol anesthesia affect intraoperative parathyroid hormone levels? A randomized, prospective trial. *Surgery*. 2004;136:1138-1142.
123. Miccoli P, Barellini L, Monchik JM, Rago R, Berti PF. Randomized clinical trial comparing regional and general anaesthesia in minimally invasive video-assisted parathyroidectomy. *Br J Surg*. 2005;92:814-818.
124. Sonner JM, Hynson JM, Clark O, Katz JA. Nausea and vomiting following thyroid and parathyroid surgery. *J Clin Anesth*. 1997;9:398-402.
125. Kinney MA, Narr BJ, Warner MA. Perioperative management of pheochromocytoma. *J Cardiothorac Vasc Anesth*. 2002;16:359-369.
126. Prys-Roberts C. Pheochromocytoma—recent progress in its management. *Br J Anaesth*. 2000;85:44-57.
127. Lenders JW, Eisenhofer G, Mannelli M, Pacak K. Pheochromocytoma. *Lancet*. 2005;366:665-675.
128. James MF, Cronje L. Pheochromocytoma crisis: the use of magnesium sulfate. *Anesth Analg*. 2004;99:680-686.
129. Van Braeckel P, Carlier S, Steelant P-J, Weyne L, Vanfleteren L. Perioperative management of pheochromocytoma. *Acta Anaesth Belg*. 2009;60:55-66.
130. Pacak K. Preoperative management of the pheochromocytoma patient. *J Clin Endocrinol Metab*. 2007;92(11):4069-4079.
131. Kohl BA, Schwartz S. How to manage perioperative endocrine insufficiency. *Anesthesiol Clin*. 2010;28:139-155.
132. Witteles RM, Kaplan EL, Roizen MF. Safe and cost-effective preoperative preparation of patients with pheochromocytoma. *Anesth Analg*. 2000;91:302-304.
133. Kinney MA, Warner ME, vanHeerden JA, et al. Perianesthetic risks and outcomes of pheochromocytoma and paraganglioma resection. *Anesth Analg*. 2000;91:1118-1123.
134. Prys-Roberts C, Farndon JR. Efficacy and safety of doxazosin for perioperative management of patients with pheochromocytoma. *World J Surg*. 2002;26:1037-1042.
135. Sparks JW, Seefelder C, Shamberger RC, McGowan FX. The perioperative management of a patient with complex single ventricle physiology and pheochromocytoma. *Anesth Analg*. 2005;100:972-975.
136. Connery LE, Coursin DB. Assessment and therapy of selected endocrine disorders. *Anesthesiol Clin North America*. 2004;22:93-123.
137. Tauzin-Fin P, Sesay M, Gosse P, Ballanger P. Effects of perioperative alpha1 block on haemodynamic control during laparoscopic surgery for phaeochromocytoma. *Br J Anaesth*. 2004;92:512-517.
138. Lebuffe G, Dosseh ED, Tek G, et al. The effect of calcium channel blockers on outcome following the surgical treatment of pheochromocytomas and paragangliomas. *Anaesthesia*. 2005;60:439-444.
139. Poopalalingam R, Chin EY. Rapid preparation of a patient with pheochromocytoma with labetalol and magnesium sulfate. *Can J Anaesth*. 2001;48:876-880.
140. James MF. Use of magnesium sulphate in the anaesthetic management of pheochromocytoma: a review of 17 anaesthetics. *Br J Anaesth*. 1989;62:616-623.
141. Pivalizza EG. Magnesium sulfate and epidural anesthesia in pheochromocytoma and severe coronary artery disease. *Anesth Analg*. 1995;81:414-416.
142. Minami T, Adachi T, Fukuda K. An effective use of magnesium sulfate for intraoperative management of laparoscopic adrenalectomy for pheochromocytoma in a pediatric patient. *Anesth Analg*. 2002;95:1243-1244.
143. Steinsapir J, Carr AA, Prisant LM, Bransome ED Jr. Metyrosine and pheochromocytoma. *Arch Intern Med*. 1997;157:901-906.
144. Del Pizzo JJ, Schiff JD, Vaughan ED. Laparoscopic adrenalectomy for pheochromocytoma. *Curr Urol Rep*. 2005;6:78-85.
145. Kercher KW, Novitsky YW, Park A, Matthews BD, Litwin DE, Heniford BT. Laparoscopic curative resection of pheochromocytomas. *Ann Surg*. 2005;241:919-926.
146. Micali S, Peluso G, De Stefani S, et al. Laparoscopic adrenal surgery: new frontiers. *J Endourol*. 2005;19:272-278.
147. Wong AY, Cheung CW. Dexmedetomidine for resection of a large pheochromocytoma with invasion into the inferior vena cava. *Br J Anaesth*. 2004;93:873.
148. Breslin DS, Farling PA, Mirakhur RK. The use of remifentanyl in the anaesthetic management of patients undergoing adrenalectomy: a report of three cases. *Anaesthesia*. 2003;58:358-362.
149. Baraka A, Siddik S, Alameddine M. Remifentanyl for modulation of hemodynamics in a patient undergoing laparoscopic resection of pheochromocytoma. *Middle East J Anesthesiol*. 2004;17:585-592.
150. Fernandez-Cruz L, Taura P, Sáenz A, Benarroch G, Sabater L. Laparoscopic approach to pheochromocytoma: hemodynamic changes and catecholamine secretion. *World J Surg*. 1996;20:762-768.
151. Augoustides JG, Abrams M, Berkowitz D, Fraker D. Vasopressin for hemodynamic rescue in catecholamine-resistant vasoplegic shock after resection of massive pheochromocytoma. *Anesthesiology*. 2004;101:1022-1024.
152. Axelrod L. Perioperative management of patients treated with glucocorticoids. *Endocrinol Metab Clin North Am*. 2003;32:367-383.

153. Brown CJ, Buie WD. Perioperative stress dose steroids: do they make a difference? *J Am Coll Surg*. 2001;193:678-686.
154. Cooper MS, Stewart PM. Corticosteroid insufficiency in acutely ill patients. *N Engl J Med*. 2003;348:727-734.
155. Shaw M. When is perioperative "steroid coverage" necessary? *Cleve Clin J Med*. 2002;69:9-11.
156. Linder BL, Esteban NV, Yergey AL, Winterer JC, Loriaux DL, Cassorla F. Cortisol production rate in childhood and adolescence. *J Pediatr*. 1990;117:892-896.
157. Esteban NV, Loughlin T, Yergey AL, et al. Daily cortisol production rate in man determined by stable isotope dilution/mass spectrometry. *J Clin Endocrinol Metab*. 1991;72:39-45.
158. Kerrigan JR, Veldhuis JD, Leyo SA, Iranmanesh A, Rogol AD. Estimation of daily cortisol production and clearance rates in normal pubertal males by deconvolution analysis. *J Clin Endocrinol Metab*. 1993;76:1505-1510.
159. Nicholson G, Burrin JM, Hall, GM. Peri-operative steroid supplementation. *Anaesthesia*. 1998;53:1091-1104.
160. Jabbour SA. Steroids and the surgical patient. *Med Clin North Am*. 2001;85:1311-1317.
161. Leopold SS, Casnellie MT, Warme WJ, Dougherty PJ, Wingo ST, Shott S. Endogenous cortisol production in response to knee arthroscopy and total knee arthroplasty. *J Bone Joint Surg Am*. 2003;85A:2163-2167.
162. Bromberg JS, Alfrey EJ, Barker CF, et al. Adrenal suppression and steroid supplementation in renal transplant recipients. *Transplantation*. 1991;51:385-390.
163. Friedman RJ, Schiff CF, Bromberg JS. Use of supplemental steroids in patients having orthopaedic operations. *J Bone Joint Surg Am*. 1995;77:1801-1806.
164. Glowniak JV, Loriaux DL. A double-blind study of perioperative steroid requirements in secondary adrenal insufficiency. *Surgery*. 1997;121:123-129.
165. Salem M, Tainsh RE Jr, Bromberg J, Loriaux DL, Chernow B. Perioperative glucocorticoid coverage. A reassessment 42 years after emergence of a problem. *Ann Surg*. 1994;219:416-425.
166. Holte K, Kehlet H. Perioperative single-dose glucocorticoid administration: pathophysiologic effects and clinical implications. *J Am Coll Surg*. 2002;195:694-712.
167. Drake WM, Perry LA, Hinds CJ, Lowe DG, Reznick RH, Besser GM. Emergency and prolonged use of intravenous etomidate to control hypercortisolemia in a patient with Cushing's syndrome and peritonitis. *J Clin Endocrinol Metab*. 1998;83(10):3542-3544.
168. Klibanski A, Zervas NT. Diagnosis and management of hormone-secreting pituitary adenomas. *N Engl J Med*. 1991;324:822-831.
169. Ezzat S, Asa SL, Couldwell WT, et al. The prevalence of pituitary adenomas: a systematic review. *Cancer*. 2004;101:613-619.
170. Freda PU, Wardlaw SL. Clinical review 110: diagnosis and treatment of pituitary tumors. *J Clin Endocrinol Metab*. 1999;84:3859-3866.
171. Melmed S. Pathogenesis of pituitary tumors. *Endocrinol Metab Clin North Am*. 1999;28:1-12.
172. Nemergut EC, Dumont AS, Barry UT, Laws ER. Perioperative management of patients undergoing transsphenoidal pituitary surgery. *Anesth Analg*. 2005;101:1170-1181.
173. Burton CM, Nemergut EC. Anesthetic and critical care management of patients undergoing pituitary surgery. *Front Horm Res*. 2006;34:236-255.
174. Van Aken M, Lamberts S. Diagnosis and treatment of hypopituitarism: an update. *Pituitary*. 2005;8:183-191.
175. Schlechte JA. Clinical practice. Prolactinoma. *N Engl J Med*. 2003;349:2035-2041.
176. Minniti G, Moroni C, Jaffrain-Rea ML, et al. Marked improvement in cardiovascular function after successful transsphenoidal surgery in acromegalic patients. *Clin Endocrinol (Oxf)*. 2001;55:307-313.
177. Vianna CB, Vieira ML, Mady C, et al. Treatment of acromegaly improves myocardial abnormalities. *Am Heart J*. 2002;143:873-876.
178. Jane JA Jr, Thapar K, Kaptain GJ, Maartens N, Laws ER Jr. Pituitary surgery: transsphenoidal approach. *Neurosurgery*. 2002;51:435-442.
179. Ciric I, Rosenblatt S, Zhao JC. Transsphenoidal microsurgery. *Neurosurgery*. 2002;51:161-169.
180. Barker FG 2nd, Klibanski A, Swearingen B. Transsphenoidal surgery for pituitary tumors in the United States, 1996-2000: mortality, morbidity, and the effects of hospital and surgeon volume. *J Clin Endocrinol Metab*. 2003;88:4709-4719.
181. Singer PA, Sevilla LJ. Postoperative endocrine management of pituitary tumors. *Neurosurg Clin N Am*. 2003;14:123-138.
182. Molitch M. Neuroendocrinology and pituitary disease. In: *Atlas of Clinical Endocrinology*. Vol. 4. Philadelphia, PA: Current Medicine; 2000.