

Chapter 63

REFERENCES

1. Yaster M. Analgesia and anesthesia in neonates. *J Pediatr*. 1987;111:394-396.
2. Berde CB, Jaksic T, Lynn AM, Maxwell LG, Soriano SG, Tibboel D: Anesthesia and analgesia during and after surgery in neonates. *Clin Ther*. 2005;27:900-921.
3. Anand KJ, Aranda JV, Berde CB, et al. Summary proceedings from the neonatal pain-control group. *Pediatrics*. 2006;117(Suppl):S9-S22.
4. Anand KJ, Hickey PR: Pain and its effects in the human neonate and fetus. *N Engl J Med*. 1987;317:1321-1329.
5. Maxwell LG, Yaster M, Wetzel RC, Niebyl JR. Penile nerve block for newborn circumcision. *Obstet Gynecol*. 1987;70:415-419.
6. Lee SJ, Ralston HJ, Drey EA, Partridge JC, Rosen MA. Fetal pain: a systematic multidisciplinary review of the evidence. *JAMA*. 2005;294:947-954.
7. Torsney C, Fitzgerald M. Spinal dorsal horn cell receptive field size is increased in adult rats following neonatal hindpaw skin injury. *J Physiol*. 2003;550:255-261.
8. Fitzgerald M, Walker SM. Infant pain management: a developmental neurobiological approach. *Nat Clin Pract Neurol*. 2009;5:35-50.
9. Schmelzle-Lubiecki BM, Campbell KA, Howard RH, Franck L, Fitzgerald M. Long-term consequences of early infant injury and trauma upon somatosensory processing. *Eur J Pain*. 2007;11:799-809.
10. Fitzgerald M, Beggs S. The neurobiology of pain: developmental aspects. *Neuroscientist*. 2001;7:246-257.
11. Anand KJ, Sippell WG, Aynsley-Green A. Randomised trial of fentanyl anaesthesia in preterm babies undergoing surgery: effects on the stress response. *Lancet*. 1987;1:62-66.
12. Anand KJ, Hickey PR. Halothane-morphine compared with high-dose sufentanil for anesthesia and postoperative analgesia in neonatal cardiac surgery. *N Engl J Med*. 1992;326:1-9.
13. Wilson AS, Stiller RL, Davis PJ, Fedel G, Chakravorti S, Israel BA, McGowan FX, Jr. Fentanyl and alfentanil plasma protein binding in preterm and term neonates. *Anesth Analg*. 1997;84:315-318.
14. Lerman J, Strong HA, LeDez KM, Swartz J, Rieder MJ, Burrows FA. Effects of age on the serum concentration of alpha 1-acid glycoprotein and the binding of lidocaine in pediatric patients. *Clin Pharmacol Ther*. 1989;46:219-225.
15. Kupferberg HJ, Way EL. Pharmacologic basis for the increased sensitivity of the newborn rat to morphine. *J Pharmacol Exp Ther*. 1963;141:105-109.
16. Way WL, Costley EC, Way EL. Respiratory sensitivity of the newborn infant to meperidine and morphine. *Clin Pharmacol Ther*. 1965;6:454-461.
17. Fisher DM, O'Keeffe C, Stanski DR, Cronnelly R, Miller RD, Gregory GA. Pharmacokinetics and pharmacodynamics of d-tubocurarine in infants, children, and adults. *Anesthesiology*. 1982;57:203-208.
18. Furman EB, Roman DG, Lemmer LA, Hairabet J, Jasinska M, Laver MB. Specific therapy in water, electrolyte and blood-volume replacement during pediatric surgery. *Anesthesiology*. 1975;42:187-193.
19. Malviya S, Lerman J. The blood/gas solubilities of sevoflurane, isoflurane, halothane, and serum constituent concentrations in neonates and adults. *Anesthesiology*. 1990;72:793-796.
20. Lerman J, Gregory GA, Eger EI2. Effects of anaesthesia and surgery on the solubility of volatile anaesthetics in blood. *Can J Anaesth*. 1987;34:14-16.
21. Williams DG, Dickenson A, Fitzgerald M, Howard RF. Developmental regulation of codeine analgesia in the rat. *Anesthesiology*. 2004;100:92-97.
22. Williams DG, Patel A, Howard RF. Pharmacogenetics of codeine metabolism in an urban population of children and its implications for analgesic reliability. *Br J Anaesth*. 2002;89:839-845.
23. Greeley WJ, de Bruijn NP. Changes in sufentanil pharmacokinetics within the neonatal period. *Anesth Analg*. 1988;67:86-90.
24. Yaster M, Buck JR, Dudgeon DL, Manolio TA, Simmons RS, Zeller P, Haller JA, Jr. Hemodynamic effects of primary closure of omphalocele/gastroschisis in human newborns. *Anesthesiology*. 1988;69:84-88.
25. Yaster M, Scherer TL, Stone MM, et al. Prediction of successful primary closure of congenital abdominal wall defects using intraoperative measurements. *J Pediatr Surg*. 1989;24:1217-1220.
26. Shaffer SE, Norman ME. Renal function and renal failure in the newborn. *Clin Perinatol*. 1989;16:199-218.
27. Gregory GA. The baroresponses of preterm infants during halothane anaesthesia. *Can Anaesth Soc J*. 1982;29:105-107.
28. Lerman J, Robinson S, Willis MM, Gregory GA. Anesthetic requirements for halothane in young children 0-1 month and 1-6 months of age. *Anesthesiology*. 1983;59:421-424.
29. LeDez KM, Lerman J. The minimum alveolar concentration (MAC) of isoflurane in preterm neonates. *Anesthesiology*. 1987;67:301-307.

30. Friesen RH, Lichtor JL. Cardiovascular effects of inhalation induction with isoflurane in infants. *Anesth Analg*. 1983;62:411-414.
31. Friesen RH, Lichtor JL. Cardiovascular depression during halothane anesthesia in infants: study of three induction techniques. *Anesth Analg*. 1982;61:42-45.
32. Friesen RH, Henry DB. Cardiovascular changes in pre-term neonates receiving isoflurane, halothane, fentanyl, and ketamine. *Anesthesiology*. 1986;64:238-242.
33. Murat I, Constant I, Maud'huy H. Perioperative anaesthetic morbidity in children: a database of 24,165 anaesthetics over a 30-month period. *Paediatr Anaesth*. 2004;14:158-166.
34. Morray JP, Geiduschek JM, Ramamoorthy C, et al. Anesthesia-related cardiac arrest in children: initial findings of the Pediatric Perioperative Cardiac Arrest (POCA) Registry. *Anesthesiology*. 2000;93:6-14.
35. Morray JP. Anesthesia-related cardiac arrest in children. An update. *Anesthesiol Clin North America*. 2002;20:1-28, v.
36. Flick RP, Sprung J, Harrison TE, et al. Perioperative cardiac arrests in children between 1988 and 2005 at a tertiary referral center: a study of 92,881 patients. *Anesthesiology*. 2007;106:226-237.
37. Murray DJ, Forbes RB, Dillman JB, Mahoney LT, Dull DL. Haemodynamic effects of atropine during halothane or isoflurane anaesthesia in infants and small children. *Can J Anaesth*. 1989;36:295-300.
38. Pang LM, Mellins RB. Neonatal cardiorespiratory physiology. *Anesthesiology*. 1975;43:171-196.
39. Wear R, Robinson S, Gregory GA. The effect of halothane on the baroresponse of adult and baby rabbits. *Anesthesiology*. 1982;56:188-191.
40. Meistelman C, Benhamou D, Barre J, et al. Effects of age on plasma protein binding of sufentanil. *Anesthesiology*. 1990;72:470-473.
41. Singleton MA, Rosen JI, Fisher DM. Plasma concentrations of fentanyl in infants, children and adults. *Can J Anaesth*. 1987;34:152-155.
42. Koehntop DE, Rodman JH, Brundage DM, et al. Pharmacokinetics of fentanyl in neonates. *Anesth Analg*. 1986;65:227-232.
43. Hughes MA, Glass PS, Jacobs JR. Context-sensitive half-time in multicompartment pharmacokinetic models for intravenous anesthetic drugs. *Anesthesiology*. 1992;76:334-341.
44. Robinson S, Gregory GA. Fentanyl-air-oxygen anesthesia for ligation of patent ductus arteriosus in preterm infants. *Anesth Analg*. 1981;60:331-334.
45. Yaster M. The dose response of fentanyl in neonatal anesthesia. *Anesthesiology*. 1987;66:433-435.
46. Yaster M, Koehler RC, Traystman RJ. Effects of fentanyl on peripheral and cerebral hemodynamics in neonatal lambs. *Anesthesiology*. 1987;66:524-530.
47. Yaster M, Koehler RC, Traystman RJ. Interaction of fentanyl and pentobarbital on peripheral and cerebral hemodynamics in newborn lambs. *Anesthesiology*. 1989;70:461-469.
48. Yaster M, Koehler RC, Traystman RJ. Interaction of fentanyl and nitrous oxide on peripheral and cerebral hemodynamics in newborn lambs. *Anesthesiology*. 1994;80:364-371.
49. Zhang AZ, Pasternak GW. Ontogeny of opioid pharmacology and receptors: high and low affinity site differences. *Eur J Pharmacol*. 1981;73:29-40.
50. Pasternak GW, Zhang A, Tecott L. Developmental differences between high and low affinity opiate binding sites: their relationship to analgesia and respiratory depression. *Life Sci*. 1980;27:1185-1190.
51. Davis PJ, Galinkin J, McGowan FX, et al. A randomized multicenter study of remifentanyl compared with halothane in neonates and infants undergoing pyloromyotomy. I. Emergence and recovery profiles. *Anesth Analg*. 2001;93:1380-1386.
52. Galinkin JL, Davis PJ, McGowan FX, et al. A randomized multicenter study of remifentanyl compared with halothane in neonates and infants undergoing pyloromyotomy. II. Perioperative breathing patterns in neonates and infants with pyloric stenosis. *Anesth Analg*. 2001;93:1387-1392.
53. Glass PS, Gan TJ, Howell S. A review of the pharmacokinetics and pharmacodynamics of remifentanyl. *Anesth Analg*. 1999;89(Suppl):S7-S14.
54. Kapila A, Glass PS, Jacobs JR, et al. Measured context-sensitive half-times of remifentanyl and alfentanil. *Anesthesiology*. 1995;83:968-975.
55. Scholz J, Steinfath M, Schulz M. Clinical pharmacokinetics of alfentanil, fentanyl and sufentanil. An update. *Clin Pharmacokinet*. 1996;31:275-292.
56. Goudsouzian NG, Standaert FG. The infant and the myoneural junction. *Anesth Analg*. 1986;65:1208-1217.
57. Cook DR, Westman HR, Rosenfeld L, Hendershot RJ. Pulmonary edema in infants: possible association with association with intramuscular succinylcholine. *Anesth Analg*. 1981;60:220-223.
58. Olney JW, Young C, Wozniak DF, Ikonomidou C, Jevtovic-Todorovic V. Anesthesia-induced developmental neuroapoptosis. Does it happen in humans? *Anesthesiology*. 2004;101:273-275.
59. Ikonomidou C, Bosch F, Miksa M, et al. Blockade of NMDA receptors and apoptotic neurodegeneration in the developing brain. *Science*. 1999;283:70-74.
60. Ikonomidou C, Bittigau P, Ishimaru MJ, et al. Ethanol-induced apoptotic neurodegeneration and fetal alcohol syndrome. *Science*. 2000;287:1056-1060.
61. Ikonomidou C, Bittigau P, Koch C, et al. Neurotransmitters and apoptosis in the developing brain. *Biochem Pharmacol*. 2001;62:401-405.
62. Jevtovic-Todorovic V, Hartman RE, Izumi Y, et al. Early exposure to common anesthetic agents causes widespread neurodegeneration in the developing rat brain and persistent learning deficits. *J Neurosci*. 2003;23:876-882.
63. Olney JW, Wozniak DF, Jevtovic-Todorovic V, Farber NB, Bittigau P, Ikonomidou C. Drug-induced apoptotic neurodegeneration in the developing brain. *Brain Pathol*. 2002;12:488-498.
64. Pohl D, Bittigau P, Ishimaru MJ, et al. N-Methyl-D-aspartate antagonists and apoptotic cell death triggered by head trauma in developing rat brain. *Proc Natl Acad Sci USA*. 1999;96:2508-2513.
65. Young C, Jevtovic-Todorovic V, Qin YQ, et al. Potential of ketamine and midazolam, individually or in combination, to induce apoptotic neurodegeneration in the infant mouse brain. *Br J Pharmacol*. 2005;146:189-197.
66. Garcia PS, Kolesky SE, Jenkins A. General anesthetic actions on GABA(A) receptors. *Curr Neuropharmacol*. 2010;8:2-9.
67. Orser BA, Canning KJ, Macdonald JF. Mechanisms of general anesthesia. *Curr Opin Anaesthesiol*. 2002;15:427-433.

68. Kelly EW, Solt K, Raines DE. Volatile aromatic anesthetics variably impact human gamma-aminobutyric acid type A receptor function. *Anesth Analg*. 2007;105:1287-1292, table.
69. Chau PL. New insights into the molecular mechanisms of general anaesthetics. *Br J Pharmacol*. 2010;161:288-307.
70. Stoneham ET, Sanders EM, Sanyal M, Dumas TC. Rules of engagement: factors that regulate activity-dependent synaptic plasticity during neural network development. *Biol Bull*. 2010;219:81-99.
71. Li F, Tsien JZ. Memory and the NMDA receptors. *N Engl J Med*. 2009;361:302-303.
72. Traynelis SF, Wollmuth LP, McBain CJ, et al. Glutamate receptor ion channels: structure, regulation, and function. *Pharmacol Rev*. 2010;62:405-496.
73. Dingledine R, Borges K, Bowie D, Traynelis SF. The glutamate receptor ion channels. *Pharmacol Rev*. 1999;51:7-61.
74. Hemmings HC Jr, Akabas MH, Goldstein PA, Trudell JR, Orser BA, Harrison NL. Emerging molecular mechanisms of general anesthetic action. *Trends Pharmacol Sci*. 2005;26:503-510.
75. Weight FF, Aguayo LG, White G, Lovinger DM, Peoples RW. GABA- and glutamate-gated ion channels as molecular sites of alcohol and anesthetic action. *Adv Biochem Psychopharmacol*. 1992;47:335-347.
76. Cattano D, Young C, Straiko MM, Olney JW. Subanesthetic doses of propofol induce neuroapoptosis in the infant mouse brain. *Anesth Analg*. 2008;106:1712-1714.
77. Jevtovic-Todorovic V, Hartman RE, Izumi Y, et al. Early exposure to common anesthetic agents causes widespread neurodegeneration in the developing rat brain and persistent learning deficits. *J Neurosci*. 2003;23:876-882.
78. Jevtovic-Todorovic V, Benshoff N, Olney JW. Ketamine potentiates cerebrocortical damage induced by the common anaesthetic agent nitrous oxide in adult rats. *Br J Pharmacol*. 2000;130:1692-1698.
79. Wilder RT, Flick RP, Sprung J, et al. Early exposure to anesthesia and learning disabilities in a population-based birth cohort. *Anesthesiology*. 2009;110:796-804.
80. Patel P, Sun L. Update on neonatal anesthetic neurotoxicity: insight into molecular mechanisms and relevance to humans. *Anesthesiology*. 2009;110:703-708.
81. DiMaggio CJ, Sun L, Kakavouli A, Li G. Exposure to anesthesia and the risk of developmental and behavioral disorders in young children [abstract]. *Anesthesiology*. 2009;21(4):286-291.
82. Hayashi H, Dikkes P, Soriano SG. Repeated administration of ketamine may lead to neuronal degeneration in the developing rat brain. *Paediatr Anaesth*. 2002;12:770-774.
83. Lu LX, Yon JH, Carter LB, Jevtovic-Todorovic V. General anesthesia activates BDNF-dependent neuroapoptosis in the developing rat brain. *Apoptosis*. 2006;11:1603-1615.
84. Nikizad H, Yon JH, Carter LB, Jevtovic-Todorovic V. Early exposure to general anesthesia causes significant neuronal deletion in the developing rat brain. *Ann N Y Acad Sci*. 2007;1122:69-82.
85. Viberg H, Ponten E, Eriksson P, Gordh T, Fredriksson A. Neonatal ketamine exposure results in changes in biochemical substrates of neuronal growth and synaptogenesis, and alters adult behavior irreversibly. *Toxicology*. 2008;249:153-159.
86. Fredriksson A, Ponten E, Gordh T, Eriksson P. Neonatal exposure to a combination of N-methyl-D-aspartate and gamma-aminobutyric acid type A receptor anesthetic agents potentiates apoptotic neurodegeneration and persistent behavioral deficits. *Anesthesiology*. 2007;107:427-436.
87. Slikker W Jr, Zou X, Hotchkiss CE, et al. Ketamine-induced neuronal cell death in the perinatal rhesus monkey. *Toxicol Sci*. 2007;98:145-158.
88. Anand KJ, Soriano SG. Anesthetic agents and the immature brain: are these toxic or therapeutic? *Anesthesiology*. 2004;101:527-530.
89. Butterworth JF, Strichartz GR. Molecular mechanisms of local anesthesia: a review. *Anesthesiology*. 1990;72:711-734.
90. Strichartz GR. Neural physiology and local anesthetic action. In: Cousins MJ, Bridenbaugh PO (eds). *Neural Blockade in Clinical Anesthesia and Management of Pain*. 3rd ed. Philadelphia, PA: Lippincott-Raven; 1998:35-54.
91. Mazoit JX, Denson DD, Samii K. Pharmacokinetics of bupivacaine following caudal anesthesia in infants. *Anesthesiology*. 1988;68:387-391.
92. Larsson BA, Lonnqvist PA, Olsson GL. Plasma concentrations of bupivacaine in neonates after continuous epidural infusion. *Anesth Analg*. 1997;84:501-505.
93. Cote CJ, Goldstein EA, Cote MA, Hoaglin DC, Ryan JF. A single-blind study of pulse oximetry in children. *Anesthesiology*. 1988;68:184-188.
94. Wallgren G, Hanson JS, Lind J. Quantitative studies of the human neonatal circulation. 3. Observations on the newborn infants central circulatory responses to moderate hypovolemia. *Acta Paediatr Scand*. 1967;179(Suppl):45.
95. Cooke RJ, Werkman S, Watson D. Urine output measurement in premature infants. *Pediatrics*. 1989;83:116-118.
96. Badgwell JM, McLeod ME, Lerman J, Creighton RE. End-tidal PCO₂ measurements sampled at the distal and proximal ends of the endotracheal tube in infants and children. *Anesth Analg*. 1987;66:959-964.
97. Bissonnette B, Lerman J. Single breath end-tidal CO₂ estimates of arterial PCO₂ in infants and children. *Can J Anaesth*. 1989;36:110-112.
98. Rowe MI, Taylor M. Transepidermal water loss in the infant surgical patient. *J Pediatr Surg*. 1981;16:878-881.
99. Giesbrecht GG, Ducharme MB, McGuire JP. Comparison of forced-air patient warming systems for perioperative use. *Anesthesiology*. 1994;80:671-679.
100. Hartnoll G. Basic principles and practical steps in the management of fluid balance in the newborn. *Semin Neonatol*. 2003;8:307-313.
101. Hall TL, Barnes A, Miller JR, Bethencourt DM, Nestor L. Neonatal mortality following transfusion of red cells with high plasma potassium levels. *Transfusion*. 1993;33:606-609.
102. Blanchette VS, Gray E, Hardie MJ, MacMurray SB, Heick HM, Rock G. Hyperkalemia after neonatal exchange transfusion: risk eliminated by washing red cell concentrates. *J Pediatr*. 1984;105:321-324.
103. Friesen RH, Honda AT, Thieme RE. Changes in anterior fontanel pressure in preterm neonates during tracheal intubation. *Anesth Analg*. 1987;66:874-878.
104. Friesen RH, Honda AT, Thieme RE. Perianesthetic intracranial hemorrhage in preterm neonates. *Anesthesiology*. 1987;67:814-816.
105. Gambee AM, Hertzka RE, Fisher DM. Preoxygenation techniques: comparison of three minutes and four breaths. *Anesth Analg*. 1987;66:468-470.
106. Morrison JE Jr, Collier E, Friesen RH, Logan L. Preoxygenation before laryngoscopy in children: how long is enough? *Paediatr Anaesth*. 1998;8:293-298.

107. Cheng CA, Aun CS, Gin T. Comparison of rocuronium and suxamethonium for rapid tracheal intubation in children. *Paediatr Anaesth.* 2002;12:140-145.
108. Mazurek AJ, Rae B, Hann S, Kim JI, Castro B, Cote CJ. Rocuronium versus succinylcholine: are they equally effective during rapid-sequence induction of anesthesia? *Anesth Analg.* 1998;87:1259-1262.
109. Harrison MR, Adzick NS, Estes JM, Howell LJ. A prospective study of the outcome for fetuses with diaphragmatic hernia. *JAMA.* 1994;271:382-384.
110. Harrison MR, Adzick NS, Nakayama DK, deLorimier AA. Fetal diaphragmatic hernia: pathophysiology, natural history, and outcome. *Clin Obstet Gynecol.* 1986;29:490-501.
111. Keijzer R, Puri P. Congenital diaphragmatic hernia. *Semin Pediatr Surg.* 2010;19:180-185.
112. Stege G, Fenton A, Jaffray B. Nihilism in the 1990s: the true mortality of congenital diaphragmatic hernia. *Pediatrics.* 2003;112:532-535.
113. Geggel RL, Murphy JD, Langleben D, Crone RK, Vacanti JP, Reid LM. Congenital diaphragmatic hernia: arterial structural changes and persistent pulmonary hypertension after surgical repair. *J Pediatr.* 1985;107:457-464.
114. Kinane TB. Lung development and implications for hypoplasia found in congenital diaphragmatic hernia. *Am J Med Genet C Semin Med Genet.* 2007;145C:117-124.
115. Bohn DJ, James I, Filler RM, et al. The relationship between PaCO₂ and ventilation parameters in predicting survival in congenital diaphragmatic hernia. *J Pediatr Surg.* 1984;19:666-671.
116. Langer JC, Filler RM, Bohn DJ, et al. Timing of surgery for congenital diaphragmatic hernia: is emergency operation necessary? *J Pediatr Surg.* 1988;23:731-734.
117. Bohn DJ, James I, Filler RM, et al. The relationship between PaCO₂ and ventilation parameters in predicting survival in congenital diaphragmatic hernia. *J Pediatr Surg.* 1984;19:666-671.
118. Boloker J, Bateman DA, Wung JT, Stolar CJ. Congenital diaphragmatic hernia in 120 infants treated consecutively with permissive hypercapnea/spontaneous respiration/elective repair. *J Pediatr Surg.* 2002;37:357-366.
119. Soll RF. Inhaled nitric oxide in the neonate. *J Perinatol.* 2009;29(Suppl 2):S63-S67.
120. Kinsella JP, Abman SH. Inhaled nitric oxide therapy in children. *Paediatr Respir Rev.* 2005;6:190-198.
121. Kinsella JP, Ivy DD, Abman SH. Pulmonary vasodilator therapy in congenital diaphragmatic hernia: acute, late, and chronic pulmonary hypertension. *Semin Perinatol.* 2005;29:123-128.
122. Schaible T, Hermle D, Loersch F, Demirakca S, Reinshagen K, Varnholt V. A 20-year experience on neonatal extracorporeal membrane oxygenation in a referral center. *Intensive Care Med.* 2010;36:1229-1234.
123. Rothenbach P, Lange P, Powell D. The use of extracorporeal membrane oxygenation in infants with congenital diaphragmatic hernia. *Semin Perinatol.* 2005;29:40-44.
124. Oldham KT, Coran AG, Drongowski RA, Baker PJ, Wesley JR, Polley TZ, Jr. The development of necrotizing enterocolitis following repair of gastroschisis: a surprisingly high incidence. *J Pediatr Surg.* 1988;23:945-949.
125. Hunter CJ, Upperman JS, Ford HR, Camerini V. Understanding the susceptibility of the premature infant to necrotizing enterocolitis (NEC). *Pediatr Res.* 2008;63:117-123.
126. Morowitz MJ, Poroyko V, Caplan M, Alverdy J, Liu DC. Redefining the role of intestinal microbes in the pathogenesis of necrotizing enterocolitis. *Pediatrics.* 2010;125:777-785.
127. Henry MC, Moss RL. Current issues in the management of necrotizing enterocolitis. *Semin Perinatol.* 2004;28:221-233.
128. El-Gohary Y, Gittes GK, Tovar JA. Congenital anomalies of the esophagus. *Semin Pediatr Surg.* 2010;19:186-193.
129. Holland AJ, Fitzgerald DA. Oesophageal atresia and tracheo-oesophageal fistula: current management strategies and complications. *Paediatr Respir Rev.* 2010;11:100-106.
130. Diaz LK, Akpek EA, Dinavahi R, Andropoulos DB. Tracheoesophageal fistula and associated congenital heart disease: implications for anesthetic management and survival. *Paediatr Anaesth.* 2005;15:862-869.
131. Choudhury SR, Ashcraft KW, Sharp RJ, Murphy JP, Snyder CL, Sigalet DL. Survival of patients with esophageal atresia: influence of birth weight, cardiac anomaly, and late respiratory complications. *J Pediatr Surg.* 1999;34:70-73.
132. Holcomb GW III, Rothenberg SS, Bax KM, et al. Thoracoscopic repair of esophageal atresia and tracheo-oesophageal fistula: a multi-institutional analysis. *Ann Surg.* 2005;242:422-428.
133. Tsao K, St. Peter SD, Sharp SW, et al. Current application of thoracoscopy in children. *J Laparoendosc Adv Surg Tech A.* 2008;18:131-135.
134. Filston HC, Chitwood WR Jr, Schkolne B, Blackmon LR. The Fogarty balloon catheter as an aid to management of the infant with esophageal atresia and tracheoesophageal fistula complicated by severe RDS or pneumonia. *J Pediatr Surg.* 1982;17:149-151.
135. Bosenberg AT, Hadley GP, Murray WB. Epidural analgesia reduces postoperative ventilation requirements following esophageal atresia repair. *J Pain Symptom Manage.* 1991;6:209.
136. Bosenberg AT, Bland BA, Schulte-Steinberg O, Downing JW. Thoracic epidural anesthesia via caudal route in infants. *Anesthesiology.* 1988;69:265-269.
137. McLone DG. Care of the neonate with a myelomeningocele. *Neurosurg Clin North Am.* 1998;9:111-120.
138. Adzick NS, Walsh DS. Myelomeningocele: prenatal diagnosis, pathophysiology and management. *Semin Pediatr Surg.* 2003;12:168-174.
139. Sutton LN, Adzick NS, Johnson MP. Fetal surgery for myelomeningocele. *Childs Nerv Syst.* 2003;19:587-591.
140. Dierdorf SF, McNiece WL, Rao CC, Wolfe TM, Means LJ. Failure of succinylcholine to alter plasma potassium in children with myelomeningocele. *Anesthesiology.* 1986;64:272-273.
141. Viscomi CM, Abajian JC, Wald SL, Rathmell JP, Wilson JT. Spinal anesthesia for repair of meningomyelocele in neonates. *Anesth Analg.* 1995;81:492-495.
142. Malviya M, Ohlsson A, Shah S. Surgical versus medical treatment with cyclooxygenase inhibitors for symptomatic patent ductus arteriosus in preterm infants. *Cochrane Database Syst Rev.* 2008;CD003951.
143. Hammerman C, Kaplan M. Patent ductus arteriosus in the premature neonate: current concepts in pharmacological management. *Paediatr Drugs.* 1999;1:81-92.
144. Gould DS, Montenegro LM, Gaynor JW, et al. A comparison of on-site and off-site patent ductus arteriosus ligation in premature infants. *Pediatrics.* 2003;112:1298-1301.