

Chapter 66

REFERENCES

1. Kumar C, Dodds C, Fanning G. Pharmacology for regional ophthalmic anaesthesia. In: Kumar C, Dodds C, Fanning G, eds. *Ophthalmic Anaesthesia*. Lisse, The Netherlands: Swets & Zeitlinger; 2002.
2. Snell RS, Lemp MA. *Clinical Anatomy of the Eye*. 2nd ed. Oxford, UK: Blackwell Science; 1998.
3. Duncalf D. Anesthesia and intraocular pressure. *Bull N Y Acad Med*. 1975;51:374.
4. Duncalf D, Foldes FF. Effect of anesthetic drugs and muscle relaxants on intraocular pressure. *Int Ophthalmol Clin*. 1973;13:21.
5. Susheera KS, Bhardwaj N, Yaddanapudi S. Effects of intravenous metoclopramide on intraocular pressure: a prospective, randomized, double blind, placebo-controlled study. *J Postgrad Med*. 2008;54:195.
6. Mowafi HA, Aldossary N, Ismail SA, et al. Effects of dexmedetomidine on the intraocular pressure change after succinylcholine and intubation. *Br J Anaesth*. 2008;100:485.
7. Antal M. Ketamine anesthesia and intraocular pressure. *Ann Ophthalmol*. 1978;10:1281.
8. Cook JH. The effects of suxamethonium on intraocular pressure. *Anaesthesia*. 1981;36:359.
9. Wynands JE, Crowell DE. Intraocular tension in association with succinylcholine and endotracheal intubation. *Can Anaesth Soc J*. 1960;7:39.
10. Katz RE, Dinner M, Turner LS, et al. Succinylcholine increases intraocular pressure in the human eye with the extraocular muscles detached. *Anesthesiology*. 1993;79:948.
11. Meyers EF, Singer P, Otto A. A controlled study of the effect of succinylcholine self-taming on intraocular pressure. *Anesthesiology*. 1980;53:72.
12. Verma RS. "Self-taming" of succinylcholine-induced fasciculations on intraocular pressure. *Anesthesiology*. 1979;50:245.
13. Meyers EF, Krupin T, Johnson M, et al. Failure of nondepolarizing neuromuscular blockers to inhibit succinylcholine induced increased intraocular pressure. *Anesthesiology*. 1978;48:149.
14. Feneck RO, Cook JH. Failure of diazepam to prevent the suxamethonium induced rise in intraocular pressure. *Anaesthesia*. 1983;38:120.
15. Haddad, NJ, Moyer NJ, Riley FC Jr. Mydriatic effect of phenylephrine hydrochloride. *Am J Ophthalmol*. 1970;70:729.
16. Fraunfelder FT, Scafidi AF. Possible adverse effects from topical 10% phenylephrine. *Am J Ophthalmol*. 1978;85:447.
17. Smith RB, Douglas H, Petruscak J, et al. Safety of intraocular adrenaline with halothane anesthesia. *Br J Anaesth*. 1972;44:1314.
18. Kim JW, Smith PH. Timolol-induced bradycardia. *Anesth Analg*. 1980;59:301.
19. Jones JL, Ekberg NL. Exacerbation of asthma by timolol. *N Engl J Med*. 1979;301:270.
20. Bailey PL. Timolol and postoperative apnea in neonates and young children. *Anesthesiology*. 1984;61:622.
21. Deroeth A, Dettbarn WD, Rosenberg P, et al. Effect of phospholine iodide on blood cholinesterase levels. *Am J Ophthalmol*. 1965;59:586.
22. Lee PP, Feldman ZW, Osterman J, et al. Longitudinal prevalence of major eye disease. *Arch Ophthalmol*. 2003;121:1303.
23. Kraushar MF, Turner MF. Medical malpractice litigation in cataract surgery. *Arch Ophthalmol*. 1987;105:1339.
24. Gild WM, Posner KL, Caplan RA, et al. Eye injuries associated with anesthesia. *Anesthesiology*. 1992;76:204.
25. Havi-Viander M. Death associated with anesthesia in Finland. *Br J Anaesth*. 1980;52:483.
26. Fleisher LA, Beckman JA, Brown KA, et al. ACC/AHA 2007 Guidelines on perioperative cardiovascular evaluation and care for non cardiac surgery. *J Am Coll Cardiol*. 2007;50:1707.
27. Pasternak LR, Arens JG, Caplan RA, et al. Practice advisory for preanesthesia evaluation. A report by the American Society of Anesthesiologists task force on preanesthesia evaluation. *Anesthesiology*. 2002;96:485.
28. Roizen MF. The surgical burden: how to prevent a crisis in preoperative medicine. *Cleve Clin J Med*. 2006;73:58.
29. MacPherson R. Structured assessment tool to evaluate patient suitability for cataract surgery under local anesthesia. *Br J Anaesth*. 2004;93:521.
30. Schein OD, Katz, J, Bass EB, et al. The value of routine preoperative medical testing before cataract surgery. *N Engl J Med*. 2000;342:168.
31. Danielson D, Thompson S, Boback S, et al. U.S. Government Department of Health & Human Services. Agency for Healthcare Research and Quality. National Guideline Clearinghouse. Preoperative Evaluation. <http://www.guideline.gov/content.aspx?id=23858>. Accessed October 9, 2011.
32. Reilly DG, McNeely MJ, Doerner D, et al. Self-reported exercise tolerance and the risk of serious perioperative complications. *Arch Intern Med*. 1999;159:2185.
33. Kovich O, Otley CC. The thrombotic complications related to discontinuation of warfarin and aspirin therapy perioperatively for cutaneous operations. *J Am Acad Dermatol*. 2003;48:233.

34. Dunn SA, Turpie AG. Perioperative management of patients receiving oral anticoagulants. *Arch Intern Med.* 2003;163:901.
35. Benzimra JD, Johnston RL, Galloway PH, et al. The cataract national dataset electronic multicentre audit of 55,567 operations: antiplatelet and anticoagulant medications. *Eye.* 2009;23(1):10.
36. Salam T, Raines MF. Clopidogrel and intraocular surgery: complicated or uncomplicated? *Grand Rounds.* 2007;7:58.
37. Katz J, Feldman MA, Bass EB, et al. Risks and benefits of anticoagulants and antiplatelet medication use before cataract surgery. *Ophthalmology.* 2003;110:1784.
38. Kostantanos A. Anticoagulation and cataract surgery: a review of the current literature. *Anaesth Intensive Care.* 2001;29:11.
39. Assia EI, Raskin T, Kaiseeman I, Rotenstreich Y, et al. Effect of aspirin intake on bleeding during cataract surgery. *J Cataract Refract Surg.* 1998;24:1243.
40. Kumar N, Jivan S, Thomas P, McLure H. Sub-Tenon's anesthesia with aspirin, warfarin, and clopidogrel. *J Cataract Refract Surg.* 2006;32:1022.
41. Quintyn JC, Calendra E, Retout A, Bresseur G. Topical anesthesia cataract surgery in patients with anticoagulation therapy. *J Cataract Refract Surg.* 2000;26(4):479.
42. Kallio H, Paloheimo M, Maunukesael EL. Haemorrhage and risk factors associated with retrobulbar/peribulbar block: a prospective study in 1383 patients. *Br J Anaesth.* 2000;85:708.
43. Eke T, Thompson JR. Serious complications of local anaesthesia for cataract surgery: a 1year national survey in the United Kingdom. *Br J Ophthalmol.* 2007;91:470.
44. Ong-Tone L, Paluck EC, Hart-Mill RD. Perioperative use of warfarin and aspirin in cataract surgery by Canadian Society of Cataract and Refractive Surgery members: survey. *J Cataract Refract Surg.* 2005;31:991.
45. Law SK, Song BJ, Kurbanyan K, Yang TA, et al. Hemorrhagic complications from glaucoma surgery in patients on anticoagulation therapy or antiplatelet therapy. *Am J Ophthalmol.* 2008;145:736.
46. Cobb CJ, Chakrabarti S, Chandra V, Sanders R. The effect of aspirin therapy in trabeculectomy. *Eye.* 2007;21:598.
47. Alwitry A, King AJ, Vernon SA. Anticoagulation therapy in glaucoma surgery. *Graefes Arch Clin Exp Ophthalmol.* 2008;245:891.
48. Narendran N, Williamson TH. The effects of aspirin and warfarin therapy on haemorrhage in vitreoretinal surgery. *Acta Ophthalmol Scand.* 2003;81:36.
49. Chauvaud D. Anticoagulation and vitreoretinal surgery. *Bull Acad Natl Med.* 2007;191:879.
50. Fu AD, McDonald HR, Williams DF, et al. Anticoagulation with warfarin in vitreoretinal surgery. *Retina.* 2007;27:290.
51. Dayani PN, Grand MG. Maintenance of warfarin anticoagulation for patients undergoing vitreoretinal surgery. *Trans Am Ophthalmol Soc.* 2006;104:149.
52. Douketis JD, Berger PB, Dunn AS, et al. The perioperative management of antithrombotic therapy: American College of Chest Physicians evidence-based clinical practice guidelines. *Chest.* 2008;133:299.
53. Grines CL, Bonow RO, Casey DE, et al. Prevention of premature discontinuation of dual antiplatelet therapy in patients with coronary artery stents. *J Am Coll Cardiol.* 2007;49:734.
54. Rozner MA. Implantable cardiac pulse generators: pacemakers and cardioverter-defibrillators. In: *Miller's Anesthesia.* 7th ed. Philadelphia, PA: Churchill Livingstone Elsevier; 2009:1387.
55. Practice advisory for the perioperative management of patients with cardiac rhythm management devices: pacemakers and implantable cardioverter-defibrillators. American Society of Anesthesiologists task force on perioperative management of patients with cardiac rhythm management devices. *Anesthesiology.* 2005;103:186.
56. Rozner M. Pacemaker misinformation in the perioperative period: programming around the problem. *Anesth Analg.* 2004;99:1582.
57. Bayes J, Rozner MA. Management of implanted cardiac defibrillators during eye surgery. *Anesth Analg.* 2008;106:671.
58. Stoller GL. Ophthalmic surgery and the implantable cardioverter defibrillator. *Arch Ophthalmol.* 2006;124:859.
59. Bayes J. A survey of ophthalmic anesthesiologists on managing pacemakers and ICDs. *Anesth Analg.* 2006;103:1615.
60. Holmgren C, Carlsson T, Mannheimer C, et al. Risk of interference from transcutaneous electrical nerve stimulation on the sensing function of implantable defibrillators. *Pacing Clin Electrophysiol.* 2008;31:151.
61. Goldman L, Caldera DL, Nussbaum SR, et al. Multifactorial index of cardiac risk in noncardiac surgical procedures. *N Engl J Med.* 1977;297:845.
62. Detsky AS, Abrams HB, Forbath N, et al. Cardiac assessment for patients undergoing noncardiac surgery: a multifactorial clinical risk index. *Arch Intern Med.* 1986;146:2131.
63. Goldman L, Caldera DL. Risks of general anesthesia and elective operation in the hypertensive patient. *Anesthesiology.* 1979;50:285.
64. Weksler N, Klein M, Szendro G, et al. The dilemma of immediate preoperative hypertension: to treat and operate, or to postpone surgery? *J Clin Anesth.* 2003;15:179.
65. Glanz L, Drenger B, Gozal Y. Perioperative myocardial ischemia in cataract patients: general vs. local anesthesia. *Anesth Analg.* 2000;91:1415.
66. Katz J, Feldman MA, Bass EB, et al. Adverse intraoperative medical events and their association with anesthesia management strategies in cataract surgery. *Ophthalmology.* 2001;108:1721.
67. El-Hindy N, Johnston RL, Jaycock P, et al. The cataract national dataset electronic multi-center audit of 55,567 operations: anaesthetic techniques and complications. *Eye.* 2009;1:50.
68. Leaming DV. Practice styles and preferences of ARCS members: 2003 survey. *J Cataract Refract Surg.* 2004;30:892.
69. Boezaart A, Berry R, Mell M. Topical anesthesia vs. retrobulbar block for cataract surgery: the patient's perspective. *J Clin Anesth.* 2000;12:58.
70. Naftali M, Jabaly-Habib H, Mukari A. Burn during a routine pterygium excision operation. *Eur J Ophthalmol.* 2008;18:639.
71. Caplan RA, Barker SJ, Connis RT, et al. Practice advisory for the prevention and management of operating room fires. A report by the American Society of Anesthesiologists task force on operating room fires. *Anesthesiology.* 2008;108:786.
72. Preventing surgical fires. *Jt Comm Perspect.* 2003;23:10.
73. Bhananker SM, Posner KL, Cheney FW, et al. Injury and liability associated with monitored anesthesia care: a closed claims analysis. *Anesthesiology.* 2006;104:228.
74. Neatrou GP, Lederman IR. Reducing fire hazard during ophthalmic surgery by using compressed air. *Ophthalmic Surg.* 1989; 20:430.

75. Cummings AB, Konig HL. Effect of oxygen and air inhalation during cataract surgery on blood gas parameters. *J Cataract Refract Surg.* 1996;22:1236.
76. Schlager A, Luger TJ. Oxygen application by a nasal probe prevents hypoxia but not rebreathing of carbon dioxide in patients undergoing eye surgery under local anaesthesia. *Br J Ophthalmol.* 2000;84:399.
77. Zeitlin GL, Hobin K, Platt J, et al. Accumulation of carbon dioxide during eye surgery. *J Clin Anesth.* 1989;1:262.
78. Schlager A, Lorenz IH, Luger TJ. Transcutaneous CO₂/O₂ and CO₂/air suction in patients undergoing cataract surgery with retrobulbar anaesthesia. *Anaesthesia.* 1998;53:1212.
79. Schlager A, Staud H. New equipment to prevent carbon dioxide rebreathing during eye surgery under retrobulbar anaesthesia. *Br J Ophthalmol.* 1999;83:1131.
80. Hamilton RC. A discourse on the complications of retrobulbar and peribulbar blockade. *Can J Ophthalmol.* 2000;35:363.
81. Strouthidis NG, Sobha S, Lanigan LP, et al. Vertical diplopia following peribulbar anesthesia: the role of hyaluronidase. *J Pediatr Ophthalmol Strabismus.* 2004;41:25.
82. Jehan FS, Hagan JC III, Whittaker TJ, et al. Diplopia and ptosis following injection of local anesthesia without hyaluronidase. *J Cataract Refract Surg.* 2001;27:1876.
83. Brown SM, Brooks SE, Mazow ML, et al. Cluster of diplopia cases after periocular anesthesia without hyaluronidase. *J Cataract Refract Surg.* 1999;25:1245.
84. Debroff BM, Hamilton RC, Loken RG, et al. Retrobulbar anesthesia with 7.5 unit vs. 0.75 units/mL of hyaluronidase. *Can J Ophthalmol.* 1995;30:262.
85. Hamilton RC, Gimbel HV, Strunin L. Regional anesthesia for 12,000 cataract extraction and intraocular lens implantation procedures. *Can J Anaesth.* 1988;35:615.
86. Pautler SE, Grizzard WS, Thompson LN, et al. Blindness from retrobulbar injection into the optic nerve. *Ophthalmic Surg.* 1986;17:334.
87. Duker JS, Belmont JB, Benson WE, et al. Inadvertent globe perforation during retrobulbar and peribulbar anesthesia. *Ophthalmology.* 1991;98:519.
88. Berglin L, Stenkula S, Algvere PV. Ocular perforation during retrobulbar and peribulbar injections. *Ophthalmic Surg Lasers.* 1995;26:429.
89. McCombe M, Heriot W. Penetrating ocular injury following local anesthesia. *Aust N Z J Ophthalmol.* 1995;23:33.
90. Edge R, Naven S. Scleral perforation during retrobulbar and peribulbar anesthesia: risk factor and outcome in 50,000 consecutive injections. *J Cataract Refract Surg.* 1999;25:1237.
91. Bayes J, Zheng H, Rosow CE. Early use of eyeglasses for myopia predicts long axial length of the eye. *Anesth Analg.* 2010;110:119.
92. Koornneef I. Orbital septa: anatomy and function. *Ophthalmology.* 1979;86:876.
93. Budd J, Hardwick M, Barber K, et al. A single-centre study of 1000 consecutive peribulbar blocks. *Eye.* 2001;15:464.
94. Demirok A, Simsek S, Cinal A, et al. Peribulbar anesthesia: One versus two injections. *Ophthalmic Surg Lasers.* 1997;28:998.
95. Davis DB II, Mandel MR. Posterior peribulbar anesthesia: an alternative to retrobulbar anesthesia. *J Cataract Refract Surg.* 1986;12:182.
96. Saini IS, Roysarker K, Grawal SPS, et al. Efficacy and time sequence analysis of modified single injection peribulbar anesthesia. *J Cataract Refract Surg.* 1993;19:646.
97. Agarwal V, Athanikar AS. Single injection, low volume periocular anesthesia in 1000 cases. *J Cataract Refract Surg.* 1994;20:61.
98. Husted RF, Hamilton RC, Loken RG. Periocular local anesthesia: median orbital as an alternative to superior nasal injection. *J Cataract Refract Surg.* 1994;20:197.
99. Ruschen H, Brenner FD, Carr C. Complications after sub-Tenon's eye block. *Anesth Analg.* 2003;96:273.
100. Jaycock PD, Mather CM, Ferris JD, et al. Rectus muscle trauma complicated sub-Tenon's local anesthesia. *Eye.* 2001;15:583.
101. Spierer A, Schwall E. Superior oblique muscle paresis after sub-Tenon's anesthesia for cataract surgery. *J Cataract Refract Surg.* 1999;25:144.
102. Olitsky SE, Juneja RG. Orbital hemorrhage after the administration of sub-Tenon's infusion anesthesia. *Ophthalmic Surg Lasers.* 1997;28:145.
103. Mein CE, Hymn HW. Augmentation of local anesthesia during retinal detachment surgery. *Arch Ophthalmol.* 1989;107:1084.
104. Ripart J, Jéfrant JY, Vivien B, et al. Ophthalmic regional anesthesia: medial canthus episcleral anesthesia is more efficient than peribulbar anesthesia. A double-blind randomized study. *Anesthesiology.* 2000;92:1278.
105. Mouvellon E, L'Hermite J, Chaumeron A, et al. Medial canthus single injection sub-Tenon's anesthesia a 2000 case experience. *Anesthesiology.* 2004;100:370.
106. Zahl K. Blockade of the orbicularis oculi. *Ophthalmol Clin North Am.* 1990;3:93.
107. Jonas JB, Jäger M, Hammerling T. Continuous retrobulbar anesthesia for scleral surgery using an ultra fine spinal anesthesia catheter. *Can J Anaesth.* 2002;49:487.
108. Merbs SL, Grant MP, Iliff NT. Simple outpatient postoperative analgesia using an orbital catheter after enucleation. *Arch Ophthalmol.* 2004;122:349.
109. Alexander JP. Reflex disturbances of cardiac rhythm during ophthalmic surgery. *Br J Ophthalmol.* 1975;59:518.
110. Katz RL, Bigger JT. Cardiac arrhythmias during anesthesia and operation. *Anesthesiology.* 1970;33:193.
111. Troll GF. Regional ophthalmic anesthesia; safe techniques and avoidance of complications. *J Clin Anesth.* 1995;7:163.
112. Katsev DA, Drews RC, Rose BT. Anatomic study of retrobulbar needle path length. *Ophthalmology.* 1989;96:1221.
113. Guise PA. Sub-tenon anesthesia: a prospective study of 6,000 blocks. *Anesthesiology.* 2003;98:964.
114. Eke T. National (U.K.) survey of local anaesthesia for ocular surgery. *Eye.* 1999;13:196.
115. Nicoll JM, Acharya PA, Ahlen K, et al. Central nervous system complications after 6,000 retrobulbar blocks. *Anesth Analg.* 1987;66:1298.
116. Hamilton RC. Brain stem anesthesia as a complication of regional anesthesia for ophthalmic surgery. *Can J Ophthalmol.* 1992;27:323.
117. Singer SB, Preston R, Hodge WG. Respiratory arrest following peribulbar anesthesia for cataract surgery: case report and review of the literature. *Can J Ophthalmol.* 1997;32:450.
118. Karhunen U, John G. A comparison of memory function following local and general anesthesia for extraction of senile cataract. *Acta Anaesthesiol Scand.* 1982;26:291.
119. Campbell DNC, Lim M, Kess Muir M, et al. A prospective randomized study of local vs. general anesthesia for cataract surgery. *Anaesthesia.* 1993;48:422.

120. McCarthy GJ, Mirakhur RK, Elliot P. Postoperative oxygenation in the elderly following general or local anaesthesia for ophthalmic surgery. *Anaesthesia*. 1992;47:1090.
121. Lynch S, Wolf GL, Berlin I. General anesthesia for cataract surgery: a comparative review of 2217 consecutive cases. *Anesth Analg*. 1974;53:909.
122. Koay P, Laring A, Adams K, et al. Ophthalmic pain following cataract surgery: a comparison between local and general anesthesia. *Br J Ophthalmol*. 1992;76:225.
123. Barker J, Robinson GC. Local anesthesia prevents the cortisol and glycemic response to cataract surgery. *Br J Anaesth*. 1990;64:442.
124. Barker JP, Vafdis GC, Robinson PN et al. Plasma catecholamine response to cataract surgery: a comparison between general and local anaesthesia. *Anaesthesia*. 1991;46:642.
125. Pandey K, Badolas RP, Kumar S. Time course of intraocular hypertension by suxamethonium. *Br J Anaesth*. 1972;44:191.
126. Vachon CA, Warner DO, Bacon DR. Succinylcholine and the open globe: tracing the teaching. *Anesthesiology*. 2003;99:220.
127. Libonati MM, Leahy JJ, Ellison N. The use of succinylcholine in open eye surgery. *Anesthesiology*. 1986;64:517.
128. Donlon JV. Succinylcholine and open eye injuries. *Anesthesiology*. 1986;65:526.
129. Chidiac EJ, Raiskin AO. Succinylcholine and the open eye. *Ophthalmol Clin North Am*. 2006;19:279.
130. Larsen PB, Hansen EG, Jacobsen LS, et al. Intubation conditions after rocuronium or succinylcholine for rapid sequence induction with alfentanil and propofol in the emergency patient. *Eur J Anaesthesiol*. 2005;22:748.
131. Andrews JL, Kumar N, van den Bron RH, et al. A large simple randomized trial of rocuronium versus succinylcholine in rapid-sequence induction of anaesthesia along with propofol. *Acta Anaesthesiol Scand*. 1999;43:4.
132. Perry JJ, Lee J, Wells G. Rocuronium versus succinylcholine for rapid sequence induction intubation. *Cochrane Database Syst Rev*. 2008;16:CD002788.
133. Meyers EF, Singer P, Otto A. A controlled study of the effect of succinylcholine self-taming on intraocular pressure. *Anesthesiology*. 1980;53:72.
134. Verma RS. "Self-taming" of succinylcholine-induced fasciculations on intraocular pressure. *Anesthesiology*. 1979;50:245.
135. Meyers EF, Krupin T, Johnson M, et al. Failure of nondepolarizing neuromuscular blockers to inhibit succinylcholine induced increased intraocular pressure. *Anesthesiology*. 1978;48:149.
136. Astrom S, Kjellgren D, Monestam E, et al. Nitrous oxide anesthesia and intravitreal gas tamponade. *Acta Anaesthesiol Scand*. 2003;47:361.
137. Hart RH, Vote BJ, Borthwick JH, et al. Loss of vision caused by expansion of intraocular perfluoropropane (C(3)F(8)) gas during nitrous oxide anesthesia. *Am J Ophthalmol*. 2002;134:761.
138. Stinson TW, Donlon JV. Interaction of SF6 and air with nitrous oxide. *Anesthesiology*. 1979;51:516.
139. Arthur DS, Dewar KMS. Anaesthesia for eye surgery in children. *Br J Anaesth*. 1980;52:681.
140. Wachta WF, Simeon RM, White PF. Effect of propofol on the incidence of postoperative vomiting after strabismus surgery in pediatric patients. *Anesthesiology*. 1991;75:204.
141. Davis PJ, McGowan FX Jr, Landsman I, et al. Effect of antiemetic therapy on recovery and hospital discharge time. *Anesthesiology*. 1995;83:956.
142. Nelson PJ, Vaughn VC III, McKay RJ Jr, et al. *Textbook of Pediatrics*. Philadelphia, PA: WB Saunders; 1992.
143. Steward DJ. Preterm infants are more prone to complications following minor surgery that are term infants. *Anesthesiology*. 1982;56:304.
144. Cote CJ, Zaslavsky A, Downes JJ, et al. Postoperative apnea in former preterm infants after inguinal herniorrhaphy. *Anesthesiology*. 1995;82:809.
145. Brucker AJ, Saran BR, Maguire AM. Perilimbal anesthesia for pars plana vitrectomy. *Am J Ophthalmol*. 1994;117:599.
146. Duker JS, Nielson J, Vander JF, et al. Retrobulbar bupivacaine irrigation for postoperative pain after scleral buckling surgery. *Ophthalmology*. 1991;98:514.
147. Gottfreothsdottir MS, Gislason I, Stefansson E, et al. Effects of retrobulbar bupivacaine on post-operative pain and nausea in retinal detachment surgery. *Acta Ophthalmica*. 1993;71:544.
148. Dieckert JP, O'Connor PS, Schaklett DE, et al. Air travel and intraocular gas. *Ophthalmology*. 1986;93:642.