

Chapter 68

REFERENCES

1. Smith I, Cooke T, Jackson I et al., Rising to the challenges of day surgery targets. *Anaesthesia*. 2006;61:1191-1199.
2. Herlich A. A short history of ambulatory anesthesia. In: Springman S (ed). *Ambulatory Anesthesia: The Requisites in Anesthesiology*. Philadelphia, PA: Mosby Elsevier; 2006:1-7.
3. Society for Ambulatory Anesthesia. Available at: <http://www.sambahq.org/page/professional-info>. Accessed June 8, 2010.
4. International Association for Ambulatory Surgery. Available at: <http://79.171.35.173/joomla/>. Accessed June 8, 2010.
5. Carraba G, Venkatraghavan L, Bernstein M. Day surgery awake craniotomy for removing brain tumours: technical note describing a simple protocol. *Minim Invas Neurosurg*. 2008;51:208-210.
6. Borkowski R. Ambulatory anesthesia: preventing perioperative and postoperative complications. *Cleve Clin J Med*. 73(Suppl 1): S57-S61.
7. Ring WH, Wong HC. Designing and administering an outpatient facility. *Probl Anesthes*. 1988;2(1):1-8.
8. Apfelbaum JL, Schreider BD. Organizational aspects of day-case surgery. *Curr Opin Anaesthesiol*. 1988;1:48-53.
9. Penketh R, Griffiths A, Chawathe S. A prospective observational study of the safety and acceptability of vaginal hysterectomy performed in a 24-hour day case surgery setting. *BJOG*. 2007;114:430-436.
10. Paquette IM, Smink D, Finlayson SRG. Outpatient cholecystectomy at hospitals versus freestanding ambulatory surgical centers. *J Am Coll Surg*. 2008;206(2):301-305.
11. Wetchler BV. Online shopping for ambulatory surgery: let the buyer beware [editorial]. *Ambul Surg*. 2000;8:111.
12. Quattrone MS. Is the physician office the wild wild west of health care? *J Ambul Care Manage*. 2000;23(2):64-73.
13. Twersky R, Committee Chair, et al. *Office-Based Anesthesia: Considerations for Anesthesiologists in Setting Up and Maintaining a Safe Office Anesthesia Environment. An Informational Manual compiled by the ASA Committee on Ambulatory Anesthesia and the Society for Ambulatory Based Anesthesia (SAMBA) Committee on Office Based Anesthesia*. 2nd ed. Ridge Park, IL: American Society of Anesthesiologists; 2008:6-10.
14. Domino KB. Office-based anesthesia: lessons learned from the closed claims project. *ASA Newsletter*. 2001;65(6):9-11, 15.
15. American Dental Association: Policy Statement. *The Use of Sedation and General Anesthesia by Dentists*. Available at: http://www.ada.org/sections/about/pdfs/statements_anesthesia.pdf. Accessed September 1, 2010.
16. Hausman LM. Advances in office-based anesthesia. *Curr Opin Anaesthesiol*. 2003;16:421-427.
17. The Joint Commission. Available at: <http://www.jointcommission.org>. Accessed June 10, 2010.
18. Centers for Medicare and Medicaid Services: *Ambulatory Surgical Center (ASC) Center*. Available at: <http://www.cms.hhs.gov/center/asc.asp>. Accessed May 25, 2010.
19. American Association for Accreditation of Ambulatory Surgery Facilities, Inc. Available at: <http://www.aaaasf.org>. Accessed May 25, 2010.
20. Jaffer AK (ed). Proceedings of the Fourth Annual Perioperative Summit. *Cleve Clin J Med*. 2009;76(Suppl 4):S1-S132.
21. Parker BM, Tetzlaff JE, Litaker DL, et al. Redefining the preoperative evaluation process and the role of the anesthesiologist. *J Clin Anesthes*. 2000;12:350-356.
22. Roizen MF, Kaplan EB, Schreider BD, et al. The Relative roles of history and physical examination, and laboratory testing in preoperative evaluation for outpatient surgery: the "Starling" curve of preoperative laboratory testing. *Anesth Clin North Am*. 1987;5(1):15-34.
23. Dzankic S, Pastor D, Gonzalez C, et al. The prevalence and predictive value of abnormal preoperative laboratory tests in elderly surgical patients. *Anesth Analg*. 2001;93:301-308.
24. Bettelli G. High risk patients in day surgery. *Minerva Anesthesiol*. 2009;75:259-268.
25. Ansell GL, Montgomery JE. Outcome of ASA III patients undergoing day case surgery. *Br J Anaesth*. 2004;92:71-74.
26. Chung F, Mezei G, Tong D. Pre-existing medical conditions as predictors of adverse events in day-case surgery. *Br J Anaesth*. 1999;83:262-270.
27. Cote CJ, Zaslavsky A, Downes JJ, et al. Postoperative apnea in former preterm infants after inguinal herniorrhaphy. *Anesthesiology*. 1995;82:809-822.
28. Fisher DM. When is the ex-premature infant no longer at risk for apnea? *Anesthesiology*. 1995;82:807-808.
29. Bryson GL, Ghung F, Cox RG, et al. Patient selection in ambulatory anesthesia—an evidence-based review: part II. *Can J Anesth*. 2004;51(8):782-794.
30. Warner DO, Warner MA, Barnes RD, et al. Perioperative respiratory complications in patients with asthma. *Anesthesiology*. 1996;85:460-467.
31. Bryson GL, Chung F, Finegan BA, et al. Patient selection in ambulatory anesthesia—an evidence-based review: part I. *Can J Anesth*. 2004;51(8):768-781.

32. Tait AR, Malviya S, Voepel-Lewis T, et al. Risk factors for perioperative adverse respiratory events in children with upper respiratory tract infections. *Anesthesiology*. 2001;95:299-306.
33. Cohen MM, Cameron CB. Should you cancel the operation when a child has an upper respiratory infection? *Anesth Analg*. 1991;72:282-288.
34. Chung SA, Yuan H, Chung F. A systemic review of obstructive sleep apnea and its implications for anesthesiologists. *Anesth Analg*. 2008;107:1543-1563.
35. POISE Trial Investigators, Devereaux PJ, Yang H, Guyatt GH, et al. Rationale, design and organization of the PeriOperative Ischemic Evaluation (POISE) Trial: a randomized controlled trial of metoprolol versus placebo in patients undergoing non-cardiac surgery. *Am Heart J*. 2006;152:223-230.
36. Fleisher LA, Beckman JA, Brown KA, et al. American College of Cardiology and American Heart Association Task Force, ACC/AHA 2007 Guidelines on Perioperative Cardiovascular Evaluation and Care for Noncardiac Surgery: Executive Summary. *J Am Coll of Cardiol*. 2007;50(17):1707-1732.
37. Goldman L, Caldera DL, Nussbaum SR, et al. Multifactorial index of cardiac risk in noncardiac surgical procedures. *JAMA*. 1977;297(16):845-850.
38. Hammill BG, Curtis LH, Bennett-Guerrero E. Impact of heart failure on patients undergoing major noncardiac surgery. *Anesthesiology*. 2008;108:559-567.
39. Vann MA. Perioperative evaluation of ambulatory surgery patients with diabetes mellitus. *Curr Opin Anaesthesiol*. 2009;22:718-724.
40. American Society of Anesthesiologists Task Force on Management of Patients with Cardiac Rhythm Management Devices. Practice advisory for the perioperative management of patients with cardiac rhythm management devices: pacemakers and implantable defibrillators. *Anesthesiology*. 2005;103:186-198.
41. American Society of Anesthesiologists Task Force. Practice guidelines for preoperative fasting and the use of pharmacologic agents to reduce the risk of pulmonary aspiration: application to healthy patients undergoing elective procedures. *Anesthesiology*. 1999;90:896-905.
42. Apfelbaum JL, Walawander CA, Graseola TH, et al. Eliminating intensive postoperative care in same-day surgery patients using short-acting anesthetics. *Anesthesiology*. 2002;97:66-74.
43. Williams BA, Kentor ML, Williams JP, et al. PACU bypass after outpatient knee surgery is associated with fewer unplanned hospital admissions but more phase II nursing interventions. *Anesthesiology*. 2002;97:981-988.
44. White PF, Eng M. Fast-track anesthetic techniques for ambulatory surgery. *Curr Opin Anaesthesiol*. 2007;20:545-557.
45. Klein JA. The tumescent technique for lipo-suction surgery. *Am J Cosmet Surg*. 1987;4(4):263-267.
46. Nishikawa K, Yoshida S, Shimodate Y, et al. A comparison of spinal anesthesia with small-dose lidocaine and general anesthesia with fentanyl and propofol for ambulatory prostate biopsy procedures in elderly patients. *J Clin Anesth*. 2007;19:25-29.
47. Nielson KC, Steele SM. Outcome after regional anesthesia in the ambulatory setting—is it really worth it? *Best Pract Res Clin Anesth*. 2002;16(2):145-157.
48. Liu SS, Strodtbeck WM, Richman JM, et al. A comparison of regional versus general anesthesia for ambulatory anesthesia: a meta-analysis of randomized controlled trials. *Anesth Analg*. 2005;101:1634-1642.
49. Gray AT. Ultrasound-guided regional anesthesia. *Anesthesiology*. 2006;104:368-373.
50. Marhofer P, Chan VWS. Ultrasound-guided regional anesthesia: current concepts and future trends. *Anesth Analg*. 2007;104:1265-1269.
51. Avidan A, Drenger B, Genosar Y. Peripheral nerve block for ambulatory surgery and postoperative analgesia. *Curr Opin Anaesthesiol*. 2003;16:567-573.
52. Pavlin DJ, Rapp SE, Polissar NL, et al. Factors affecting discharge time in adult outpatients. *Anesth Analg*. 1998;87:816-826.
53. Eikaas H, Raeder J. Total intravenous anaesthesia techniques for ambulatory surgery. *Curr Opin Anaesthesiol*. 2009;22:725-729.
54. Wandel C, Neff S, Bohrer H, et al. Recovery characteristics following anesthesia with sevoflurane or propofol in adults undergoing out-patient surgery. *Eur J Clin Pharmacol*. 1995;48:185-188.
55. Gupta A, Wu CL, Elkassabany N, et al. Does the routine prophylactic use of antiemetics affect the incidence of post discharge nausea and vomiting following ambulatory surgery? *Anesthesiology*. 2003;99:488-495.
56. Wu JI, Lu SF, Chia YY, et al. Sevoflurane with or without antiemetics prophylaxis of dexamethasone in spontaneously breathing patients undergoing outpatient anorectal surgery. *J Clin Anesth*. 2009;21:469-473.
57. Joshi GP. Inhalation techniques in ambulatory anesthesia. *Anesth Clin North Am*. 2003;21:263-272.
58. Gupta A, Stierer T, Zuckerman R, et al. Comparison of recovery profile after ambulatory anesthesia with propofol, sevoflurane, and desflurane: a systematic review. *Anesth Analg*. 2004;98:632-641.
59. White PF, Tang J, Wender RH, et al. Desflurane versus sevoflurane for maintenance of outpatient anesthesia: the effect on early versus late recovery and perioperative coughing. *Anesth Analg*. 2009;109:387-393.
60. Pennant JH, White PF. The laryngeal mask airway its uses in anesthesiology. *Anesthesiology*. 1993;79:143-163.
61. American Society of Anesthesiologists Task Force on Management of the Difficult Airway. Practice guidelines for management of the difficult airway: an updated report by the American Society of Anesthesiologists Task Force on Management of the Difficult Airway. *Anesthesiology*. 2003;98:1269-1277.
62. Smith I. Nitrous oxide in ambulatory anesthesia: does it have a place in day surgical anesthesia or is it just a threat for personnel and the global environment? *Curr Opin Anaesthesiol*. 2006;19:592-596.
63. Awad I, Chung F. Factors affecting recovery and discharge following ambulatory surgery. *Can J Anesth*. 2006;53(9):858-872.
64. International Association for Ambulatory Surgery. *Discharge Criteria Following Day Surgery*. Available at: <http://79.171.35.173/joomla/index.php/recommendations/discharge-criteria>. Accessed June 8, 2010.
65. American Society of Anesthesiologists. *Standards for Post-anesthesia Care, Approved October 27, 2004, Amended October 21, 2009*. Available at: <http://asahq.org/publicationsAndServices/standards/36.pdf>. Accessed June 8, 2010.
66. Ead H. From Aldrete to PADSS: reviewing discharge criteria after ambulatory surgery. *J Perianesth Nurs*. 2006;21(4):259-267.
67. Marshall S, Chung F. Discharge criteria and complications after ambulatory surgery. *Anesth Analg*. 1999;88:508-517.

68. Duncan PG, Shandro J, Bachand R, et al. Pilot study of recovery room bypass (“fast-track protocol”) in a community hospital. *Can J Anesth*. 2001;48:630-636.
69. Song D, Chung F, Ronayne M, et al. Fast-tracking (bypassing the PACU) does not reduce nursing workload after ambulatory surgery. *Br J Anaesth*. 2004;93:768-774.
70. White PF, Song D. New criteria for fast-tracking after outpatient anesthesia: a comparison with the modified Aldrete’s scoring system. *Anesth Analg*. 1999;88:1069-1072.
71. American Society of Anesthesiologists. Practice guidelines for postanesthetic care. A report by the American Society of Anesthesiologists task force on postanesthetic care. *Anesthesiology*. 2002;96(3):742-752.
72. Fung D, Cohen M. What do outpatients value most in their anesthesia care? *Can J Anaesth* 2001;48(1):12-19.
73. Chung F, Kayumov L, Sinclair DR, et al. What is the driving performance of ambulatory surgical patients after general anesthesia? *Anesthesiology*. 2005;103:951-956.
74. Chung F, Assmann N. Car accidents after ambulatory surgery in patients without an escort. *Anesth Analg*. 2008;106(3):817-820.
75. Wong J, Tong D, De Silva Y, et al. Development of the functional recovery index for ambulatory surgery and anesthesia. *Anesthesiology*. 2009;110(3):596-602.
76. Gan TJ, Meyer TA, Apfel CC, et al. Society for Ambulatory Anesthesia guidelines for the management of postoperative nausea and vomiting. *Anesth Analg*. 2007;105(6):1615-1628.
77. Apfel CC, Laara E, Koivuranta M, et al. A simplified risk score for predicting postoperative nausea and vomiting. *Anesthesiology*. 1999;91:693-700.
78. Apfel CC, Korttila K, Abdalla M et al. A factorial trial of six interventions for the prevention of postoperative nausea and vomiting. *N Engl J Med*. 2004;350:2441-2451.
79. Skledar, SJ, Williams BA, Vallejo MC, et al. Eliminating post-operative nausea and vomiting in outpatient surgery with multimodal strategies including low doses of nonsedating, off patent antiemetics: is “zero tolerance” achievable? *Sci World J*. 2007;7:959-977.
80. Henzi J, Walder B, Tramer, MR et al. Metoclopramide in the prevention of postoperative nausea and vomiting: a quantitative, systematic review of randomized placebo-controlled studies. *Br J Anaesth*. 1999;83:761-771.
81. Ernst E, Pittler MH. Efficacy of ginger for nausea and vomiting: a systematic review of randomized controlled trials. *Br J Anaesth*. 2000;84:367-371.
82. Lewis IH, Campbell DN, Barrowcliffe MP. Effect of nabilone on nausea and vomiting after total abdominal hysterectomy. *Br J Anaesth*. 1994;73:244-246.
83. Chinnappa V, Chung F. Post-discharge nausea and vomiting: an overlooked aspect of ambulatory anesthesia? *Can J Anesth*. 2008;55(9):565-571.
84. Bailey PL, Streisand JB, Pace NL, et al. Transdermal scopolamine reduces nausea and vomiting after outpatient laparoscopy. *Anesthesiology*. 1990;72:977-980.
85. Gan TJ, Franiak R, Reeves J. Ondansetron orally disintegrating tablet versus placebo for the prevention of postdischarge nausea and vomiting after ambulatory surgery. *Anesth Analg*. 2002;94:1199-1200.
86. Zarate E, Mingus M, White PF, et al. The use of transcutaneous accupoint electrical stimulation for preventing nausea and vomiting after laparoscopic surgery. *Anesth Analg*. 2001;92:629-635.
87. Schug SA, Chong C. Pain management after ambulatory surgery. *Curr Opin Anaesthesiol*. 2009;22:738-743.
88. Kehlet h, Dahl JB. The value of ‘multimodal’ or ‘balanced analgesia’ in postoperative pain treatment. *Anesth Analg*. 1993;77:1048-1056.
89. White PF. Pain management after ambulatory surgery: where is the disconnect? *Can J Anaesth* 2008;55:201-207.
90. Tiippana EM, Hamunen K, Kontinen VK, et al. Do surgical patients benefit from perioperative gabapentin/pregabalin? A systematic review of efficacy and safety. *Anesth Analg*. 2007;104:1545-1556.
91. International Association for Ambulatory Surgery. Available at: <http://79.171.35.173/joomla/index.php/recommendations/extended-recovery-facilities>. Accessed June 10, 2010.
92. Coley KC, Williams BA, DaPos SV, et al. Retrospective evaluation of unanticipated admissions and readmissions after same day surgery and associated costs. *J Clin Anesth* 2002;14:349-353.
93. Tewfik MA, Frenkiel S, Gasparrini R, et al. Factors affecting unanticipated admission following otolaryngologic day surgery. *J Otolaryngol*. 2006;35(4):235-241.
94. Warner MA, Shields SE, Chute CG. Major morbidity and mortality within 1 month of ambulatory surgery and anesthesia. *JAMA*. 1993;270(12):1437-1441.
95. Engbaek J, Bartholdy J, Hjortso NC. Return hospital visits and morbidity within 60 days after day surgery: a retrospective study of 18,736 day surgical procedures. *Acta Anaesthesiol Scand*. 2006;50:911-919.
96. Brandom BW. Ambulatory surgery and malignant hyperthermia. *Curr Opin Anesthesiol*. 2009;22:744-747.
97. Isono S. Obstructive sleep apnea of obese adults: pathophysiology and perioperative airway management. *Anesthesiology*. 2009;110(4):908-921.
98. Seet E, Chung F. STOP: hear the cry for help! *Ambulatory Anesthesia* 2010;25(1):9-12.
99. Ramachandran SK, Kheterpal S, Consens F, et al. Derivation and validation of a simple perioperative sleep apnea prediction score. *Anesth Analg*. 2010;110(4):1007-1015.
100. American Society of Anesthesiologists. Practice guidelines for the perioperative management of patients with obstructive sleep apnea. A report by the American Society of Anesthesiologists task force on the perioperative management of patients with obstructive sleep apnea. *Anesthesiology*. 2006;104(5):1081-1093.
101. Chung F, Yegneswaran B, Liao P, et al. STOP questionnaire: a tool to screen patients for obstructive sleep apnea. *Anesthesiology*. 2008;108(5):812-821.
102. Statham MM, Elluru RG, Bunchner R, et al. Adenotonsillectomy for obstructive sleep apnea syndrome in young children: prevalence of pulmonary complications. *Arch Otolaryngol Head Neck Surg*. 2006;132(5):476-480.
103. Lardner DR, Dick BD, Crawford S. The effects of parental presence in the postanesthetic care unit on children’s postoperative behavior: a prospective, randomized, controlled study. *Anesth Analg*. 2010;110(4):1102-1108.
104. Sadhasivam S, Cohen LL, Hosu L, et al. Real-time assessment of perioperative behaviors in children and parents: development and validation of the perioperative adult child behavioral interaction scale. *Anesth Analg*. 2010;110(4):1109-1115.
105. Kain ZN, Caldwell-Andrews AA, Mayes LC, et al. Family-centered preparation for surgery improves perioperative outcomes in children: a randomized controlled trial. *Anesthesiology*. 2007;106:65-67.

106. Eckenhoff JE, Kneale DH, Dripps RD. The incidence and etiology of postanesthetic excitement. A clinical survey. *Anesthesiology*. 1961;22:667-673.
107. Vljakovic GP, Sindjelic RP. Emergence delirium in children: many questions, few answers. *Anesth Analg*. 2007;104(1):84-91.
108. Bng CL, Ng ASB. Evaluation of emergence delirium in Asian children using the pediatric anesthesia emergence delirium scale. *Pediatric Anesthesia* 2009;19:593-600.
109. Voepel-Lewis T, Mitchell A, Malviya S. Delayed postoperative agitation in a child after preoperative midazolam. *J Perianesth Nurs*. 2007;22(5):303-308.
110. Voepel-Lewis T, Burke C, Hadden SM, et al. Nurses' diagnoses and treatment decisions regarding care of the agitated child. *J Perianesth Nurs*. 2005;20:239-248.
111. Ilfield BM, Enneking FK. Continuous peripheral nerve blocks at home: a review. *Anesth Analg*. 2005;100:1822-1833.
112. Swenson JD, Bay N, Loose E, et al. Outpatient management of continuous peripheral nerve catheter placed using ultrasound guidance: an experience in 620 patients. *Anesth Analg*. 2006;103(6):1436-1443.
113. Denson DD, Raj PP, Saldahna F, et al. Continuous perineural infusion of bupivacaine for prolonged analgesia: pharmacokinetic considerations. *Int J Clin Pharmacol Ther Toxicol*. 1983;21:591-597.
114. Capdevila X, Macaire P, Akinin N, et al. Patient-controlled perineural analgesia after ambulatory orthopedic surgery: a comparison of electronic versus elastomeric pumps. *Anesth Analg*. 2003;96:41-47.
115. Ilfield BM, Morey TE, Enneking FK. Delivery rate accuracy of portable, bolus-capable infusion pumps used for patient-controlled continuous regional analgesia. *Reg Anesth Pain Med*. 2003;28:17-2823.
116. Ilfield BM, Morey TE, Enneking FK. Portable infusion pumps used for continuous regional analgesia: delivery rate accuracy and consistency. *Reg Anesth Pain Med*. 2003;28:424-432.
117. Ilfield BM, Morey TE, Enneking FK. Infraclavicular perineural local anesthetic infusion: a comparison of three dosing regimens for postoperative analgesia. *Anesthesiology*. 2004;100:395-402.
118. Ilfield BM, Enneking FK. A portable mechanical pump providing over four days of patient-controlled analgesia by perineural infusion at home. *Reg Anesth Pain Med*. 2002;27:100-104.
119. Ilfield BM. *Lecture: Outpatient Perineural Catheters: Who, When and How?* Given at the American Society of Regional Anesthesia meeting, April 2010.
120. Ilfield BM, Esener DE, Morey TE, et al. Ambulatory perineural infusion: the patient's perspective. *Reg Anesth Pain Med*. 2003;28:418-423.
121. Fleisher LA. Improving perioperative outcomes: my journey into risk, patient preferences, guidelines, and performance measures: ninth honorary FAER research lecture. *Anesthesiology*. 2010;112(4):794-801.
122. Herrera F, Wong J, Chung F. A systematic review of postoperative recovery outcomes measurements after ambulatory surgery. *Anesth Analg*. 2007;105(1):63-69.
123. Everett LL. SCOR—an update. *Ambulatory Anesthesia* 2010;25(1):16.
124. Domino KB, Caplan RA, Morray JP, et al. The American Society of Anesthesiologists closed claims project and its registries. In: *The ASA Refresher Courses in Anesthesiology*. Vol 36. Philadelphia, PA: Lippincott Williams and Wilkins; 2008: 19-31.