

Chapter 70

REFERENCES

1. Kumar A GE. The post anesthesia care unit. In: WC L, ed. *Clinical Anesthesia Procedures of the Massachusetts General Hospital*. Philadelphia, PA: Lippincott, Williams & Wilkins; 2010:552-570.
2. Kiekkas P, Pouloupoulou M, Papahatzi A, Androutsopoulou C, Maliouki M, Prinou A. Workload of postanaesthesia care unit nurses and intensive care overflow. *Br J Nurs*. 2005;14:434-438.
3. Kluger MT, Bullock MF. Recovery room incidents: a review of 419 reports from the Anaesthetic Incident Monitoring Study (AIMS). *Anaesthesia*. 2002;57:1060-1066.
4. American Society of Anesthesiologists. *American Society of Anesthesiologists Standards for Postanesthesia Care*. Available at: <http://www.asahq.org/publicationsAndServices/standards/36.pdf>. Accessed September 25, 2010.
5. Sullivan EE. Standards of perianesthesia nursing practice 2002. *J Perianesth Nurs*. 2002;17:275-276.
6. White PF, Rawal S, Nguyen J, Watkins A. PACU fast-tracking: an alternative to "bypassing" the PACU for facilitating the recovery process after ambulatory surgery. *J Perianesth Nurs*. 2003;18:247-253.
7. Marshall SI, Chung F. Discharge criteria and complications after ambulatory surgery. *Anesth Analg*. 1999;88:508-517.
8. Anwari JS. Quality of handover to the postanaesthesia care unit nurse. *Anaesthesia*. 2002;57:488-493.
9. Hodge S. Provision of care for patients. Mechanical ventilation in the PACU. *J Perioper Pract*. 2006;16:376.
10. Borgeat A, EkatoDRAMIS G, Schenker CA. Postoperative nausea and vomiting in regional anesthesia: a review. *Anesthesiology*. 2003;98:530-547.
11. Gan TJ. Risk factors for postoperative nausea and vomiting. *Anesth Analg*. 2006;102:1884-1898.
12. Habib AS, Chen YT, Taguchi A, et al. Postoperative nausea and vomiting following inpatient surgeries in a teaching hospital: a retrospective database analysis. *Curr Med Res Opin*. 2006;22:1093-1099.
13. Dershwitz M, Michalowski P, Chang Y, et al. Postoperative nausea and vomiting after total intravenous anesthesia with propofol and remifentanyl or alfentanil: how important is the opioid? *J Clin Anesth*. 2002;14:275-278.
14. Wender RH, Wender RH. Do current antiemetic practices result in positive patient outcomes? Results of a new study. *Am J Health Syst Pharm*. 2009;66(Suppl):S3-S10.
15. Apfel CC, Kranke P, Eberhart LH. Comparison of surgical site and patient's history with a simplified risk score for the prediction of postoperative nausea and vomiting. *Anaesthesia*. 2004;59:1078-1082.
16. Apfel CC, Korttila K, Abdalla M, et al. A factorial trial of six interventions for the prevention of postoperative nausea and vomiting [see comment]. *N Engl J Med*. 2004;350:2441-2451.
17. Habib AS, White WD, Eubanks S, et al. A randomized comparison of a multimodal management strategy versus combination antiemetics for the prevention of postoperative nausea and vomiting. *Anesth Analg*. 2004;99:77-81.
18. Gan TJ. Postoperative nausea and vomiting—can it be eliminated? *JAMA*. 2002;287:1233-1236.
19. Gan TJ, Meyer T, Apfel CC, et al. Consensus guidelines for managing postoperative nausea and vomiting.[see comment]. *Anesth Analg*. 2003;97:62-71.
20. Tramer MR. A rational approach to the control of postoperative nausea and vomiting: evidence from systematic reviews. Part II. Recommendations for prevention and treatment, and research agenda. *Acta Anaesthesiol Scand*. 2001;45:14-19.
21. Rusch D, Eberhart L, Biedler A, et al. Prospective application of a simplified risk score to prevent postoperative nausea and vomiting. *Can J Anaesth*. 2005;52:478-484.
22. Charbit B, Albaladejo P, Funck-Brentano C, Legrand M, Samain E, Marty J. Prolongation of QTc interval after postoperative nausea and vomiting treatment by droperidol or ondansetron [see comment]. *Anesthesiology*. 2005;102:1094-1100.
23. Büttner M, Walder B, von Elm E, Tramer MR. Is low-dose haloperidol a useful antiemetic? A meta-analysis of published and unpublished randomized trials. *Anesthesiology*. 2004;101:1454-1463.
24. Cook MW, Lisco SJ, Cook MW, Lisco SJ. Prevention of postoperative pulmonary complications. *Int Anesthesiol Clin*. 2009;47:65-88.
25. Hines R, Barash PG, Watrous G, O'Connor T. Complications occurring in the postanesthesia care unit: a survey [see comment]. *Anesth Analg*. 1992;74:503-509.
26. Cashman JN, Dolin SJ. Respiratory and haemodynamic effects of acute postoperative pain management: evidence from published data. *Br J Anaesth*. 2004;93:212-223.
27. Fu ES, Downs JB, Schweiger JW, et al. Supplemental oxygen impairs detection of hypoventilation by pulse oximetry [see comment]. *Chest*. 2004;126:1552-1558.

28. Belda FJ, Aguilera L, Garcia de la Asuncion J, et al. Supplemental perioperative oxygen and the risk of surgical wound infection: a randomized controlled trial [see comment] [erratum appears in *JAMA*. 2005;294(23):2973]. *JAMA*. 2005;294:2035-2042.
29. Suttner S, Boldt J, Piper S. Supplemental oxygen and risk of surgical wound infection [comment]. *JAMA*. 2006;295:1641-1642; author reply 1642-1643.
30. Tornero-Campello G. Letter: randomized clinical trial to evaluate the effects of perioperative supplemental oxygen administration on the colorectal anastomosis. [comment]. *Br J Surg*. 2006;93:1148; author reply 1148-1149.
31. Reber A, Bein T, Högman M, et al. Lung aeration and pulmonary gas exchange during lumbar epidural anaesthesia and in the lithotomy position in elderly patients. *Anaesthesia*. 1998;53:854-861.
32. Hillman DR, Platt PR, Eastwood PR. The upper airway during anaesthesia. *Br J Anaesth* 2003;91:31-39.
33. Thompson A, Balsler JR. Perioperative cardiac arrhythmias. *Br J Anaesth*. 2004;93:86-94.
34. Breslow M, Miller CF, Parker SD, Walman, AT, Rogers, C. Changes in T-wave morphology following anesthesia and surgery: a common recovery room phenomenon. *Anesthesiology*. 1986;64:398-402.
35. Wang K, Asinger RW, Marriott HJ. ST-segment elevation in conditions other than acute myocardial infarction [see comment]. *N Engl J Med*. 2003;349:2128-2135.
36. Akhtar S, Barash PG. Perioperative use of beta-blockers: past, present, and future. *Int Anesthesiol Clin*. 2002;40:133-157.
37. Lindenauer PK, Pekow P, Wang K, Mamidi DK, Gutierrez B, Benjamin EM. Perioperative beta-blocker therapy and mortality after major noncardiac surgery [see comment]. *N Engl J Med*. 2005;353:349-361.
38. American Society of Anesthesiologists Task Force on Perioperative Management of Patients with Cardiac Rhythm Management Devices. Practice advisory for the perioperative management of patients with cardiac rhythm management devices: pacemakers and implantable cardioverter-defibrillators: a report by the American Society of Anesthesiologists Task Force on Perioperative Management of Patients with Cardiac Rhythm Management Devices. *Anesthesiology*. 2005;103:186-198.
39. Joshi GP. Perioperative management of outpatients with implantable cardioverter defibrillators. *Curr Opin Anaesthesiol*. 2009;22:701-704.
40. Ndefo UA, Erowele GI, Ebiasah R, Green W. Clevidipine: a new intravenous option for the management of acute hypertension. *Am J Health Syst Pharm*. 2010;67:351-360.
41. Butterly A BEA, George E, Sandberg W, Eikermann M, Schmidt U. Postoperative residual curarization from intermediate acting neuromuscular blocking agents delays recovery room discharge. *Br J Anaesth*. 2010;105:304-309.
42. Plaud B, Debaene B, Donati F, Marty J. Residual paralysis after emergence from anesthesia. *Anesthesiology*. 2010;112:1013-1022.
43. Debaene B, Plaud B, Dilly MP, Donati F. Residual paralysis in the PACU after a single intubating dose of nondepolarizing muscle relaxant with an intermediate duration of action [see comment]. *Anesthesiology*. 2003;98:1042-1048.
44. Stacy RC, Chang KK. Pathophysiology of postoperative diplopia after cataract surgery. *Int Ophthalmol Clin*. 2010;50:37-42.
45. Selim M. Perioperative stroke. *N Engl J Med*. 2007;356:706-713.
46. Szeder V TMT. Prevention and treatment of perioperative stroke. *Neurologist*. 2008;14:30-36.
47. Lepouse C, Lautner CA, Liu L, Gomis P, Leon A. Emergence delirium in adults in the post-anaesthesia care unit. *Br J Anaesth*. 2006;96:747-753.
48. Lee LA, Domino KB. Complications associated with peripheral nerve blocks: lessons from the ASA closed claims project. *Int Anesthesiol Clin*. 2005;43:111-118.
49. Bergman IJ, Kluger MT, Short TG. Awareness during general anaesthesia: a review of 81 cases from the Anaesthetic Incident Monitoring Study [see comment]. *Anaesthesia*. 2002;57:549-556.
50. Sebel PS, Bowdle TA, Ghoneim MM, et al. The incidence of awareness during anesthesia: a multicenter United States study [see comment]. *Anesth Analg*. 2004;99:833-839.
51. Gan TJ, Ing RJ, de LDG, et al. How much are patients willing to pay to avoid intraoperative awareness? *J Clin Anesth*. 2003;15:108-112.
52. Ghoneim MM, Block RI, Haffarnan M, Mathews MJ. Awareness during anesthesia: risk factors, causes and sequelae: a review of reported cases in the literature. *Anesth Analg*. 2009;108:527-535.
53. American Society of Anesthesiologists Task Force on Intraoperative Awareness. Practice advisory for intraoperative awareness and brain function monitoring: a report by the American Society of Anesthesiologists Task Force on Intraoperative Awareness. *Anesthesiology*. 2006;104:847-864.
54. American Society of Anesthesiologists Task Force on Acute Pain Management. Practice guidelines for acute pain management in the perioperative setting: an updated report by the American Society of Anesthesiologists Task Force on Acute Pain Management. *Anesthesiology*. 2004;100:1573-1581.
55. Apfelbaum JL, Chen C, Mehta SS, Gan TJ. Postoperative pain experience: results from a national survey suggest postoperative pain continues to be undermanaged [see comment]. *Anesth Analg*. 2003;97:534-540.
56. Brennan TJ, Zahn PK, Pogatzki-Zahn EM. Mechanisms of incisional pain. *Anesthesiol Clin North America*. 2005;23:1-20.
57. Ong CK, Seymour RA, Lirk P, Merry AF. Combining paracetamol (acetaminophen) with nonsteroidal antiinflammatory drugs: a qualitative systematic review of analgesic efficacy for acute postoperative pain. *Anesth Analg*. 2010;110:1170-1179.
58. Gajraj NM, Joshi GP. Role of cyclooxygenase-2 inhibitors in postoperative pain management. *Anesthesiol Clin North America*. 2005;23:49-72.
59. Flisberg P, Rudin A, Linner R, Lundberg CJ. Pain relief and safety after major surgery. A prospective study of epidural and intravenous analgesia in 2696 patients. *Acta Anaesthesiol Scand*. 2003;47:457-465.
60. Halaszynski TM. Pain management in the elderly and cognitively impaired patient: the role of regional anesthesia and analgesia. *Curr Opin Anaesthesiol*. 2009;22:594-599.
61. Meissner W. The role of acupuncture and transcutaneous-electrical nerve stimulation for postoperative pain control. *Curr Opin Anaesthesiol*. 2009;22:623-626.
62. Eberhart LH, Doderlein F, Eisenhardt G, et al. Independent risk factors for postoperative shivering. *Anesth Analg*. 2005;101:1849-1857.
63. Sessler DI. Complications and treatment of mild hypothermia. *Anesthesiology*. 2001;95:531-543.

64. Kabbara A, Goldlust SA, Smith CE, et al. Randomized prospective comparison of forced air warming using hospital blankets versus commercial blankets in surgical patients [see comment]. *Anesthesiology*. 2002;97:338-344.
65. Barone JE. Fever: fact and fiction. *J Trauma*. 2009;67:406-409.
66. Gan TJ, Soppitt A, Maroof M, et al. Goal-directed intraoperative fluid administration reduces length of hospital stay after major surgery [see comment]. *Anesthesiology*. 2002;97:820-826.
67. Finfer S, Bellomo R, Boyce N, et al. A comparison of albumin and saline for fluid resuscitation in the intensive care unit [see comment]. *N Engl J Med*. 2004;350:2247-2256.
68. Hebert PC, Wells G, Blajchman MA, et al. A multicenter, randomized, controlled clinical trial of transfusion requirements in critical care. Transfusion Requirements in Critical Care Investigators, Canadian Critical Care Trials Group [see comment] [erratum appears in *N Engl J Med*. 1999;340(13):1056]. *N Engl J Med*. 1999;340:409-417.
69. Vincent JL, Piagnerelli M. Transfusion in the intensive care unit. *Crit Care Med*. 2006;34(Suppl):S96-S101.
70. Rosevear HM, Montgomery JS, Roberts WW, Wolf JS Jr. Characterization and management of postoperative hemorrhage following upper retroperitoneal laparoscopic surgery. *J Urol*. 2006;176:1458-1462.
71. Lohan D, Walsh S, McLoughlin R, Murphy J. Imaging of the complications of laparoscopic cholecystectomy. *Eur Radiol*. 2005;15:904-912.
72. Torn M, Rosendaal FR. Oral anticoagulation in surgical procedures: risks and recommendations. *Br J Haematol*. 2003;123(4):676-682.
73. Awad IT, Chung F. Factors affecting recovery and discharge following ambulatory surgery. *Can J Anaesth*. 2006;53:858-872.
74. Aldrete JA. The post-anesthesia recovery score revisited. *J Clin Anesth*. 1995;7:89-91.
75. Truong L, Moran JL, Blum P. Post anaesthesia care unit discharge: a clinical scoring system versus traditional time-based criteria. *Anaesth Intensive Care*. 2004;32:33-42.
76. Carlson K. Night watch. *J Perianesth Nurs*. 2005;20:399-403.
77. Dexter F, Wachtel RE, Epstein RH. Impact of average patient acuity on staffing of the phase I PACU. *J Perianesth Nurs*. 2006;21:303-310.
78. Baldini G, Bagry H, Aprikian A, Carli F. Postoperative urinary retention. *Anesthesiology*. 2009;110:1139-1157.
79. Ip HY, Chung F. Escort accompanying discharge after ambulatory surgery: a necessity or a luxury? *Curr Opin Anaesthesiol*. 2009;22:748-754.