

## Chapter 71

### REFERENCES

1. Hines R, Barash PG, Watrous G, et al. Complications occurring in the postoperative care unit: a survey. *Anesth Analg.* 1992;74:503-509.
2. Mayson KV, Beestra JE, Choi PT. The incidence of postoperative complications in the PACU. *Can J Anesth.* 2005;52:A62.
3. Macario A, Weinger M, Carney S, et al. Which clinical anesthesia outcomes are important to avoid? The perspective of patients. *Anesth Analg.* 1999;89:652-658.
4. Myles PS, Williams DL, Hendrata M, et al. Patient satisfaction after anaesthesia and surgery: results of a prospective survey of 10811 patients. *Br J Anaesth.* 2000;84:6-10.
5. Thompson JS, Baxter BT, Allison JG, et al. Temporal patterns of postoperative complications. *Arch Surg.* 2003;138:596-603.
6. Eikermann M, Blobner M, Groeben H, et al. Postoperative upper airway obstruction after recovery of the train of four ratio of the adductor pollicis muscle from neuromuscular blockade. *Anesth Analg.* 2006;102:937-942.
7. Fisher MM, Raper RF. The "cuff leak" test for extubation. *Anaesthesia.* 1992;47:10-12.
8. Kriner EJ, Shafazand S, Colice GL. The endotracheal tube cuff-leak test as a predictor for postextubation stridor. *Respir Care.* 2005;50:1632-1638.
9. Mevorach DL. The management and treatment of recurrent postoperative laryngospasm. *Anesth Analg.* 1996;83:1110-1111.
10. Weber S. Traumatic complications of airway management. *Anesthesiol Clin North America.* 2002;20:503-512.
11. Shakespeare WA, Lanier WL, Perkins WJ, Pasternak JJ. Airway management in patients who develop neck hematomas after carotid endarterectomy. *Anesth Analg.* 2010;110:588-593.
12. Shaha AR, Jaffe BM. Practical management of post-thyroidectomy hematoma. *J Surg Oncol.* 1994;57:235-238.
13. Tyler IL, Tantisira B, Winter PM, et al. Continuous monitoring of arterial oxygen saturation with pulse oximetry during transfer to the recovery room. *Anesth Analg.* 1985;64:1108.
14. Xue FS, Li BW, Zhang GS, et al. The influence of surgical sites on early postoperative hypoxemia in adults undergoing elective surgery. *Anesth Analg.* 1999;88:213-219.
15. Squadrone V, Coha M, Cerutti E, et al. Continuous positive airway pressure for treatment of postoperative hypoxemia. *JAMA.* 2005;293:589-595.
16. Caples SM, Gay PC. Noninvasive positive pressure ventilation in the intensive care unit: a concise review. *Crit Care Med.* 2005;33:2651-2658.
17. Berg H, Viby-Mogensen J, Roed J, et al. Residual neuromuscular block is a risk factor for postoperative pulmonary complications: a prospective, randomized and blinded study of postoperative pulmonary complications after atracurium, vecuronium, and pancuronium. *Acta Anaesthesiol Scand.* 1997;41:1095-1103.
18. Debaene B, Plaud B, Dilly MP. Residual paralysis in the PACU after a single intubating dose of nondepolarizing muscle relaxant with an intermediate duration of action. *Anesthesiology.* 2003;98:1042-1048.
19. Plaut B, Debaene B, Donati F, Marty J. Residual paralysis after emergence from anesthesia. *Anesthesiology.* 2010; 112:1013-1022.
20. Warner DO. Preventing postoperative pulmonary complications: the role of the anesthesiologist. *Anesthesiology.* 2000;92:1467-1472.
21. American Thoracic Society-European Respiratory Society. Standards for the diagnosis and management of patients with COPD 2004. <http://www.thoracic.org/sections/copd/resources/copddoc.pdf>. Accessed February 11, 2007.
22. Warner MA. Is pulmonary aspiration still an important problem in anesthesia? *Curr Opin Anaesth.* 2000;13:215-218.
23. Marik PE. Aspiration pneumonitis and aspiration pneumonia. *N Engl J Med.* 2001;344:665-671.
24. Rawlinson E, Minchom A. Pulmonary aspiration. *Anaesth Intensive Care Med.* 2007;8:365-367.
25. Warner MA, Warner ME, Weber JG. Clinical significance of pulmonary aspiration during the perioperative period. *Anesthesiology.* 1993;78:56-62.
26. Sakai T, Planinsic RM, Quinlan JJ, et al. The incidence and outcome of perioperative pulmonary aspiration in a university hospital: a 4-year retrospective analysis. *Anesth Analg.* 2006;103:941-947.
27. Broccard AF, Liaudet L, Aubert JD, et al. Negative pressure post-tracheal extubation alveolar hemorrhage. *Anesth Analg.* 2001;92:273-275.
28. McConkey PP. Postobstructive pulmonary oedema: a case series and review. *Anaesth Intensive Care.* 2001;28:72-76.
29. Krodel DJ, Bittner EA, Abdunour R, Brown R, Eikermann M. Case scenario: acute postoperative negative pressure pulmonary edema. *Anesthesiology.* 2010;113:200-207.
30. Horlander KT, Mannino DM, Leeper KV. Pulmonary embolism mortality in the United States, 1979-1998: an analysis using multiple cause mortality data. *Arch Intern Med.* 2003;163:1711-1717.

31. Piazza G, Goldhaber SZ. Acute pulmonary embolism part I. Epidemiology and diagnosis. *Circulation*. 2006;114:e28-e32.
32. Szold O, Khoury W, Biderman P, Klausner JM, Halpern P, Weinbroum AA. Inhaled nitric oxide improves pulmonary functions following massive pulmonary embolism: a report of four patients and review of the literature. *Lung*. 2006;184:1-5.
33. Bacon AK, Paix AD, Williamson JA, Webb RK, Chapman MJ. Crisis management during anaesthesia: pneumothorax. *Qual Saf Health Care*. 2005;14:e18.
34. Adesanya AO, De Lemos JA, Greulich NB, et al. Management of perioperative myocardial infarction in noncardiac surgical patients. *Chest*. 2006;130:584-596.
35. Mangano DT, Hollenberg M, Fegert G, et al. Perioperative myocardial ischemia in patients undergoing noncardiac surgery: I. Incidence and severity during the 4 day perioperative period. The Study of Perioperative Ischemia (SPI) Research Group. *J Am Coll Cardiol*. 1991;17:843-850.
36. Badner NH, Knill RL, Brown JE, et al. Myocardial infarction after noncardiac surgery. *Anesthesiology*. 1998;88:572-578.
37. Fleisher LA, Beckman JA, Brown KA, et al. ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery: executive summary. A report of the American College of Cardiology/American Heart Association task force on practice guidelines. *Circulation*. 2007;116:1971-1196.
38. Sloan SB, Weitz HH. Postoperative arrhythmias and conduction disorders. *Med Clin North Am*. 2001;85:1171-1189.
39. Sedrakyan A, Treasure T, Browne J, et al. Pharmacologic prophylaxis for postoperative atrial tachyarrhythmia in general thoracic surgery: evidence from randomized clinical trials. *J Thorac Cardiovasc Surg*. 2005;129:997-1005.
40. Hollenberg SM, Dellinger RP. Noncardiac surgery: postoperative arrhythmias. *Crit Care Med*. 2000;28:N145-N150.
41. Walsh SR, Tang T, Wijewardena C, Yarham SI, Boyle JR, Gaunt ME. Postoperative arrhythmias in general surgical patients. *Ann R Coll Surg Engl*. 2007;89:91-95.
42. Mahla E, Rotman B, Rehak P, et al. Perioperative ventricular dysrhythmias in patients with structural heart disease undergoing noncardiac surgery. *Anesth Analg*. 1998;86:16-21.
43. Breslow MJ, Miller CF, Parker SD, et al. Changes in T-wave morphology following anesthesia and surgery: a common recovery room phenomenon. *Anesthesiology*. 1986;64:398-402.
44. Haas CE, LeBlanc JM. Acute postoperative hypertension: a review of therapeutic options. *Am J Health Syst Pharm*. 2004;61:1661-1673.
45. Varon J, Marik PE. Perioperative hypertension management. *Vasc Health Risk Manag*. 2008;4:615-627.
46. Darrah DM, Griebing TL, Silverstein JH. Postoperative urinary retention. *Anesthesiol Clin*. 2009;27:465-484.
47. Lamonerie L, Marret, E, Deleuze A, et al. Prevalence of postoperative bladder distension and urinary retention detected by ultrasound measurement. *Br J Anaesth*. 2004;92:544-546.
48. Keita H, Diouf E, Tubach F, et al. Predictive factors of early postoperative urinary retention in the postanesthesia care unit. *Anesth Analg*. 2005;101:592-596.
49. Sear JW. Kidney dysfunction in the postoperative period. *Br J Anaesth*. 2005;95:20-32.
50. Josephs SA, Thakar CV. Perioperative risk assessment, prevention and treatment of acute kidney injury. *Int Anesthesiol Clin*. 2009;47:89-105.
51. Gravenstein D. Transurethral resection of the prostate (TURP) syndrome: a review of pathophysiology and management. *Anesth Analg*. 1997;84:438-446.
52. McSwiney M, Myatt J, Hargreaves M. Transcervical endometrial resection syndrome. *Anaesthesia*. 1995;50:254-257.
53. Kluger MT, Szekely SM, Singleton RJ, et al. Crisis management during anaesthesia: water intoxication. *Qual Saf Health Care*. 2005;14:e23.
54. Rose DK. Recovery room problems or problems in the PACU. *Can J Anaesth*. 1996;43:R116-R128.
55. Lepouse C, Lautner CA, Liu L, et al. Emergence delirium in adults in the post-anaesthesia care unit. *Br J Anaesth*. 2006;96:747-753.
56. Inouye SK, Rushing JT, Foreman MD, et al. Does delirium contribute to poor hospital outcomes? A three-site epidemiologic study. *J Gen Intern Med*. 1998;13:234-242.
57. McCusker J, Cole MG, Dendukuri N, et al. Does delirium increase hospital stay? *J Am Geriatr Soc*. 2003;51:1539-1546.
58. Bryson GL, Wyand A. Evidence-based clinical update: general anesthesia and the risk of delirium and postoperative cognitive dysfunction. *Can J Anesth*. 2006;53:669-677.
59. Lynch EP, Lazor MA, Gellis JE, et al. The impact of postoperative pain on the development of postoperative delirium. *Anesth Analg*. 1998;86:781-785.
60. Cambell N, Boustani M, Ayub A, et al. Pharmacological management of delirium in hospitalized patients. A systematic evidence review. *J Gen Intern Med*. 2009; 24:848-853.
61. Anastasian ZH, Ornstein E, Heyer EJ. Delayed arousal. *Anesthesiol Clin*. 2009;27:429-450.
62. Meuret P, Backman SB, Bonhomme V, Plourde G, Fiset P. Physostigmine reverses propofol-induced unconsciousness and attenuation of the auditory steady state response and bispectral index in human volunteers. *Anesthesiology*. 2000;93:708-717.
63. Plourde G, Chartrand D, Fiset P, Font S, Backman SB. Antagonism of sevoflurane anaesthesia by physostigmine: effects on the auditory steady-state response and bispectral index. *Br J Anaesth*. 2003;91:583-586.
64. Parikh S, Cohen JR. Perioperative stroke after general surgical procedures. *N Y State J Med*. 1993;93:162-165.
65. Selim M. Perioperative stroke. *N Engl J Med*. 2007;356:706-713.
66. Albrecht RF, Wagner SR, Leicht CH, et al. Factitious disorder as a cause of failure to awaken after general anesthesia. *Anesthesiology*. 1995;83:201-204.
67. Bateman BT, Schumacher C, Wang S, Shaefi S, Berman MF. Perioperative acute ischemic stroke in noncardiac and nonvascular surgery. *Anesthesiology*. 2009;110:231-238.
68. Moazami N, Smedira NG, McCarthy PM, et al. Safety and efficacy of intraarterial thrombolysis for perioperative stroke after cardiac operation. *Ann Thorac Surg*. 2001;72:1933-1937.
69. Chalela JA, Katzan I, Liebeskind DS, et al. Safety of intra-arterial thrombolysis in the postoperative period. *Stroke*. 2001;32:1365-1369.
70. Sebel PS, Bowdle TA, Ghoneim MM, et al. The incidence of awareness during anesthesia: a multicenter United States study. *Anesth Analg*. 2004;99:833-839.
71. Lennmarken C, Sydsjo G. Psychological consequences of awareness and their treatment. *Best Pract Res Clin Anaesthesiol*. 2007;21:357-367.

72. Practice advisory for intraoperative awareness and brain function monitoring. *Anesthesiology*. 2006;104:847-864.
73. Brice DD, Hetherington RR, Utting JE. A simple study of awareness and dreaming during anaesthesia. *Br J Anaesth*. 1970;42:535-541.
74. Practice advisory for intraoperative awareness and brain function monitoring: a report by the American Society of Anesthesiologists task force on intraoperative awareness. *Anesthesiology*. 2006;104:847-864.
75. Mashour GA, Esaki RK, Tremper KK, Glick DB, O'Connor M, Avidan MS. A novel classification instrument for intraoperative awareness events. *Anesth Analg*. 2010;110:813-815.
76. Apfelbaum JL, Chen C, Mehta SS, et al. Postoperative pain experience: results from a national survey suggest postoperative pain continues to be undermanaged. *Anesth Analg*. 2003;97:534-540.
77. Warfield CA, Kahn CH. Acute pain management: programs in U.S. hospitals and experiences and attitudes among U.S. adults. *Anesthesiology*. 1995;83:1090-1094.
78. Pavlin DJ, Chen C, Penaloza DA, et al. Pain as a factor complicating recovery and discharge after ambulatory surgery. *Anesth Analg*. 2002;95:627-634.
79. Joshi GP, Ogunnaike BO. Consequences of inadequate postoperative pain relief and chronic persistent postoperative pain. *Anesthesiol Clin North America*. 2005;23:21-36.
80. Mitra S, Sinatra RS. Perioperative management of acute pain in the opioid dependent patient. *Anesthesiology*. 2004;101:212-227.
81. Buvanendran A, Kroin JS. Multimodal analgesia for controlling acute postoperative pain. *Curr Opin Anaesthesiol*. 2009;22:588-593.
82. Procedure specific postoperative pain management (PROSPECT) working group: recommendations for the management of postoperative pain. <http://www.postoppain.org>. Accessed February 11, 2007.
83. Kehlet H. Procedure-specific postoperative pain management. *Anesthesiol Clin North America*. 2005;23:203-210.
84. Rapp SE, Ready LB, Nessly ML. Acute pain management in patients with prior opioid consumption: a case-controlled retrospective review. *Pain*. 1995;61:195-201.
85. Swenson JD, Davis JJ, Johnson KB. Postoperative care of the chronic opioid-consuming patient. *Anesthesiol Clin North America*. 2005;23:37-48.
86. Dagi TF. The management of postoperative bleeding. *Surg Clin North Am*. 2005;85:1191-1213.
87. Sessler DI. Complications and treatment of mild hypothermia. *Anesthesiology*. 2001;95:531-543.
88. Sessler DI. Mild perioperative hypothermia. *N Engl J Med*. 1997;336:1730-1737.
89. Lenhardt R, Marker E, Goll V, et al. Mild intraoperative hypothermia prolongs postanesthetic recovery. *Anesthesiology*. 1997;87:1318-1323.
90. Kranke P, Eberhart LH, Roewer N, et al. Pharmacological treatment of postoperative shivering: a quantitative systematic review of randomized controlled trials. *Anesth Analg*. 2002;94:453-460.
91. Pile JC. Evaluating postoperative fever: a focused approach. *Cleve Clin J Med*. 2006;73:S62-S66.
92. Frank SM, Kluger MJ, Kunkel SL. Elevated thermostatic setpoint in postoperative patients. *Anesthesiology*. 2000;93:1426-1431.
93. Cowie CC, Rust KF, Ford ES, et al. Full accounting of diabetes and pre-diabetes in the U.S. population in 1988-1994 and 2005-2006. *Diabetes Care*. 2009;32:287-294.
94. Lipshutz AK, Gropper MA. Perioperative glycemic control: an evidence-based review. *Anesthesiology*. 2009;110:408-421.
95. Fahy BG, Sheehy AM, Coursin DB. Perioperative glucose control: what is enough? *Anesthesiology*. 2009;110:204-206.
96. Martinez EA, Williams KA, Provonost PJ. Think like a pancreas: perioperative glycemic control. *Anesth Analg*. 2006;104:4-5.
97. Warner ME, Warner MA, Garrity JA, et al. The frequency of perioperative vision loss. *Anesth Analg*. 2001;93:1417-1421.
98. Stevens WR, Glazer PA, Kelley SD, et al. Ophthalmic complications after spinal surgery. *Spine*. 1997;22:1319-1324.
99. Warner ME, Fronapfel PJ, Hebl JR, et al. Perioperative visual changes. *Anesthesiology*. 2002;96:855-859.
100. Berg KT, Harrison AR, Less MS. Perioperative visual loss in ocular and nonocular surgery. *Clin Ophthalmol*. 2010;4:531-546.
101. Roth S. Perioperative visual loss: what do we know, what can we do? *Br J Anaesth*. 2009;103:i31-i40.
102. Lee LA. Postoperative visual loss data gathered and analyzed. *ASA Newsletter*. 2000;64:25-27.
103. Practice advisory for perioperative visual loss associated with spine surgery: a report by the American Society of Anesthesiologists task force on perioperative blindness. *Anesthesiology*. 2006;104:1319-1328.
104. McHardy FE, Chung F. Postoperative sore throat: cause, prevention and treatment. *Anaesthesia*. 1999;54:444-453.
105. Warner ME, Benenfeld SM, Warner MA, et al. Perianesthetic dental injuries: frequency, outcomes and risk factors. *Anesthesiology*. 1999;90:1302-1305.
106. Givol N, Gershtansky Y, Halamish-Shani T, et al. Perianesthetic dental injuries: analysis of incident reports. *J Clin Anesth*. 2004;16:173-176.
107. Owen H, Waddell-Smith I. Dental trauma associated with anaesthesia. *Anaesth Intensive Care*. 2000;28:133-145.
108. Cheney FW, Domino KB, Caplan RA, et al. Nerve injury associated with anesthesia: a closed claims analysis. *Anesthesiology*. 1999;90:1062-1069.
109. Winfree CJ, Kline DG. Intraoperative positioning nerve injuries. *Surg Neurol*. 2005;63:5-18.
110. Practice advisory for the prevention of perioperative peripheral neuropathies: a report by the American Society of Anesthesiologists task force on prevention of perioperative peripheral neuropathies. *Anesthesiology*. 2000;92:1168-1182.
111. Horlocker TT. Complications of spinal and epidural anesthesia. *Anesthesiol Clin North America*. 2000;18:461-485.
112. Sprung J, Bourke DL, Contreras MG, et al. Perioperative hearing impairment. *Anesthesiology*. 2003;98:241-257.
113. Lybecker H, Andersen T, Helbo-Hansen HS. The effect of epidural blood patch on hearing loss in patients with severe postdural puncture headache. *J Clin Anesth*. 1995;7:457-464.
114. Schummer W, Schummer C, Bayer O, et al. Extravasation injury in the perioperative setting. *Anesth Analg*. 2005;100:722-727.
115. Willsey DB, Peterfreund RA. Compartment syndrome of the upper arm after pressurized infiltration of intravenous fluid. *J Clin Anesth*. 1997;9:428-430.