

Chapter 72

REFERENCES

1. Warfield CA, Kahn CH. Acute pain management: programs in the US hospitals and experiences and attitudes among US adults. *Anesthesiology*. 1995;83(5):1090-1094.
2. AAPM Council on Ethics American Academy of Pain Medicine. Ethics charter (2005) available at www.painmed.org/product-pub/pdfs/EthicsCharter.pdf.
3. Dubois MY. The birth of an ethics charter for pain medicine. *Pain Med*. 2005;6(3):201-202.
4. Joranson DE, Gilson AM. State intractable pain policy: current status. *APS Bulletin*. 1997;7(2):7-9.
5. Wu CL, Naqibuddin M, Fleisher LA. Measurement of patient satisfaction as an outcome of regional anesthesia and analgesia: a systematic review. *Reg Anesth Pain Med*. 2001;26:196-208.
6. Rubin HR. Can patients evaluate the quality of hospital care? *Med Care Rev*. 1990;47(3):267-326.
7. Acute Pain Management: operative or Medical Procedures and Trauma. *Clinical Practice Guideline. AHCPR Pub No 92-0032*. Rockville, MD: Agency for Health Care Policy and Research, Public Health Service, US Department of Health and Human Services; 1992.
8. American Pain Society Quality of Care Committee. Quality improvement guidelines for the treatment of acute pain and cancer pain. *JAMA*. 1995;23:1874-1880.
9. Dahl JL, Gordon DB. Joint Commission pain standards: a progress report. *APS Bulletin*. 2002;12(6):1-8.
10. Joint Commission on Accreditation of Healthcare Organizations. Pain management standards. Effective January 1, 2001. www.jcaho.org/standard/.
11. Corizzo CC, Baker MC, Henkelmann GC. Assessment of patient satisfaction with pain management in small community inpatient and outpatient settings. *Oncol Nurs Forum*. 2000;27(8):1279-1286.
12. Dawson R, Spross JA, Jablonski ES, Hoyer DR, Sellers DE, Solomon MZ. Probing the paradox of patients' satisfaction with inadequate pain management. *J Pain Symptom Manage*. 2002;23(3):211-220.
13. Ward SE, Gordon DB. Patient satisfaction and pain severity as outcomes in pain management: a longitudinal view of one setting's experience. *J Pain Symptom Manage*. 1996;11(4):242-251.
14. Aharony L, Strasser S. Patient satisfaction: what we know about and what we still need to explore. *Med Care Rev*. 1993;50(1):49-79.
15. Fleisher LA, Mantha S, Roizen MF. Medical technology assessment: an overview. *Anesth Analg*. 1998;87(6):1271-1282.
16. Heidegger T, Nuebling M, Saal D, Kreienbuhl G. Patient-centred outcomes in clinical research: does it really matter? *Br J Anaesth*. 2008;100(1):1-3.
17. Vila H, Smith RA, Augustyniak MJ, et al. The efficacy and safety of pain management before and after implementation of hospital-wide pain management standards: Is patient safety compromised by treatment based solely on numerical pain ratings? *Anesth Analg*. 2005;101:474-480.
18. Kuehn BM. Opioid prescriptions soar: Increase in legitimate use as well as abuse. *JAMA*. 2007;17(3):249.
19. Compton WM, Volkow ND. Major increases in opioid analgesic abuse in the United States: concerns and strategies. *Drug Alcohol Depend*. 2006;81(2):103-107.
20. Egbert LD, Battit GE, Welch CE, Bartlett MK. Reduction of postoperative pain by encouragement and instruction of patients. A study of doctor-patient rapport. *N Engl J Med*. 1964;270:825-827.
21. Kissin I. Preemptive analgesia. *Anesthesiology*. 2000;93(4):1138-1143.
22. Kissin I. Preemptive analgesia at the crossroad. *Anesth Analg*. 2005;100(3):754-756.
23. Woolf CJ. Evidence for a central component of postinjury pain hypersensitivity. *Nature*. 1983;308:686-688.
24. Moïniche S, Kehlet H, Dahl J. A qualitative and quantitative systematic review of preemptive analgesia for postoperative pain relief: the role of timing of analgesia. *Anesthesiology*. 2002;96(3):725-741.
25. Ong CK, Lirk P, Seymour RA, Jenkins BJ. The efficacy of preemptive analgesia for acute postoperative pain management: a meta-analysis. *Anesth Analg*. 2005;100(3):757-773; table of contents.
26. Price DD, Mao J, Mayer DJ. Central mechanisms of normal and abnormal pain states. In: Fields HL, Liebeskine JC, eds. *Progress in Pain Research and Management*. Seattle, WA: IASP Press; 1994;1:61-84.
27. Mao J. NMDA and opioid receptors: their interactions in antinociception, tolerance and neuroplasticity. *Brain Res Brain Res Rev*. 1999;30(3):289-304.
28. Kissin I. Tolerance to opioid analgesia: why do we differ from rats? *Anesth Analg*. 2005;101(6):1727-1729.
29. Eisenach JC. Preemptive hyperalgesia, not analgesia? *Anesthesiology*. 2000;92:308-309.
30. Mao J. Opioid induced abnormal pain sensitivity: implications in clinical opioid therapy. *Pain*. 2002;100:213-217.

31. Ballantyne JC, Mao J. Opioid therapy for chronic pain. *N Engl J Med*. 2003;349:1943-1953.
32. Ballantyne J. Preemptive analgesia: an unsolved problem. *Curr Opin Anaesthesiol*. 2001;14(5):499-504.
33. Carr DB, Goudas LC. Acute pain. *Lancet*. 1999;353(9169):2051-2058.
34. Kehlet H, Dahl JB. Anaesthesia, surgery, and challenges in postoperative recovery. *Lancet*. 2003;362(9399):1921-1928.
35. Brennan TJ, Kehlet H. Preventive analgesia to reduce wound hyperalgesia and persistent postsurgical pain. Not an easy path. *Anesthesiology*. 2005;103:681-683.
36. White PF, Kehlet H, Neal JM, Schricker T, Carr DB, Carli F. The role of the anesthesiologist in fast-track surgery: from multimodal analgesia to perioperative medical care. *Anesth Analg*. 2007;104(6):1380-1396; table of contents.
37. Kehlet H. A multi-modal approach to control postoperative pathophysiology and rehabilitation. *Br J Anaesth*. 1997;78:606-617.
38. Elia N, Lysakowski C, Tramer MR. Does multimodal analgesia with acetaminophen, nonsteroidal antiinflammatory drugs, or selective cyclooxygenase-2 inhibitors and patient-controlled analgesia morphine offer advantages over morphine alone? Meta-analyses of randomized trials. *Anesthesiology*. 2005;103(6):1296-1304.
39. Fassoulaki A, Triga A, Melemini A, Sarantopoulos C. Multimodal analgesia with gabapentin and local anesthetics prevents acute and chronic pain after breast surgery for cancer. *Anesth Analg*. 2005;101(5):1427-1432.
40. Subramaniam K, Subramaniam B, Steinbrook RA. Ketamine as adjuvant analgesic to opioids: a quantitative and qualitative systematic review. *Anesth Analg*. 2004;99(2):482-495; table of contents.
41. Agarwal A, Gautam S, Gupta D, Agarwal S, Singh PK, Singh U. Evaluation of a single preoperative dose of pregabalin for attenuation of postoperative pain after laparoscopic cholecystectomy. *Br J Anaesth*. 2008;101(5):700-704.
42. Mathiesen O, Jacobsen LS, Holm HE, et al. Pregabalin and dexamethasone for postoperative pain control: a randomized controlled study in hip arthroplasty. *Br J Anaesth*. 2008;101(4):535-541.
43. Kehlet H, Jensen TS, Woolf CJ. Persistent postsurgical pain: risk factors and prevention. *Lancet*. 2006;367:1618-1625.
44. Perkins FM, Kehlet H. Chronic pain as an outcome of surgery. *Anesthesiology*. 2000;93:1123-1133.
45. Perkins FM, Ballantyne JC. Post-surgical pain syndromes. In: Stannard C, Kalso E, Ballantyne JC, eds. *Evidence-based Chronic Pain Management*. Oxford, UK: Blackwell; 2010.
46. White PF, Kehlet H, Liu S. Perioperative analgesia: what do we still know? *Anesth Analg*. 2009;108(5):1364-1367.
47. Practice guidelines for acute pain management in the perioperative setting: an updated report by the American Society of Anesthesiologists Task Force on Acute Pain Management. *Anesthesiology*. 2004;100(6):1573-1581.
48. Gordon DB, Dahl JL, Miaskowski C, et al. American pain society recommendations for improving the quality of acute and cancer pain management: American Pain Society Quality of Care Task Force. *Arch Intern Med*. 2005;165(14):1574-1580.
49. Lee F, Cundiff D. Meperidine vs morphine in pancreatitis and cholecystitis. *Arch Intern Med*. 1998;158(21):2399.
50. Thompson DR. Narcotic analgesic effects on the sphincter of Oddi: a review of the data and therapeutic implications in treating pancreatitis [review]. *Am J Gastroenterol*. 2001;96(4):1266-1272.
51. Herrlin K, Segerdahl M, Gustafsson LL, Kalso E. Methadone, ciprofloxacin, and adverse drug reactions. *Lancet*. 2000;356(9247):2069-2070.
52. Fishman SM, Wilsey B, Mahajan G, Molina P. Methadone reincarnated: novel clinical applications with related concerns. *Pain Med*. 2002;3:339-348.
53. Grisel JE, Watkins LR, Maier SF. Associative and non-associative mechanisms of morphine analgesic tolerance are neurochemically distinct in the rat spinal cord. *Psychopharmacology*. 1996;128:248-255.
54. Mitchell JM, Basbaum AI, Fields HL. A locus and mechanism of action for associative morphine tolerance. *Nature Neuroscience*. 2000;3:47-53.
55. Angst MS, Clark JD. Opioid-induced hyperalgesia: a qualitative systematic review. *Anesthesiology*. 2006;104(3):570-587.
56. Wilder-Smith OH, Arendt-Nielsen L. Postoperative hyperalgesia: its clinical importance and relevance. *Anesthesiology*. 2006;104(3):601-607.
57. Ballantyne JC, LaForge SL. Opioid dependence and addiction in opioid treated pain patients. *Pain*. 2007;129:235-255.
58. Chu LF, Angst MS, Clark D. Opioid-induced hyperalgesia in humans: molecular mechanisms and clinical considerations. *Clin J Pain*. 2008;24(6):479-496.
59. Ballantyne JC, Shin NS. Efficacy of opioids for chronic pain: a review of the evidence. *Clin J Pain*. 2008;24(6):469-478.
60. Vinik HR, Kissin I. Rapid development of tolerance to analgesia during remifentanyl infusion in humans. *Anesth Analg*. 1998;86(6):1307-1311.
61. Angst MS, Koppert W, Pahl I, Clark DJ, Schmelz M. Short-term infusion of the mu-opioid agonist remifentanyl in humans causes hyperalgesia during withdrawal. *Pain*. 2003;106(1-2):49-57.
62. Hood DD, Curry R, Eisenach JC. Intravenous remifentanyl produces withdrawal hyperalgesia in volunteers with capsaicin-induced hyperalgesia. *Anesth Analg*. 2003;97(3):810-815.
63. Joly V, Richebe P, Guignard B, et al. Remifentanyl-induced postoperative hyperalgesia and its prevention with small-dose ketamine. *Anesthesiology*. 2005;103(1):147-155.
64. Koppert W, Sittl R, Scheuber K, Alsheimer M, Schmelz M, Schuttler J. Differential modulation of remifentanyl-induced analgesia and postinfusion hyperalgesia by S-ketamine and clonidine in humans. *Anesthesiology*. 2003;99(1):152-159.
65. Luginbuhl M, Gerber A, Schneider TW, Petersen-Felix S, Arendt-Nielsen L, Curatolo M. Modulation of remifentanyl-induced analgesia, hyperalgesia, and tolerance by small-dose ketamine in humans. *Anesth Analg*. 2003;96(3):726-732; table of contents.
66. Porter J, Jick H. Addiction rare in patients treated with narcotics (letter). *N Engl J Med*. 1980;302(2):123.
67. Gajraj NM. Cyclooxygenase-2 inhibitors. *Anesth Analg*. 2003;96:1720-1738.
68. Weir M, Sperling R, Reicin A. Selective COX-2 inhibition and cardiovascular effects: a review of the rofecoxib development program. *Am Heart J*. 2003;146:591-604.
69. FitzGerald GA. Coxibs and cardiovascular disease. *N Engl J Med*. 2004;351:1709-1711.

70. Moote C. Efficacy of nonsteroidal anti-inflammatory drugs in the management of postoperative pain. *Drugs*. 1992;44 (Suppl 5): 14-30.
71. Ballantyne JC. Use of nonsteroidal antiinflammatory drugs for acute pain management. *Problems Anesth*. 1998;10(1): 23-36.
72. Marret E, Kurdi O, Zufferey P, Bonnet F. Effects of nonsteroidal antiinflammatory drugs on patient-controlled analgesia morphine side effects: meta-analysis of randomized controlled trials. *Anesthesiology*. 2005;102(6):1249-1260.
73. Kehlet H. Postoperative opioid sparing to hasten recovery: what are the issues? *Anesthesiology*. 2005;102(6):1083-1085.
74. Ashburn MA, Ballantyne JC. Optimal postoperative analgesia. In: Fleisher L, ed. *Evidence-Based Practice of Anesthesia*. 2nd ed. Philadelphia, PA: Elsevier; 2009:485-492.
75. Lavand'homme P, De Kock M, Waterloos H. Intraoperative epidural analgesia combined with ketamine provides effective preventive analgesia in patients undergoing major digestive surgery. *Anesthesiology*. 2005;103:813-820.
76. Elia N, Tramer MR. Ketamine and postoperative pain—a quantitative systematic review of randomised trials. *Pain*. 2005;113(1-2):61-70.
77. Ho KY, Gan TJ, Habib AS. Gabapentin and postoperative pain—a systematic review of randomized controlled trials. *Pain*. 2006;126(1-3):91-101.
78. Tiippana EM, Hamunen K, Kontinen VK, Kalso E. Do surgical patients benefit from perioperative gabapentin/pregabalin? A systematic review of efficacy and safety. *Anesth Analg*. 2007; 104(6):1545-1556; table of contents.
79. Dauri M, Faria S, Gatti A, Celidonio L, Carpenedo R, Sabato AF. Gabapentin and pregabalin for the acute post-operative pain management. A systematic-narrative review of the recent clinical evidences. *Curr Drug Targets*. 2009;10(8): 716-733.
80. Ballantyne JC, Carr DB, Chalmers TC, Dear KBG, Angelillo IF, Mosteller F. Postoperative patient-controlled analgesia: meta-analyses of initial randomized control trials. *J Clin Anesth*. 1993;5:182-193.
81. Walder B, Schafer M, Henzi I, Tramer MR. Efficacy and safety of patient-controlled opioid analgesia for acute postoperative pain: a quantitative systematic review. *Acta Anaesthesiol Scand*. 2001;45(7):795-804.
82. Chan VWS, Chung F, McQuestion M, Gomez M. Impact of patient-controlled analgesia on required nursing time and duration of post-operative recovery. *Reg Anaesth*. 1995;20(5): 506-514.
83. Choiniere M, Rittenhouse BE, Perreault S, et al. Efficacy and costs of patient-controlled analgesia versus regular administered intramuscular opioid therapy. *Anesthesiology*. 1999;91(3):891-894.
84. Vercauteren M, Vereecken K, La Malfa M, Coppejans H, Adriaensen H. Cost-effectiveness of analgesia after Caesarean section. A comparison of intrathecal morphine and epidural PCA. *Acta Anaesthesiol Scand*. 2002;46:85-89.
85. Chelly JE, Grass JA, Houseman TW, Minkowitz H, Pue A. The safety and efficacy of a fentanyl patient-controlled transdermal system for acute postoperative analgesia: a multicenter, placebo-controlled trial. *Anesth Analg*. 2004;98:427-433.
86. Viscusi ER, Reynolds L, Chung F, Atkinson LE, Khanna S. Patient-controlled transdermal fentanyl hydrochloride vs intravenous morphine pump for postoperative pain: a randomized controlled trial. *JAMA*. 2004;291:1333-1341.
87. Block BM, Liu SS, Rowlingson AJ, Cowan AR, Cowan JAJ, Wu CL. Efficacy of postoperative epidural analgesia: a meta-analysis. *JAMA*. 2003;290(18):2455-2463.
88. Ballantyne JC. Does epidural analgesia improve surgical outcome? *Br J Anaesth*. 2004;92(1):4-6.
89. Ballantyne JC, Kupelnick B, McPeck B, Lau J. Does the evidence support the use of spinal and epidural anesthesia for surgery? *J Clin Anesth*. 2005;17(5):382-391.
90. Eisenach JC, De Kock M, Klimscha W. Alpha(2)-adrenergic agonists for regional anesthesia. A clinical review of clonidine (1984-1995). *Anesthesiology*. 1996;85(3):655-674.
91. Ready LB. Acute pain: lessons learned from 25,000 patients. *Reg Anesth Pain Med*. 1999;24:499-505.
92. Andersen G, Rasmussen H, Rosenstock C. Postoperative pain control by epidural analgesia after transabdominal surgery. Efficacy and problems encountered in daily routine. *Acta Anaesthesiol Scand*. 2000;44:296-301.
93. Ballantyne JC, McKenna JM, Ryder E. Epidural analgesia—experience of 5628 patients in a large teaching hospital derived through audit. *Acute Pain*. 2003;4:89-97.
94. Turnbull DK, Shepehr DB. Post-dural puncture headache: pathogenesis, prevention and treatment. *Br J Anaesth*. 2003;91:718-729.
95. Wulf H. Epidural anaesthesia and spinal haematoma. *Can J Anaesth* 1996;43:1260-1271.
96. Horlocker TT, Wedel DJ, Benzon H, et al. Regional anesthesia in the anticoagulated patient: Defining the risks (The second ASRA Consensus Conference on neuraxial anesthesia and anticoagulation). *Reg Anesth Pain Med*. 2003;28(3):172-197.
97. Bergqvist D, Wu CL, Neal JM. Anticoagulation and neuraxial regional anesthesia: Perspectives. *Reg Anesth Pain Med*. 2003; 28(3):163-166.
98. Hernandez JM, Coyle FP, Wright CD, Ballantyne JC. Epidural abscess after epidural anesthesia and continuous epidural analgesia in a patient with gastric lymphoma. *J Clin Anesth*. 2003;15(1):48-51.
99. Reihnsaus E, Waldbaur H, Seeling W. Spinal epidural abscess: a meta-analysis of 915 patients. *Neurosurg Rev*. 2000;232:175-204.
100. Wang LP, Hauerberg J, Schmidt JF. Incidence of spinal epidural abscess after epidural analgesia: a national 1-year survey. *Anesthesiology*. 1999;91(6):1928-1936.
101. Horlocker TT, Wedel DJ. Neurologic complications of spinal and epidural anesthesia. *Reg Anesth Pain Med*. 2000;25(1):83-98.
102. Jorgensen H, Wetterslev J, Møiniche S, Dahl JB. Epidural local anaesthetics versus opioid-based analgesic regimens on postoperative gastrointestinal paralysis, PONV and pain after abdominal surgery. *Cochrane Database Syst Rev*. 2000(4):CD001893.
103. Yeager MP, Glass DD, Neff RK, Brinck-Johnsen T. Epidural anesthesia and analgesia in high-risk surgical patients. *Anesthesiology*. 1987;66:729-736.
104. Ballantyne JC, Carr DB, DeFerranti S, et al. The comparative effects of postoperative analgesic therapies on pulmonary outcome: cumulative meta-analyses of randomized, controlled trials. *Anesth Analg*. 1998;86(3):598-612.
105. Park WY, Thompson J, Lee K. Effect of epidural anesthesia and analgesia on perioperative outcome. a randomized, controlled Veterans Affairs Cooperative Study. *Ann Surg*. 2001;234:560-571.
106. Scott NB, Turfrey DJ, Ray DAA, et al. A prospective randomized study of the potential benefits of thoracic epidural anesthesia and analgesia in patients undergoing coronary artery bypass grafting. *Anesth Analg*. 2001;93:528-535.

107. Rigg JRA, Jamrozik K, Myles PS, et al. Epidural anaesthesia and analgesia and outcome of major surgery: a randomised trial. *Lancet*. 2002;359(9314):1276-1282.
108. Rodgers A, Walker WS, McKee A, et al. Reduction of postoperative mortality and morbidity with epidural or spinal anaesthesia: results from overview of randomised trials. *Br Med J*. 2000;321:1493-1497.
109. Beattie W, Badner N, Choi P. Epidural analgesia reduced postoperative myocardial infarction: a meta-analysis. *Anesth Analg*. 2001;93:853-858.
110. Hall MJ, Lawrence L. Ambulatory surgery in the United States, 1996. *Adv Data*. 1998(300):1-16.
111. Liu SS, Strodtbeck WM, Richman JM, Wu CL. A comparison of regional versus general anesthesia for ambulatory anesthesia: a meta-analysis of randomized controlled trials. *Anesth Analg*. 2005;101(6):1634-1642.
112. Ilfeld BM, Wright TW, Enneking FK, et al. Total shoulder arthroplasty as an outpatient procedure using ambulatory perineural local anesthetic infusion: a pilot feasibility study. *Anesth Analg*. 2005;101(5):1319-1322.
113. Ilfeld BM, Wright TW, Enneking FK, Vandendorpe K. Total elbow arthroplasty as an outpatient procedure using a continuous infraclavicular nerve block at home: a prospective case report. *Reg Anesth Pain Med*. 2006;31(2):172-176.
114. Osinowo OA, Zahrani M, Softah A. Effect of intercostal nerve block with 0.5% bupivacaine on peak expiratory flow rate and arterial oxygen saturation in rib fractures. *J Trauma*. 2004;56(2):345-347.
115. Easter Association for the Surgery of Trauma. Pain management in blunt thoracic trauma: an evidence-based outcome evaluation. Available at: <http://www.east.org/tpg/painchest.pdf>.
116. Capdevila X, Macaire P, Akinin P, Dadure C, Bernard N, Lopez S. Patient-controlled perineural analgesia after ambulatory orthopedic surgery: a comparison of electronic versus elastomeric pumps. *Anesth Analg*. 2003;96(2):414-417; table of contents.
117. Anand KJ, Hickey P. Pain and its effects in the human neonate and fetus. *N Engl J Med*. 1987;317:1321-1329.
118. McGrath PJ, Craig KD. Developmental and psychological factors in children's pain. *Pediatr Clin North America*. 1989;36:823-826.
119. Anand KJ, Maze M. Fetuses, fentanyl, and the stress response: signals from the beginnings of pain? *Anesthesiology*. 2001;95(4):823-825.
120. Peters JW, Schouw R, Anand KJ, van Dijk M, Duivenvoorden HJ, Tibboel D. Does neonatal surgery lead to increased pain sensitivity in later childhood? *Pain*. 2005;114(3):444-454.
121. Mitra S, Sinatra RS. Perioperative management of acute pain in the opioid-dependent patient. *Anesthesiology*. 2004;101:212-227.
122. Office of Applied Studies. *Results from the 2007 National Survey on Drug Use and Health: National Findings*. Rockville, MD: Substance Abuse and Mental Health Services Administration; 2008. DHHS Publication No. SMA 08-4343, NSDUH Series H-34.
123. Carroll I, Angst M, Clark J. Management of perioperative pain in patients chronically consuming opioid. *Reg Anesth Pain Med*. 2004;29:576-591.
124. Boylan JF, Katz J, Kavanagh BP, et al. Epidural bupivacaine-morphine analgesia versus patient-controlled analgesia following abdominal aortic surgery. Analgesic, respiratory, and myocardial effects. *Anesthesiology*. 1998;89:585-593.
125. Norris EJ, Beattie C, Perler BA, et al. Double-masked randomized trial comparing alternate combinations of intraoperative anesthesia and postoperative analgesia in abdominal aortic surgery. *Anesthesiology*. 2001;95(5):1054-1067.
126. Priestley MC, Cope L, Halliwell R, et al. Thoracic epidural anesthesia for cardiac surgery: the effects on tracheal intubation time and length of hospital stay. *Anesth Analg*. 2002;94:275-282.
127. Martin E, Ramsay G, Mantz J, Sum-Ping ST. The role of the alpha2-adrenoceptor agonist dexmedetomidine in postsurgical sedation in the intensive care unit. *J Intensive Care Med*. 2003;18(1):29-41.
128. Maze M, Angst MS. Dexmedetomidine and opioid interactions: defining the role of dexmedetomidine for intensive care unit sedation. *Anesthesiology*. 2004;101(5):1059-1061.
129. Bergese SD, Candiotti KA, Bokesch PM, Zura A, Wisemandle W, Bekker AY. A phase IIIb, randomized, double-blind, placebo-controlled, multicenter study evaluating the safety and efficacy of dexmedetomidine for sedation during awake fiberoptic intubation. *Am J Ther*. 2010;17(6):586-595.
130. Dere K, Sucullu I, Budak ET, et al. A comparison of dexmedetomidine versus midazolam for sedation, pain and hemodynamic control, during colonoscopy under conscious sedation. *Eur J Anaesthesiol*. 2010;27(7):648-652.