

## Chapter 76

### REFERENCES

1. Hoyert DL, Heron MP, Murphy SL, Kung HC. Deaths: final data for 2003. *Natl Vital Stat Rep.* 2006;54(13):1-120.
2. Metcalfe NH. Military influence upon the development of anaesthesia from the American Civil War (1861-1865) to the outbreak of the First World War. *Anaesthesia.* 2005;60(12):1213-1217.
3. Cameron AMA. Brief history of trauma surgery. In: Sheridan RL, ed. *The Trauma Handbook of the Massachusetts General Hospital.* Philadelphia, PA: Lippincott, Williams & Wilkins; 2004:1-9.
4. Pruitt BAJ, Pruitt JH, Davis JH. Trauma. In: Moore EE, Feliciano DV, Mattox KL, eds. *Trauma.* New York, NY: McGraw-Hill; 2004:3-19.
5. Holcomb JB, Niles SE, Miller CC, Hinds D, Duke JH, Moore FA. Prehospital physiologic data and lifesaving interventions in trauma patients. *Mil Med.* 2005;170(1):7-13.
6. Trunkey DD. Trauma. *Sci Am.* 1983;249(2):28-35.
7. MacKenzie EJ, Rivara FP, Jurkovich GJ, et al. A national evaluation of the effect of trauma-center care on mortality. *N Engl J Med.* 2006;354(4):366-378.
8. Demetriades D, Kimbrell B, Salim A, et al. Trauma deaths in a mature urban trauma system: is "trimodal" distribution a valid concept? *J Am Coll Surg.* 2005;201(3):343-348.
9. Peleg K, Aharonson-Daniel L. Blast injuries [comment]. *N Engl J Med.* 2005;352(25):2651-2653.
10. Sheridan RL, Petras L, Basha G, et al. Initial evaluation and management of the burn patient. In: Sheridan RL, ed. *The Trauma Handbook of the Massachusetts General Hospital.* Philadelphia, PA: Lippincott, Williams & Wilkins; 2004:148-173.
11. Keel M, Trentz O. Pathophysiology of polytrauma. *Injury.* 2005;36(6):691-709.
12. Laudanski K, Wyczechowska D. Monocyte-related immunopathologies in trauma patients. *Arch Immunol Ther Exp (Warsz).* 2005;53(4):321-328.
13. Atkinson C, Song H, Lu B, et al. Targeted complement inhibition by C3d recognition ameliorates tissue injury without apparent increase in susceptibility to infection. *J Clin Invest.* 2005;115(9):2444-2453.
14. Holcomb JB, Hoots K, Moore FA. Treatment of an acquired coagulopathy with recombinant activated factor VII in a damage-control patient. *Mil Med.* 2005;170(4):287-290.
15. Biddinger PD, Thomas SH. Prehospital care and transport. In: Sheridan RL, ed. *The Trauma Handbook of the Massachusetts General Hospital.* Philadelphia, PA: Lippincott, Williams & Wilkins; 2004:29-49.
16. Stiell IG, Wells GA, Field B, et al. Advanced cardiac life support in out-of-hospital cardiac arrest. *N Engl J Med.* 2004;351(7):647-656.
17. Wang HE, Yealy DM. How many attempts are required to accomplish out-of-hospital endotracheal intubation? *Acad Emerg Med.* 2006;13(4):372-377.
18. Salomone JP, Ustin JS, McSwain NE Jr, Feliciano DV. Opinions of trauma practitioners regarding prehospital interventions for critically injured patients. *J Trauma.* 2005;58(3):509-515; discussion 515-517.
19. Davis DP, Peay J, Sise MJ, et al. Prehospital airway and ventilation management: a trauma score and injury severity score-based analysis. *J Trauma.* 2010;69:294-301.
20. Wang HE, Yealy DM. Out-of-hospital endotracheal intubation: where are we? [see comment] *Ann Emerg Med.* 2006;47(6):532-541.
21. Peak DL, Gervasini AA. Organization of the emergency department and trauma team. In: Sheridan RL, ed. *The Trauma Handbook of the Massachusetts General Hospital.* Philadelphia, PA: Lippincott, Williams & Wilkins; 2004:50-57.
22. Kaufmann C. *Advanced Trauma Life Support for Doctors.* 7th ed. Chicago, IL: American College of Surgeons; 2004:391.
23. Crosby ET. Airway management in adults after cervical spine trauma. *Anesthesiology.* 2006;104(6):1293-1318.
24. Parks SP. Initial assessment. In: Moore EE, Feliciano DV, Mattox KL, eds. *Trauma.* New York, NY: McGraw-Hill; 2004:159-176.
25. Davis DP, Vadeboncoeur TF, Ochs M, Poste JC, Vilke GM, Hoyt DB. The association between field Glasgow Coma Scale score and outcome in patients undergoing paramedic rapid sequence intubation. *J Emerg Med.* 2005;29(4):391-397.
26. Nathens AB, Maier RV, Brundage SI, Jurkovich GJ, Grossman DC. The effect of interfacility transfer on outcome in an urban trauma system. *J Trauma.* 2003;55(3):444-449.
27. Kunisaki SA, McCabe CJ. Initial evaluation and resuscitation: primary survey and immediate resuscitation. In: Sheridan RL, ed. *The Trauma Handbook of the Massachusetts General Hospital.* Philadelphia, PA: Lippincott, Williams & Wilkins; 2004:71-88.
28. Harris MB, Sethi RK. The initial assessment and management of the multiple-trauma patient with an associated spine injury. *Spine.* 2006;31(11 Suppl):S9-S15; discussion S36.

29. Kaufman HJ, Ciraulo DL, Burns RP. Traumatic fracture of the hyoid bone: three case presentations of cardiorespiratory compromise secondary to missed diagnosis. *Am Surg*. 1999;65(9):877-880.
30. Krausz MM. Fluid resuscitation strategies in the Israeli army. *J Trauma*. 2003;54(5 Suppl):S39-S42.
31. Brundage SI, Zautke NA, Holcomb JB, et al. Interleukin-6 infusion blunts proinflammatory cytokine production without causing systematic toxicity in a swine model of uncontrolled hemorrhagic shock. *J Trauma*. 2004;57(5):970-977; discussion 977-978.
32. Moore FA, McKinley BA, Moore EE. The next generation in shock resuscitation. *Lancet*. 2004;363(9425):1988-1996.
33. Rhee P, Koustova E, Alam HB. Searching for the optimal resuscitation method: recommendations for the initial fluid resuscitation of combat casualties. *J Trauma*. 2003;54(5 Suppl):S52-S62.
34. Bickell WH, Wall MJ Jr, Pepe PE, et al. Immediate versus delayed fluid resuscitation for hypotensive patients with penetrating torso injuries. *N Engl J Med*. 1994;331(17):1105-1109.
35. Carrico CJ, Holcomb JB, Chaudry IH; PULSE Trauma Work Group. Post Resuscitative and Initial Utility of Life Saving Efforts. Scientific priorities and strategic planning for resuscitation research and life saving therapy following traumatic injury: report of the PULSE Trauma Work Group [see comment]. *Acad Emerg Med*. 2002;9(6):621-626.
36. Cowell EM. The initiation of wound shock. *JAMA*. 1918;70:607-610.
37. Cannon WB. A consideration of the nature of wound shock. *JAMA*. 1918;70:611-617.
38. Henderson YA. Acapnia and shock—VII. Failure of the circulation. *Am J Physiol*. 1910;27:152-176.
39. Guyton AC, Jones CE, Coleman TG. *Circulatory Physiology: Cardiac Output and Its Regulation*. Philadelphia, PA: WB Saunders; 1973.
40. Magder S, De Varennes B. Clinical death and the measurement of stressed vascular volume. *Crit Care Med*. 1998;26:1061-1064.
41. Desborough JP. The stress response to trauma and surgery. *Br J Anaesth*. 2000;85:109-117.
42. Oestern H-J, Trentz O, Hempelmann G, et al. Cardiorespiratory and metabolic patterns in multiple trauma patients. *Resuscitation*. 1977;7:169-184.
43. Gann DS, Lilly MP. The neuroendocrine response to multiple trauma. *World J Surg*. 1983;7:101-118.
44. McMillen MA, Huribal M, Sumpio B. Common pathway of endothelial-leukocyte interaction in shock, ischemia, and reperfusion. *Am J Surg*. 1993;166:557-562.
45. Shoemaker WC, Peitzman AB, Bellamy R, et al. Resuscitation from severe hemorrhage. *Crit Care Med*. 1996;24:S12-S23.
46. Champion DS, Lynch LJ, Rector FC Jr, et al. Effect of hemorrhagic shock on transmembrane potential. *Surgery*. 1969;66:1051-1059.
47. Dantzker DR. Adequacy of tissue oxygenation. *Crit Care Med*. 1993;21:S40-S43.
48. Moore FD. The effects of hemorrhage on body composition. *N Engl J Med*. 1965;273:567-577.
49. Adamson J, Hillman RS. Blood volume and plasma protein replacement following acute blood loss in normal man. *JAMA*. 1968;205:63-66.
50. Cotton BA, Guy JS, Morris Jr JA, Abumrad NN. The cellular, metabolic, and systemic consequences of aggressive fluid resuscitation strategies. *Shock*. 2006;26:115-121.
51. Shaftan GW, Chiu CJ, Dennis C, et al. Fundamentals of physiologic control of arterial hemorrhage. *Surgery*. 1965;58:851-856.
52. Fouche Y, Sikorski R, Dutton RP. Changing paradigms in surgical resuscitation. *Crit Care Med*. 2010;38:S411-S420.
53. Dries DJ. Hypotensive resuscitation. *Shock*. 1996;6:311-316.
54. Kowalenko T, Stern S, Dronen S, et al. Improved outcome with hypotensive resuscitation of uncontrolled hemorrhagic shock in a swine model. *J Trauma*. 1992;33:349-353.
55. Conger JD. Interventions in clinical acute renal failure: what are the data? *Am J Kidney Dis*. 1995;26:565-576.
56. Dutton RP, Mackenzie CF, Scalea TM. Hypotensive resuscitation during active hemorrhage: impact on in-hospital mortality. *J Trauma*. 2002;52:1141-1146.
57. Ku J, Brasel KJ, Baker CC, et al. Triangle of death: hypothermia, acidosis, and coagulopathy. *New Horiz*. 1999;7:61-72.
58. Rohrer MJ, Natale AM. Effect of hypothermia on the coagulation cascade. *Crit Care Med*. 1992;20:1402-1405.
59. Gentilello LM, Cobean RA, Offner PJ, et al. Continuous arteriovenous rewarming: rapid reversal of hypothermia in critically ill patients. *J Trauma*. 1992;32:316-327.
60. Grahm D, Brock-Utne, Watenpaugh DE, et al. Recovery from mild hypothermia can be accelerated by mechanically distending blood vessels in the hand. *J Appl Physiol*. 1998;85:1643-1648.
61. Kauvar DS, Holcomb JB, Norris GC, Hess JR. Fresh whole blood transfusion: a controversial military practice. *J Trauma*. 2006;61:181-184.
62. Mitra B, Mori A, Cameron PA, Fitzgerald M, Paul E, Street A. Fresh frozen plasma (FFP) use during massive blood transfusion in trauma resuscitation. *Injury*. 2010;41:35-39.
63. Zink KA, Sambasivan CN, Holcomb JB, Chisholm G, Schreiber MA. A high ratio of plasma and platelets to packed red blood cells in the first six hours of massive transfusion improves outcomes in a large multicenter study. *Am J Surg*. 2009;197:565-570.
64. Inaba K, Branco BC, Rhee P, et al. Impact of plasma transfusion in trauma patients who do not require massive transfusion. *J Am Coll Surg*. 2010;210:957-965.
65. Buduhan G, McRitchie DI. Missed injuries in patients with multiple trauma. *J Trauma*. 2000;49(4):600-605.
66. Noble VE, Peak DA. Secondary survey evaluation of the trauma patient. In: Sheridan RL, ed. *The Trauma Handbook of the Massachusetts General Hospital*. Philadelphia, PA: Lippincott, Williams & Wilkins; 2004:108-119.
67. Maurer A, Morris JAJ. Injury severity scoring. In: Moore EE, Feliciano DV, Mattox KL, eds. *Trauma*. New York, NY: McGraw-Hill; 2004:87-91.
68. Hannan EL, Waller CH, Farrell LS, Cayten CG. A comparison among the abilities of various injury severity measures to predict mortality with and without accompanying physiologic information. *J Trauma*. 2005;58(2):244-251.
69. Gill MR, Reiley DG, Green SM. Interrater reliability of Glasgow Coma Scale scores in the emergency department. *Ann Emerg Med*. 2004;43(2):215-223.
70. Luk SS, Jacobs L, Ciraulo DL, Cortes V, Sable A, Cowell VL. Outcome assessment of physiologic and clinical predictors of survival in patients after traumatic injury with a trauma score less than 5. *J Trauma*. 1999;46(1):122-128.

71. Meredith JW, Evans G, Kilgo PD, et al. A comparison of the abilities of nine scoring algorithms in predicting mortality [see comment]. *J Trauma*. 2002;53(4):621-628; discussion 628-629.
72. Wang HE, Callaway CW, Peitzman AB, Tisherman SA. Admission hypothermia and outcome after major trauma. *Crit Care Med*. 2005;33(6):1296-1301.
73. Ghoneim MM, Block RI, Haffaman M, Mathews MJ. Awareness during anesthesia: risk factors, causes and sequelae: a review of reported cases in the literature. *Anesth Analg* 2009; 108: 527-535.
74. Sellick BA. Cricoid pressure to control regurgitation of stomach contents during induction of anaesthesia. *Lancet*. 1961;II: 404-406.
75. Salem MR, Sellick BA, Elam JO. The historical background of cricoid pressure in anesthesia and resuscitation. *Anesth Analg*. 1974;53:230-232.
76. Tziavrangos E, Schug SA. Regional anaesthesia and perioperative outcome. *Curr Opin Anesthesiol*. 2006;19:521-528.
77. Buckenmaier III CC, Shields CH, Auton AA, et al. Continuous peripheral nerve block in combat casualties receiving low-molecular weight heparin. *Br J Anaesth*. 2006;97: 874-879.
78. Fligel BT, Luchette FA, Reed RL, et al. Half-a-dozen ribs: the breakpoint for mortality. *Surgery*. 2005;138:717-725.
79. Rosner MJ, Rosner SD, Johnson AH. Cerebral perfusion pressure: management protocol and clinical results. *J Neurosurg*. 1995;83:949-962.
80. Juul N, Morris GF, Marshall SB, et al. Intracranial and outcome in severe head injury. The Executive Committee of the International Selfotel Trial. *J Neurosurg*. 2000;92:1-6.
81. Young JS, Blow O, Turrentine F, et al. Is there an upper limit of intracranial pressure in patients with severe head injury if cerebral perfusion pressure is maintained? *Neurosurg Focus*. 2005;15:1-10.
82. Himmelscher S, Durieux ME. Revising a dogma: ketamine for patients with neurologic injury? *Anesth Analg*. 2005;101: 524-534.
83. Siesjö BK. Mechanisms of ischemic brain damage. *Crit Care Med*. 1988;16:954-963.
84. Proescholdt M, Heimann A, Kempfski O. Neuroprotection of S(+) ketamine isomer in global fore brain ischemia. *Brain Res*. 2001;904:245-251.
85. Taneda M, Kataoka K, Akai F, et al. Traumatic subarachnoid hemorrhage as a predictable indicator of delayed ischemic symptoms. *J Neurosurg*. 1996;84:762-768.
86. Crosby ET. Airway management in adults after cervical spine trauma. *Anesthesiology*. 2006;104:1293-1318.
87. Brasel KJ, Ku J, Baker CC, et al. Damage control in the critically-ill and injured patient. *New Horiz*. 1999;7:73-86.
88. Burgess AR, Mandelbaum BR. Acute orthopedic injuries. In: Siegel JH, ed. *Trauma: Emergency Surgery and Critical Care*. New York, NY: Churchill Livingstone; 1987:1049-1074.
89. Cheatham ML, Malbrain ML, Kirkpatrick A, et al. Results from the international conference of experts on intra-abdominal hypertension and abdominal compartment syndrome. II. Recommendations. *Intensive Care Med*. 2007;33:951-962.
90. Ciesla DJ, Moore EE, Johnson JL, Burch JM, Cothren CC, Sauaia A. A 12-year prospective study of postinjury multiple organ failure: has anything changed? *Arch Surg*. 2005;140(5):432-438; discussion 438-440.
91. Moore EE, Johnson JL, Cheng AM, Masuno T, Banerjee A. Insights from studies of blood substitutes in trauma. *Shock*. 2005;24(3):197-205.
92. Dalton R. Trauma trials leave ethicists uneasy. *Nature*. 2006;440(7083):390-391.
93. CRASH-2 trial collaborators. Effects of tranexamic acid on death, vascular occlusive events, and blood transfusion in trauma patients with significant haemorrhage (CRASH-2): a randomized, placebo-controlled trial. *Lancet*. 2010;376:23-32.
94. Martinowitz U, Michaelson M; The Israeli Multidisciplinary rFVIIa Task Force. Guidelines for the use of recombinant activated factor VII (rFVIIa) in uncontrolled bleeding: a report by the Israeli Multidisciplinary rFVIIa Task Force [see comment]. *J Thromb Haemost*. 2005;3(4):640-648.
95. Dutton RP, McCunn M, Hyder M, et al. Factor VIIa for correction of traumatic coagulopathy. *J Trauma*. 2004;57(4):709-718; discussion 718-719.
96. Hauser C, Boffard K, Dutton R, et al. Results of the CONTROL trial: efficacy and safety of recombinant activated factor VII in the management of refractory traumatic hemorrhage. *J Trauma*. 2010;69:489-500.
97. Levi M, Levy J, Andersen H, Truloff D. Safety of recombinant activated factor VII in randomized clinical trials. *N Engl J Med*. 2010;363:1791-800.
98. Kochanek PM, Safar PJ. Therapeutic hypothermia for severe traumatic brain injury [comment]. *JAMA*. 2003;289(22):3007-3009.
99. Shankaran S, Laptook AR, Ehrenkranz RA, et al. Whole-body hypothermia for neonates with hypoxic-ischemic encephalopathy [see comment]. *N Engl J Med*. 2005;353(15):1574-1584.
100. Wu X, Drabek T, Kochanek PM, et al. Induction of profound hypothermia for emergency preservation and resuscitation allows intact survival after cardiac arrest resulting from prolonged lethal hemorrhage and trauma in dogs. *Circulation*. 2006;113(16):1974-1982.
101. Lee SK, Pardo M, Gaba D, et al. Trauma assessment training with a patient simulator: a prospective, randomized study. *J Trauma*. 2003;55(4):651-657.
102. Holcomb JB, Dumire RD, Crommett JW, et al. Evaluation of trauma team performance using an advanced human patient simulator for resuscitation training. *J Trauma*. 2002;52(6): 1078-1085; discussion 1085-1086.
103. Cooper JB. Are simulation and didactic crisis resource management (CRM) training synergistic? [comment]. *Qual Saf Health Care*. 2004;13(6):413-414.
104. Relman DA. Bioterrorism-preparing to fight the next war [perspective]. *N Engl J Med*. 2006;354(2):113-115.
105. Born CT, DeLong WG Jr. Organizing the orthopaedic trauma association mass casualty response team. *Clin Orthop Rel Res*. 2004;422:114-116.
106. Hirshberg A, Scott BG, Granchi T, Wall MJ Jr, Mattox KL, Stein M. How does casualty load affect trauma care in urban bombing incidents? A quantitative analysis. *J Trauma*. 2005;58(4):686-693; discussion 694-695.