

Chapter 78

REFERENCES

1. Petre JH, Bazal MG, Estafanous FG. Patient transport: an organized method with direct clinical benefits. *Biomed Instrum Technol.* 1989;23:100-107.
2. Grassi LC. Life, money, and quality: the impact of regionalization on perinatal/neonatal intensive care. *Neonatal Netw.* 1988;6:53-59.
3. Shackford SR, Mackersie RC, Hoyt DB, et al. Impact of a trauma system on outcome of severely injured patients. *Arch Surg.* 1987;122:523-527.
4. Biewener A, Aschenbrenner U, Rammelt S, et al. Impact of helicopter transport and hospital level on mortality of poly-trauma patients. *J Trauma.* 2004;56:94-98.
5. Gray A, Buch S, Whiteley S. Secondary transport of the critically ill and injured adult. *Emerg Med J.* 2004;21:281-285.
6. Hurst JM, Davis K, Johnson DJ, et al. Cost and complications during in-hospital transport of critically ill patients: a prospective cohort study. *J Trauma.* 1992;33:582-585.
7. Indeck M, Peterson S, Smith J, et al. Risk, cost, and benefit of transporting ICU patients for special studies. *J Trauma.* 1988;28:1020-1025.
8. Stearly HE. Patients' outcomes: intrahospital transportation and monitoring of critically ill patients by a specially trained ICU nursing staff. *Am J Crit Care.* 1998;7:282-287.
9. Smith I, Fleming S, Cernaianu A. Mishaps during transport from the intensive care unit. *Crit Care Med.* 1990;18:278-281.
10. Szem JW, Hydo LJ, Fischer E, et al. High-risk intrahospital transport of critically ill patients: safety and outcome of the necessary "road trip." *Crit Care Med.* 1995;23:1660-1666.
11. Beckmann U, Gillies DM, Berenholtz SM, et al. Incidents relating to the intra-hospital transfer of critically ill patients. Analysis of the reports submitted to the Australian Incident Monitoring Study in Intensive Care. *Intensive Care Med.* 2004;30:1579-1585.
12. Ligtenberg JJ, Arnold LG, Stienstra Y, et al. Quality of interhospital transport of critically ill patients: a prospective audit. *Crit Care.* 2005;9:R446-R451.
13. Flabouris A, Runciman WB, Levings B. Incidents during out-of-hospital patient transportation. *Anesth Intensive Care.* 2006;34:228-236.
14. Insel J, Weissman C, Kemper M, et al. Cardiovascular changes during transport of critically ill and postoperative patients. *Crit Care Med.* 1986;14:539-542.
15. Evans A, Winslow EH. Oxygen saturation and hemodynamic response in critically ill, mechanically ventilated adults during intrahospital transport. *Am J Crit Care.* 1995;4:106-111.
16. Braman SS, Dunn SM, Amico CA, et al. Complications of intrahospital transport in critically ill patients. *Ann Intern Med.* 1987;107:469-473.
17. Bandi ES, Weeks S, Carli F. Spinal block levels and cardiovascular changes during post-cesarean transport. *Can J Anaesth.* 1999;46:736-740.
18. Taylor JO, Landers CF, Chulay JD, et al. Monitoring high-risk cardiac patients during transportation in hospital. *Lancet.* 1970;2:1205-1208.
19. Hooi H. Safety of interhospital transport of patients with acute myocardial infarction. *Emerg Med.* 1999;11:133-138.
20. Rubenstein DG, Treister NW, Kapoor AS, et al. Transfer of acutely ill cardiac patients for definitive care, demonstrated safety in 755 cases. *JAMA.* 1988;259:1695-1698.
21. Foley DS, Pranikoff T, Younger JG, et al. A review of 100 patients transported on extracorporeal life support. *ASAIO J.* 2002;48:612-619.
22. Kollef MH, Von Harz B, Pretentise D, et al. Patient transport from intensive care increases the risk of developing ventilator-associated pneumonia. *Chest.* 1997;112:765-773.
23. Waydhas C, Schneck G, Duswald KH. Deterioration of respiratory function after intra-hospital transport of critically ill patients. *Intensive Care Med.* 1995;21:784-789.
24. Marx G, Vangerow B, Hecker H, et al. Predictors of respiratory function deterioration after transfer of critically ill patients. *Intensive Care Med.* 1998;24:1157-1162.
25. Weg JG, Haas CF. Safe intrahospital transport of critically ill ventilator-dependent patients. *Chest.* 1989;96:631-635.
26. Waddell G, Scott PD, Lees NW, et al. Effects of ambulance transport in critically ill patients. *Br Med J.* 1975;1:386-389.
27. Uusaro A, Parviainen I, Takala J, et al. Safe long-distance interhospital ground transfer of critically ill patients with acute severe unstable respiratory and circulatory failure. *Intensive Care Med.* 2002;28:1122-1125.
28. Chalon J, Loew DA, Malebranche J. Effects of dry anesthetic gases on tracheobronchial ciliated epithelium. *Anesthesiology.* 1972;37:338-343.
29. Christie JM, Dethlefsen M, Cane RD. Unplanned endotracheal extubation in the intensive care unit. *J Clin Anesth.* 1996;8:289-293.

30. Coppolo DP, May JJ. Self-extubations: a 12-month experience. *Chest*. 1990;98:165-169.
31. Hatfield ML, Lang AM, Han ZQ, et al. The effect of helicopter transport on adult patients' body temperature. *Air Med J*. 1999;18:103-106.
32. Wallace PG, Ridley SA. ABC of intensive care: transport of critically ill patients. *BMJ*. 1999;319:368-371.
33. Ehrenwerth J, Sorbo S, Hackel A. Transport of critically ill patients. *Crit Care Med*. 1986;14:543-547.
34. Kreeftenberg HG, Ligtenberg JJ, Arnold LG, et al. Condition on arrival of transferred critically ill patients. *Neth J Med*. 2000;57:180-184.
35. Kanter RK, Tomkins JM. Adverse events during interhospital transport: physiologic deterioration associated with pretransport severity of illness. *Pediatrics*. 1989;84:43-48.
36. Waydhas C. Intrahospital transport of critically ill patients. *Crit Care*. 1999;3:R83-R89.
37. Slater EA, Weiss SJ, Ernst AA, et al. Preflight versus en route success and complications of rapid sequence intubation in an air medical service. *J Trauma*. 1998;45:588-592.
38. Harrison T, Thomas SH, Wedel SK. In-flight oral endotracheal intubation. *Am J Emerg Med*. 1997;15:558-561.
39. Briacombe JR, De Maio B. Emergency use of the laryngeal mask airway during hospital transfer of a neonate. *J Clin Anesth*. 1995;7:689.
40. Pattinson K, Todd I, Wyse M. A two-year review of laryngeal mask use by the Warwickshire ambulance service. *Emerg Med J*. 2004;21:397-398.
41. Warren J, Fromm RE, Orr RA, et al. Guidelines for the inter- and intrahospital transport of critically ill patients. *Crit Care Med*. 2004;32:256-262.
42. Dockery WK, Futterman C, Keller SR, et al. A comparison of manual and mechanical ventilation during pediatric transport. *Crit Care Med*. 1999;27:802-806.
43. Perez L, Klofas E, Wise L. Oxygenation/ventilation of transported intubated adult patients: a national survey of organizational practices. *Air Med J*. 2000;19:55-58.
44. Austin PN, Campbell RS, Johannigman JA, et al. Transport ventilators. *Respir Care Clin*. 2002;8:119-150.
45. Drakulovic MB, Torres A, Bauer TT, et al. Supine body position as a risk factor for nosocomial pneumonia in mechanically ventilated patients: a randomized trial. *Lancet*. 1999;354:1851-1858.
46. Bacon CL, Corriere C, Lavery RF, et al. The use of capnography in the air medical environment. *Air Med J*. 2001;20:27-29.
47. Palmon SC, Liu M, Moore LE, et al. Capnography facilitates tight control of ventilation during transport. *Crit Care Med*. 1996;24:608-611.
48. Kober A, Schubert B, Bertalanffy P, et al. Capnography in non-tracheally intubated emergency patients as an additional tool in pulse oximetry for prehospital monitoring of resuscitation. *Anesth Analg*. 2004;98:206-210.
49. Andrews PJ, Piper IR, Dearden NM, et al. Secondary insults during intrahospital transport of head-injured patients. *Lancet*. 1990;335:327-330.
50. Dorges V, Wenzel V, Dix S, et al. The effect of midazolam on stress levels during simulated emergency medical service transport: a placebo-controlled, dose-response study. *Anesth Analg*. 2002;95:417-422.
51. Devillis P, Thomas SH, Wedel SK, Stein JP, Vinci, RJ. Prehospital fentanyl in air-transported pediatric trauma patients. *Pediatr Emerg Care*. 1998;14:321-323.
52. Thomas SH, Benevelli W, Brown DF, et al. Safety of fentanyl for analgesia in adults undergoing air medical transport from trauma scenes. *Air Med J*. 1996;15:57-59.
53. Ricard-Hibon A, Chollet C, Belpomme V, et al. Epidemiology of adverse effects of prehospital sedation analgesia. *Am J Emerg Med*. 2003;21:461-466.
54. Schiff RL, Ansell DA, Schlosser JE, et al. Transfers to a public hospital. A prospective study of 467 patients. *N Engl J Med*. 1986;314:552-557.
55. Diekema DS. What is left of futility? The convergence of anencephaly and the emergency medical treatment and active labor act. *Arch Pediatr Adolesc Med*. 1995;149:1156-1159.
56. Branson RD. Intrahospital transport of critically ill mechanically ventilated patients. *Respir Care*. 1992;37:775-795.
57. Rothchild JM, Keophane CA, Cook EF, et al. A controlled trial of smart infusion pumps to improve medication safety in critically ill patients. *Crit Care Med*. 2005;33:533-540.
58. Sims N, Kinnealey ME, Hampton R, Fishman G, DeMonoco H. Drug infusion pumps in anesthesia, critical care, and pain management. In: Sandberg W, Urman R, Ehrenfeld J, eds. *The MGH Textbook of Anesthetic Equipment*. Philadelphia, PA: Saunders Elsevier; 2010.
59. Guidelines Committee of the American College of Critical Care Medicine; Society of Critical Care Medicine and American Association of Critical-Care Nurses Transfer Guidelines Task Force. Guidelines for the transfer of critically ill patients. *Crit Care Med*. 1993;21:931-937.
60. Hamman BL, Cue' JI, Miller FB, et al. Helicopter transport of trauma victims: does a physician make a difference? *J Trauma*. 1991;31:490-494.
61. Wirtz MH, Cayten CG, Kohrs DA, et al. Paramedic versus nurse crews in the helicopter transport of trauma patients. *Air Med J*. 2002;21:17-21.
62. Stubbs DA, Bucle PW, Hudson MP, Rivers PM, Baty D. Backing out: nurse wastage associated with back pain. *Int J Nurs Stud*. 1986;32:5-e36.
63. Sparkman CA. Ergonomics in the workplace. *AORN J*. 2006; 84:379-382.
64. Meittunen MS, McCormack H, Sobczak SC. Evaluation of patient transfer tasks using multiple data sources. *J Health Care Saf Compliance Inf Control*. 2000;4:13-16.
65. Barry J. The HoverMatt System for Patient Transfer. *J Nurs Adm*. 2006;36:114-117.
66. American College of Emergency Physicians. Principles of appropriate patient transfer position statement. *Ann Emerg Med*. 1990;19:337.
67. Fromm RE, Varon J. Critical care transport. *Crit Care Clin*. 2000;16:695-705.
68. Diaz MA, Hendey GW, Bivins HG. When is the helicopter faster? A comparison of helicopter and ground ambulance transport times. *J Trauma*. 2005;58:148-153.
69. Chang D-M. Intensive care air transport: the sky is the limit; or is it [editorials]? *Crit Care Med*. 2001;29:2227-2230.
70. Samuels MP. The effects of flight and altitude. *Arch Dis Child*. 2004;89:448-455.
71. Lawless N, Tobias S, Mayorga MA. FiO₂ and positive end-expiratory pressure as compensation for altitude-induced

- hypoxemia in as acute respiratory distress syndrome model: implications for air transportation of critically ill patients. *Crit Care Med.* 2001;29:2149-2155.
72. Benumof JL. Helicopter transport of patients with marginal respiratory function/status. *J Clin Anesth.* 1996;8:621.
 73. Andersson N, Grip H, Lindvall P, et al. Air transport of patients with intracranial air: computer model of pressure effects. *Aviat Space Environ Med.* 2003;74:138-144.
 74. Hansen PJ. Safe practice for our aeromedical evacuation patients. *Mil Med.* 1987;152:281-283.
 75. Fromm RE, Dellinger RP. Transport of critically ill patients. *Intensive Care Med.* 1992;7:223-233.
 76. Commission on Accreditation of Medical Transport Systems (CAMTS). Accreditation Standards of CAMTS, 8th ed. Anderson, SC, USA. www.CAMTS.org. Assessed September 21, 2010.
 77. Andrews PJ, Piper IR, Dearden NM, et al. Secondary insults during intrahospital transport of head-injured patients. *Lancet.* 1990;335:327-330.
 78. Ferdinande P. Recommendation for intra-hospital transport of the severely head injured patient. *Intensive Care Med.* 1999;25:1441-1443.
 79. Hachen HJ. Idealized care of the acute injured spinal cord in Switzerland. *J Trauma.* 1977;17:931-936.
 80. Zach GA, Seiler W, Dollfus P. Treatment results of spinal cord injury in the Swiss Paraplegic Centre of Basle. *Paraplegia.* 1976;14:58-65.
 81. Transportation of patients with acute traumatic cervical spine injuries. *Neurosurgery.* 2002;50:S18-S20.
 82. Del Rossi G, Horodyski MB, Heffernan TP, et al. Spine-board transfer techniques and the unstable cervical spine. *Spine.* 2004;29:E134-E138.
 83. Nedeltchev K, Arnold M, Brekenfeld C, et al. Pre- and in-hospital delays from stroke onset to intra-arterial thrombolysis. *Stroke.* 2003;34:1230-1234.
 84. Jones AE, Summers RL, Deschamp C, et al. A national survey of the air medical transport of high-risk obstetric patients. *Air Med J.* 2001;20:17-20.
 85. O'Brien DJ, Hooker EA, Hignite J, et al. Long-distance fixed-wing transport of obstetric patients. *South Med J.* 2004;97:816-818.
 86. Low RB, Martin D, Brown C. Emergency air transport of pregnant patients: the national experience. *J Emerg Med.* 1988;6:41-48.
 87. Crawford IW, Mackway-Jones K, Russel DR, et al. Delphi based consensus study into planning for chemical incidents. *Emerg Med J.* 2004;21:24-28.
 88. Burgess JL, Kovalchick DF, Harter L, et al. Hazardous materials events: evaluation of transport to health care facility and evacuation decisions. *Am J Emerg Med.* 2001;19:99-105.
 89. Woodward GA, Insoft RM, Pearson-Shaver AL, et al. The state of pediatric interfacility transport: consensus of the Second National Pediatric and Neonatal Interfacility Transport Medicine Leadership Conference. *Pediatr Emerg Care.* 2002;18:38-43.
 90. Vos GD, Nieman FHM, Meurs AMB, et al. Problems in inter-hospital intensive care transport in The Netherlands: results from a survey of general pediatricians. *Intensive Care Med.* 2003;29:1555-1559.
 91. Helstrom-Westas L, Hanseus K, Lundstrom N-R, et al. Long-distance transports of newborn infants with congenital heart disease. *Pediatr Cardiol.* 2001;22:380-384.
 92. Vos GD, Nissen AC, Meurs MMB, et al. Comparison of inter-hospital pediatric intensive care transport accompanied by a referring specialist or specialist retrieval team. *Intensive Care Med.* 2004;30:302-308.
 93. Hatherill M, Waggie Z, Reynolds L, et al. Transport of critically ill children in a resource-limited setting. *Intensive Care Med.* 2003;29:1547-1554.
 94. Bellingan G, Olivier T, Batson S, et al. Comparison of a specialist retrieval team with current United Kingdom practice for the transport of critically ill patients. *Intensive Care Med.* 2000;26:740-744.
 95. Goldberg RJ, Kramer DG, Yarzebski J, Lessard D, Gore JM. Prehospital transport of patients with acute myocardial infarction: a community-wide perspective. *Heart Lung.* 2008;37:266-274.
 96. Krumholz HM, Bradley EH, Nallamothu BK, et al. A campaign to improve the timeliness of primary percutaneous coronary intervention: door-to-balloon: an alliance for quality. *JACC Cardiovasc Interv.* 2008;1:97-104.
 97. Rathore SS, Curtis JP, Chewn J, et al. Association of door-to-balloon time and mortality in patients admitted to hospital with ST elevation myocardial infarction: national cohort study. *BMJ.* 2009;338:b1807.
 98. Velmahos GC, Demetriades D, Ghilardi M, Rhee P, Petrone P, Chan LS. Life support for trauma and transport: a mobile ICU for safe in-hospital transport of critically injured patients. *J Am Coll Surg.* 2004;199:62-68.
 99. Gebremichael M, Borg U, Habashi NM, et al. Interhospital transport of the extremely ill patient: the mobile intensive care unit. *Crit Care Med.* 2000;28:79-85.
 100. Sandberg WS, Daily B, Egan M, et al. Deliberate perioperative systems design improves operating room throughput. *Anesthesiology.* 2005;103:406-418.
 101. Holzmuller CG, Pronovost PJ, Dickman F, et al. Creating the web-based intensive care unit safety reporting system. *J Am Med Inform Assoc.* 2005;12:130-139.
 102. Pesanka DA, Greenhouse PK, Rack LL, et al. Ticket to ride: reducing handoff risk during hospital patient transport. *J Nurs Care Qual.* 2009;24:109-115.
 103. Billings CE. NASA aviation safety reporting system: lessons learned from voluntary incident reporting. In: *Enhancing Patient Safety and Reducing Errors.* Chicago, IL: National Patient Safety Foundation; 1999:97-100.
 104. Moss SJ, Embleton ND, Fenton AC. Towards safer neonatal transfer: the importance of critical incident review. *Arch Dis Child.* 2005;90:729-732.