

Chapter 79

REFERENCES

1. Egol A, Fromm R, Guntupalli, et al. Guidelines for intensive care unit admission discharge and triage. *Crit Care Med.* 1999;27(3):633-638.
2. Garrouste-Orageas M, Montuclard L, Timsit JF, et al. Predictors of intensive care unit refusal in French intensive care units: a multiple-center study. *Crit Care Med.* 2005;33(4):750-755.
3. Simchen E, Sprung C, Galai N, et al. Survival of critically ill patients hospitalized in and out of intensive care units under paucity of intensive care unit beds. *Crit Care Med.* 2004;32:1654-1661.
4. Nathens A, Curtis J, Beale RJ, et al. Management of the critically ill patient with severe acute pancreatitis. *Crit Care Med.* 2004;32:2524-2536.
5. Society of Critical Care Medicine Ethics Committee. Consensus statement on the triage of critically ill patients. *JAMA.* 1994;271(15):1200-1203.
6. Beckman U, Gillies DM, Berenholtz SM, Wu AW, Pronovost P. Incidents relating to the intra-hospital transfer of critically ill patients. *Intensive Care Med.* 2004;30:1579-1585.
7. Uusaro A, Parvainen I, Takala J, Ruokonen E. Safe long-distance interhospital ground transfer of critically ill patients with acute severe unstable respiratory and circulatory failure. *Intensive Care Med.* 2002;28:1122-1125.
8. Braman SS, Dunn SM, Amico CA, Millman RP. Complications during intrahospital transport in critically ill patients. *Ann Intern Med.* 1987;107:469-473.
9. Braxton CC, Reilly PM, Schwab CW. The traveling intensive care unit patient: road trips. *Surg Clin North Am.* 2000;80(3):949-956.
10. American College of Critical Care Medicine. Guidelines for the transfer of critically ill patients. *Am J Crit Care.* 1993;2(3):189-195.
11. Fanara B, Manzon C, Barbot O. Recommendations for the intra-hospital transport of Critically ill patients. *Crit Care* 2010,14:R87.
12. Novaes MA, Knobel E, Bork AM, et al. Stressors in ICU: perception of the patient, relatives and healthcare team. *Intensive Care Med.* 1999; 25:1421-1426.
13. Desbiens NA, Wu AW, Broste SK, et al. Pain and satisfaction with pain control in seriously ill hospitalized adults: findings from the SUPPORT research investigators. *Crit Care Med.* 1996; 24:1953-1961.
14. Wu CL, Cohen SR, Richman JM, et al. Efficacy of postoperative patient-controlled and continuous infusion epidural analgesia versus intravenous patient-controlled analgesia with opioids: a meta-analysis. *Anesthesiology.* 2005;103(5):1079-1088.
15. Girard TD, Jackson JC, Pandharipande PP, et al. Delirium in the intensive care unit. *Crit Care.* 2008;12(3 Suppl):S3.
16. Devlin JW, Fong JJ, Fraser GL, Riker RR. Delirium assessment in the critically ill. *Intensive Care Med.* 2007;33:929-940.
17. Carrasco G. Instruments for monitoring intensive care unit sedation. *Crit Care Med.* 2000;4:217-225.
18. Bleck TP, Smith MC, et al. Neurological complications of critical medical illness. *Crit Care Med.* 1993;21:98-103.
19. Mirski MA, Varelas PA. Diagnosis and treatment of seizures in the adult intensive care unit. *Cont Crit Care.* 2003;1(4):1-12.
20. Bolton CF, Gilbert JJ, Hahn AF, Sibbald WJ. Polyneuropathy in critically ill patients. *J Neurol Neurosurg Psychiatry.* 1984;47:1223-1231.
21. Latronico N, Fenzi F, et al. Critical illness myopathy and neuropathy. *Lancet.* 1996;347:1579-1582.
22. Behbehani NA, Al-Mane F, D'Yachkova Y, Pare P, FitzGerald JM. Myopathy following mechanical ventilation for acute severe asthma: the role of muscle relaxants and corticosteroids [see comment]. *Chest.* 1999;115(6):1627-1631.
23. van den Berghe G, Wouters P, et al. Intensive insulin therapy in the critically ill patients. *N Engl J Med.* 2001;345:1359-1367.
24. MacIntyre NR. Current issues in mechanical ventilation for respiratory therapy. *Chest.* 2006;128(Suppl):561S-567S.
25. Ferrer M. Non-invasive ventilation as a weaning tool. *Minerva Anesthesiol.* 2005;71:243-247.
26. NIH ARDS Network. Ventilation with lower tidal volumes as compared to traditional tidal volumes in acute lung injury and acute respiratory distress syndrome. *N Engl J Med.* 2000;342:1301-1308.
27. NIH News Release: the FACTT Trial: May 21, 2006. <http://www.nhlbi.nih.gov/new/press/06-05-22.htm>.
28. Connors AF, Speroff T, Dawson NV, et al. The effectiveness of right heart catheterization in the initial care of critically ill patients. SUPPORT Investigators. *JAMA.* 1996;276:889-897.
29. Atlee J. *Dysrhythmias and Pacemakers.* Philadelphia, PA: WB Saunders; 1996:25-104.
30. Atlee J. Perioperative cardiac dysrhythmias: diagnosis and management. *Anesthesiology.* 1997(6);86:P1397-P1424.
31. Hebban AK, Hueston WJ. Management of common dysrhythmias: Part II. Ventricular dysrhythmias and dysrhythmias in special populations. *Am Fam Physician.* 2002;65:249-246.

32. Schulze RA, Strauss HW, Pitt B. Sudden death in the year following myocardial infarction. *Am J Med.* 1977;62:192-199.
33. Bigger JT, Fleiss JL, Kleiger R, Miller JP, Rolnitzky LM. The relationships among ventricular dysrhythmias, left ventricular dysfunction, and mortality in the two years after myocardial infarction. *Circulation.* 1984;69:250-258.
34. Jahangiri M, Weir G, Mandal K, Savelieva I, Camm J. Current strategies in the management of atrial fibrillation. *Ann Thorac Surg.* 2006;82:357-364.
35. Hébert PC, Wells G, et al. A multicenter, randomized, controlled clinical trial of transfusion requirements in critical care. *N Engl J Med.* 1999;340(6):409-417.
36. Hébert PC, Yetisir E, et al. Is low transfusion threshold safe in critically ill patients with cardiovascular diseases? *Crit Care Med.* 2001;29(2):227-234.
37. Wu W-C, Rathore SS, et al. Blood transfusion in elderly patients with acute myocardial infarction. *N Engl J Med.* 2001;345(17):1230-1236.
38. Rao SV, Jollis JG, et al. Relationship of blood transfusion and clinical outcomes in patients with acute coronary syndrome. *JAMA.* 2005;292(13):1555-1562.
39. Napolitano LM, Kurek S, Luchette FA, Corwin HL. Clinical practice guideline: red blood cell transfusion in adult trauma and critical care. *Crit Care Med.* 2009;37(12):3124-3157.
40. Hess JR. The coagulopathy of trauma versus disseminated intravascular coagulation. *J Trauma.* 2006;60:S12-S19.
41. Cosgriff N. Predicting life threatening coagulopathy in the massively transfused trauma patient: hypothermia and acidosis revisited. *J Trauma.* 1997;42(5):857-862.
42. Boldt J. Are lactated Ringer's solution and normal saline solution equal with regard to coagulation? *Anesth Analg.* 2002;94:378-384.
43. Ruttman TG. Effects of intravascular crystalloid or colloid in patients undergoing peripheral vascular surgery. *Br J Anaesth.* 2002;89:266-230.
44. Ng KFJ. In vivo effect of haemodilution with saline on coagulation: a randomized controlled trial. *Br J Anaesth.* 2002;88:475-480.
45. Clearmont G. Renal failure in the ICU: comparison of the impact of acute renal failure and end-stage renal disease on ICU outcomes. *Kidney Int.* 2002;62:986-996.
46. de Mendonça A, Vincent JL, Suter PM, et al. Acute renal failure in the ICU: risk factors and outcome evaluated by the SOFA Score. *Intensive Care Med.* 2000;26:915-921.
47. Tepel M, van der Giet M, Schwarzfeld C, Laufer U, Liermann D, Zidek W. Prevention of radiographic-contrast-agent-induced reductions in renal function by acetylcysteine. *N Engl J Med.* 2000;343(3):180-184.
48. Merten GJ, Burgess WP, Gray LV, et al. Prevention of contrast-induced nephropathy with sodium bicarbonate. *JAMA.* 2004;291(19):2328-2334.
49. Kellum JA, Decker JM. Use of dopamine in acute renal failure: a meta-analysis. *Crit Care Med.* 2001;29(8):1526-1531.
50. Bagshaw SM, Mortis G, Doig CJ, Godinez-Luna T, Fick GH, Laupland KB. One year mortality in critically ill patients by severity of kidney dysfunction. *Am J Kidney Dis.* 2006;48:402-409.
51. Clermont G, Acker CG, Angus DC. Renal failure in the ICU: Comparison of the impact of acute renal failure and end-stage renal disease on ICU outcomes. *Kid International* (2002) 62, 986-996.
52. Gangji A.S. Benefit of continuous renal replacement therapy in subgroups of acutely ill patients: a retrospective analysis. *Clin Nephrol.* 2005;63(4):267-275.
53. van den Berghe G, et al. Intensive insulin therapy in the critically ill patients. *N Engl J Med.* 2001;8;345(19):1359-1367.
54. Fraser CG, Preuss FS, Bigford WD. Adrenal atrophy and irreversible shock associated with cortisone therapy. *JAMA.* 1952;149:1542-1543.
55. Lamberts SWJ, Bruining HA, De Jong FH. Corticosteroid therapy in severe illness. *N Engl J Med.* 1997;337(18):1285-1292.
56. Michaels RK, Berenholtz SM. Improving care of the patient with severe sepsis and septic shock. *Contemp Crit Care.* 2005;(3)5 Oct 2005.
57. Annane D, Sebille V, Charpentier C, et al. Effect of treatment with low doses of hydrocortisone and fludrocortisone on mortality in patients with septic shock.[see comment]. *JAMA.* 2002;288(7):862-871.
58. Sprung CL, Annane D, Keh D, Moreno R. Hydrocortisone therapy for patients with septic shock. *N Engl J Med.* 2008;358(2):111-124.
59. Holmes CL, Patel BM, Russell JA, Walley KR. Physiology of vasopressin relevant to management of septic shock. *Chest.* 2001;120:989-1002.
60. Russell JA, Walley KR, Singer J, Gordon AC. Vasopressin versus norepinephrine infusion in patients with septic shock. *N Engl J Med.* 2008;358(9):877-887.
61. CDC. MMWR 1992;41(42):783-787.
62. Mermel LA. Prevention of intravascular catheter-related infections. *Ann Intern Med.* 2000;132(5):391-402.
63. Zurcher M, Tramer MR, Walder B, et al. Colonization and bloodstream infection with single- versus multi-lumen central venous catheters: a quantitative systematic review. *Anesth Analg.* 2004;99(1):177-182.
64. Vorder Bruegge WF, Peura DA, et al. Stress-related mucosal damage: review of drug therapy. *J Clin Gastroenterol.* 1990;12 (2 Suppl):S35-S40.
65. Gutt CN, Oniu T, Wolkener F, Mehrabi A, Mistry S, Buchler MW. Prophylaxis and treatment of deep vein thrombosis in general surgery. *Am J Surg.* 2005;189(1):14-22.