

Chapter 81

REFERENCES

1. Colice GL. History of mechanical ventilation. In: Tobin MJ, ed. *Principles and Practice of Mechanical Ventilation*. 2nd ed. New York: McGraw-Hill; 2006:1-36.
2. Slutsky AS. Mechanical ventilation. American College of Chest Physicians' Consensus Conference. *Chest*. 1993;104:1833-1862.
3. Esteban A, Anzueto A, Alia I, et al. How is mechanical ventilation employed in the intensive care unit? An international review. *Am J Respir Crit Care Med*. 2000;161:1450-1459.
4. Kacmarek RM, Dimas S, Mack C. *Essentials of Respiratory Care*. 4th ed. St. Louis, MO: Elsevier; 2005.
5. Hess DR, MacIntyre NR, Mishoe SC, Galvin WF, Adams AB, Saposnick AB. *Respiratory Care: Principles and Practice*. Philadelphia: WB Saunders; 2002.
6. Williams P, Muelver M, Kratochvil J, et al. Pressure support and pressure assist/control are there differences? An evaluation of the newest ICU ventilators. *Respir Care*. 2000;45:1169-1181.
7. Branson RD, Campbell RS, Davis K, Johannigman JA, Johnson DJ, Hurst JM. Altering flow rate during maximum pressure support ventilation (PSV_{max}): effect on cardiorespiratory function. *Respir Care*. 1990;35:1056-1069.
8. Parthasarathy S, Jubran A, Tobin MJ. Cycling of inspiratory and expiratory muscle groups with the ventilator in airflow limitation. *Am J Respir Crit Care Med*. 1998;158:1471-1478.
9. Branson RD, Campbell RS. Pressure support ventilation, patient-ventilatory synchrony and ventilator algorithms. *Respir Care*. 1998;43:1045-1053.
10. Wilkens RL, Stoller JK, Scanlan CL. *Egan's Fundamentals of Respiratory Care*. 8th ed. St. Louis, MO: Mosby; 2003:972.
11. Marini JJ, Smith TC, Lamb VJ. External work output and force generation during synchronized intermittent mechanical ventilation. *Am Rev Respir Dis*. 1988;138:1169-1177.
12. Imsand C, Feihl F, Perret C, Fitting JW. Regulation of inspiratory neuromuscular output during synchronized intermittent mechanical ventilation. *Anesthesiology*. 1994;80:13-22.
13. Jaber S, Delay JM, Matecki S, Sebbane M, Eledjam JJ, Brochard L. Volume-guaranteed pressure-support ventilation facing acute changes in ventilatory demand. *Intensive Care Med*. 2005;31:1181-1188.
14. Piotrowski A, Sobala W, Kawczynski P. Patient-initiated, pressure-regulated, volume-controlled ventilation compared with intermittent mandatory ventilation in neonates: a prospective, randomised study. *Intensive Care Med*. 1987;23:975-981.
15. Randolph AG, Wypig D, Venkataraman S, et al. Effect of mechanical ventilator weaning protocols on respiratory outcomes in infants and children: a randomized controlled trial. *JAMA*. 2002;288:2561-2568.
16. Camball RS, Branson RD, Johannigman JA. Adaptive support ventilation. *Respir Care Clin N Am*. 2001;3:425-440.
17. Devine BJ. Gentamicin Therapy. *Drug Intell Clin Pharm*. 1974;8:650-655.
18. Otis AB, Fenn WD, Rahn H. Mechanics of breathing in man. *J Appl Physiol*. 1950;2:592-607.
19. Cassina T, Chiolero R, Mauri R, Revelly JP. Clinical experience with adaptive support ventilation for fast-track cardiac surgery. *J Cardiothorac Vasc Anesth*. 2003;17:571-575.
20. Sulzer CF, Chiolero R, Chassot PG, et al. Adaptive support ventilation for fast tracheal extubation after cardiac surgery. *Anesthesiology*. 2001;95:1339-1345.
21. Arnal JM, Wysocki M, Nafati C, et al. Automatic selection of breathing pattern using adaptive support ventilation. *Intensive Care Med*. 2008;34:75-81.
22. Sulemanji D, Marchese A, Garbarini P, et al. Adaptive support ventilation: an appropriate mechanical ventilation strategy for acute respiratory distress syndrome? *Anesthesiology*. 2009;111:863-870.
23. Gutman J, Eberhard L, Fabry B. Continuous calculation of intratracheal pressure in tracheally intubated patients. *Anesthesiology*. 1993;79:503-511.
24. Fabry B, Haberthur C, Zappe D. Breathing pattern and additional work of breathing in spontaneously breathing patients with different ventilatory demands during inspiratory pressure support and automatic tube compensation. *Intensive Care Med*. 1997;23:545-552.
25. Younes M. Proportional assist ventilation, a new approach to ventilatory support. *Am Rev Respir Dis*. 1992;145:114-120.
26. Grasso S, Ranieri VM. Proportional assist ventilation. *Respir Care Clin N Am*. 2001;3:465-473.
27. Hart N, Hunt A, Polkey MI, Fauroux B, Lofaso F, Simonds, AK. Comparison of proportional assist ventilation and pressure support ventilation in chronic respiratory failure due to neuromuscular and chest wall deformity. *Thorax*. 2002;57:979-981.
28. Ranieri VM, Giuliani R, Mascia L, et al. Patient-ventilator interaction during acute hypercapnia: pressure-support vs. proportional-assist ventilation. *J Appl Physiol*. 1996;81:426-436.

29. Kondili E, Prinianakis G, Alexopoulou C, et al. Respiratory load compensation during mechanical ventilation—proportional assist ventilation with load-adjustable gain factors versus pressure support. *Intensive Care Med.* 2006;32:692-699.
30. Xirouchaki N, Kondili E, Vaporidi K, et al. Proportional assist ventilation with load-adjustable gain factors in critically ill patients: comparison with pressure support. *Intensive Care Med.* 2008;34:2026-2034.
31. Bosma K, Ferreyra Gabriela, Ambrogio C, et al. Patient-ventilator interaction and sleep in mechanically ventilated patients: pressure support versus proportional assist ventilation. *Crit Care Med.* 2007;35:1048-1054.
32. Serra A, Polese G, Braggion C, Rossi A. Non-invasive proportional assist and pressure support ventilation in patients with cystic fibrosis and chronic respiratory failure. *Thorax.* 2002;57:50-54.
33. Polese G, Vitacca M, Bianchi L, Rossi A, Ambrosino N. Nasal proportional assist ventilation unloads the inspiratory muscles of stable patients with hypercapnia due to COPD. *Eur Respir J.* 2000;16:491-498.
34. Sinderby C, Navalesi P, Beck J, et al. Neural control of mechanical ventilation in respiratory failure. *Nat Med.* 1999;5:1433-1436.
35. Beck J, Reilly M, Grasselli G, et al. Patient-ventilator interaction during neurally adjusted ventilatory assist in low birth weight infants. *Pediatr Res.* 2009;65:663-668.
36. Colombo D, Cammarota G, Bergamaschi V, et al. Physiologic response to varying levels of pressure support and neurally adjusted ventilatory assist in patients with acute respiratory failure. *Intensive Care Med.* 2008;34:2010-2018.
37. Stock MC, Downs JB, Frolicher DA. Airway pressure release ventilation. *Crit Care Med.* 1987;15:462-466.
38. Downs JB, Stock MC. Airway pressure release ventilation: a new concept in ventilatory support. *Crit Care Med.* 1987;15:459-461.
39. Putensen C, Zech S, Wrigge H, et al. Long-term effects of spontaneous breathing during ventilatory support in patients with acute lung injury. *Am J Respir Crit Care Med.* 2001;164:43-49.
40. Newman P, Golisch J, Strohmeyer A, Buscher H, Burchardi H, Sydow M. Influence of different release times on spontaneous breathing pattern during pressure release ventilation. *Intensive Care Med.* 2002;28:1742.
41. McIntyre NR, McConnell R, Cheng KC, Sane A. Patient-ventilator flow dyssynchrony: flow-limited versus pressure-limited breaths. *Crit Care Med.* 1997;25:1671-1677.
42. Chatbrun RL. Mechanical ventilators. In: Branson RD, Hess DR, Chatburn RL, eds. *Respiratory Care Equipment*. 2nd ed. St. Louis, MO: Lippincott; 1999.
43. Goulet R, Hess D, Kacmarek RM. Pressure vs. flow triggering during pressure support ventilation. *Chest.* 1997;111:1649-1654.
44. Pepe PE, Marini JJ. Occult positive end-expiratory pressure in mechanically ventilated patients with airflow obstruction: the auto-PEEP effect. *Am Rev Respir Dis.* 1982;126:166-170.
45. Smith TC, Marini JJ. Impact of PEEP on lung mechanics and work of breathing in severe airflow obstruction. *J Appl Phys.* 1988;64:1488-1496.
46. Marini JJ, Rodrigues RM, Lamb V. The inspiratory workload of patient-initiated mechanical ventilation. *Am Rev Respir Dis.* 1986;134:902-909.
47. Hess D, Kacmarek RM. *Essentials of Mechanical Ventilation*. 2nd ed. New York: McGraw-Hill; 2002.
48. Fernandez R, Mendez M, Younes M. Effect of ventilator flow rate on respiratory timing in normal humans. *Am J Respir Crit Care Med.* 1999;159:710-719.
49. Mang H, Kacmarek RM, Ritz R, et al. Cardiorespiratory effects of volume- and pressure-controlled ventilation at various I/E ratios in an acute lung injury model. *Am J Respir Crit Care Med.* 1995;151:731-736.
50. Munoz J, Guerrero JE, Escalante JL, et al. Pressure-controlled ventilation versus controlled mechanical ventilation with decelerating inspiratory flow. *Crit Care Med.* 1993;21:1143-1148.
51. Dreyfuss D, Saumon G. Ventilator-induced lung injury: lessons from experimental studies. *Am J Respir Crit Care Med.* 1998;157:294-323.
52. Brun-Buisson C, Minelli C, Bertolini G, et al. Epidemiology and outcome of acute lung injury in European intensive care units. Results from the ALIVE Study. *Intensive Care Med.* 2004;30:51-61.
53. Tenney SM, Remmers JE. Comparative quantitative morphology of the mammalian lung: diffusing area. *Nature.* 1963;197:54-56.
54. Gajic O, Dara SI, Mendez JL, et al. Ventilator associated lung injury in patients without acute lung injury at the onset of mechanical ventilation. *Crit Care Med.* 2004;32:1817-1824.
55. The Acute Respiratory Distress Syndrome Network. Ventilation with lower tidal volumes as compared with traditional tidal volumes for acute lung injury and the acute respiratory distress syndrome. *N Engl J Med.* 2000;342:1301-1308.
56. Marini J. Relative importance of stretch and shear in ventilator-induced lung injury. *Crit Care Med.* 2004;32:302-304.
57. Talmor D, Sarge T, Malhotra A, et al. Mechanical ventilation guided by esophageal pressure in acute lung injury. *N Engl J Med.* 2008;359:2095-2104.
58. Chao D, Scheinhorn DJ, Stearn-Hassenpflug M. Patient-ventilator trigger asynchrony in prolonged mechanical ventilation. *Chest.* 1997;112:1592-1599.
59. Lethermann JW, Ravenscraft SA. Low measured auto-positive end expiratory pressure during mechanical ventilation of patients with severe asthma: hidden auto-PEEP. *Crit Care Med.* 1996;24:541-546.
60. Fabry BE, Guttmann J, Eberhard LE, Bauer T, Habertur C, Wolff G. An analysis of desynchronization between the spontaneously breathing patient and ventilator during inspiratory pressure support. *Chest.* 1995;107:1387-1384.
61. Laffey J, Kavanagh BP. Permissive hypercapnia. In: Tobin MJ. *Principles and Practice of Mechanical Ventilation*. 2nd ed. New York: McGraw-Hill; 2006:373.
62. Hickling KG. Permissive hypercapnia. *Respir Care Clin North Am.* 2002;8:155-169.
63. Kregenow DA, Swenson ER. The lung and carbon dioxide: implications for permissive and therapeutic hypercapnia. *Eur Respir J.* 2002;20:6-11.
64. Webb HH, Tierney D. Experimental pulmonary edema due to intermittent positive pressure ventilation, with high inflation pressures, protection by positive end-expiratory pressure. *Am Rev Respir Dis.* 1974;110:556-565.
65. Dreyfuss D, Soler P, Saumon G. Mechanical ventilation-induced pulmonary edema: interaction with previous lung alterations. *Am J Respir Crit Care Med.* 1995;151:1568-1575.
66. Dreyfuss D, Basset G, Soler P, Saumon G. Intermittent positive-pressure hyperventilation with high inflation pressures

- produces pulmonary microvascular injury in rats. *Am Rev Respir Dis.* 1985;132:880-884.
67. Parker JC, Hernandez LA, Longenecker GL, et al. Lung edema caused by high peak inspiratory pressures in dogs. *Am Rev Respir Dis.* 1990;142:321-328.
 68. Hernandez LA, Coker PJ, May S. Mechanical ventilation increases microvascular permeability in oleic acid-injured lungs. *J Appl Physiol.* 1990;69:2057-2061.
 69. Egan A. Lung inflation, lung solute permeability, and alveolar edema. *J Appl Physiol.* 1982;53:121-125.
 70. Kolobow T, Moretti MP, Fumagalli R, et al. Severe impairment in lung function induced by high peak airway pressure during mechanical ventilation. *Am Rev Respir Dis.* 1987;135:312-315.
 71. Corbridge TC, Wood DH, Crawford GP. Adverse effects of large tidal volume and low PEEP in canine acid aspiration. *Am Rev Respir Dis.* 1990;142:311-315.
 72. Slutsky A, Tremblay L. Multiple organ system failure: is mechanical ventilation a contributing factor? *Am Rev Resp Crit Care Med.* 1998;157:1721-1725.
 73. Tremblay L, Valenza F, Riberiro S, et al. Injurious ventilatory strategies increases cytokines and c-fos mRNA expression in an isolated rat lung model. *J Clin Invest.* 1997;99:944-952.
 74. Bethmann AN, Brasch F, Nusing R, et al. Hyperventilation induces release of cytokines from perfused mouse lung. *Am J Respir Crit Care Med.* 1998;157:263-272.
 75. Imai Y, Kawawo T, Miyasaka K, et al. Inflammatory chemical mediators during conventional ventilation and during high frequency oscillatory ventilation. *Am J Respir Crit Care Med.* 1994;180:1550-1554.
 76. Takata M, Abe J, Tanaka H, et al. Intraalveolar expression of tumor necrosis factor alpha gene during conventional and high-frequency ventilation. *Am J Respir Crit Care Med.* 1997;156:272-279.
 77. Ranieri VM, Tortorella D, DeTullio R, et al. Limitation of mechanical lung stress decreased BAL cytokines in patients with ARDS. *JAMA.* 1999;282:54-61.
 78. Chu EK, Whitehead T, Slutsky AS. Effects of cyclic opening and closing, and low and high volume ventilation on broncho-alveolar lavage cytokines. *Crit Care Med.* 2004;32:168-174.
 79. Dreyfuss D, Saumon G. From ventilator-induced lung injury to multiple organ dysfunction? *Intensive Care Med.* 1998;24:102-104.
 80. Hotchkiss JR, Blanch LL, Murias G, et al. Effects of increased respiratory frequency on ventilator induced lung injury. *Am J Resp Crit Care Med.* 2000;161:463-468.
 81. Broccard A, Vannay C, Feihl F, et al. Impact of low pulmonary vascular pressure on ventilator-induced lung injury. *Crit Care Med.* 2002;30:2183-2190.
 82. Parker JC, Hernandez LA, Peevy KJ. Mechanisms of ventilator-induced lung injury. *Crit Care Med.* 1993;21:131-143.
 83. Broccard A, Shapiro R, Schmitz L, et al. Prone positioning attenuates and redistributes ventilator-induced lung injury in dogs. *Crit Care Med.* 2000;28:2295-2303.
 84. Suzuki S, Hotchkiss JR, Marini JJ, et al. Effect of body temperature on ventilator-induced lung injury. *Crit Care Med.* 2000;161:463-468.
 85. Sinclair SE, Kregenow DA, Lamm WJ, et al. Hypercapnic acidosis is protective in an in vivo model of ventilator-induced lung injury. *Am J Respir Crit Care Med.* 2002;166:403-408.
 86. Amato MBP, Barbas CSV, Medeiros DM, et al. Effect of a protective-ventilation strategy on mortality in the acute respiratory distress syndrome. *N Engl J Med.* 1998;338:347-354.
 87. Villar J, Kacmarek RM, Perez-Mendez L, Aguirre-Jaime A, for the ARIES Network. A high positive end-expiratory pressure, low tidal volume ventilatory strategy improves outcome in persistent acute respiratory distress syndrome: a randomized, controlled trial. *Crit Care Med.* 2006;34:1311-1318.
 88. Fernandez-Perez ER, Keegan MT, Brown DR, Hubmayr RD, Gajic O. Intraoperative tidal volume as a risk factor for respiratory failure after pneumonectomy. *Anesthesiology.* 2006;105:14-18.
 89. Gajic O, Frutos-Vivar F, Esteban A, Hubmayr RD, Anzueto A. Ventilator settings as a risk factor for acute respiratory distress syndrome in mechanically ventilated patients. *Intensive Care Med.* 2005;31:922-926.
 90. Brower RG, Lanken PN, MacIntyre N, et al. National Heart, Lung, and Blood Institute ARDS Clinical Trials Network. Higher versus lower positive end-expiratory pressures in patients with the acute respiratory distress syndrome. *N Engl J Med.* 2004;351:327-336.
 91. Downs JB, Klein EF, Modell JH. The effect of incremental PEEP on Pao₂ in patients with respiratory failure. *Anesth Analg.* 1973;52:210-215.
 92. Mercat A, Richard JC, Vielle B, et al. Positive end-expiratory pressure setting in adults with acute lung injury and acute respiratory distress syndrome. *JAMA.* 2008;299:646-655.
 93. Meade MO, Cook DJ, Guyatt GH, et al. Ventilation strategy using low tidal volumes, recruitment maneuvers, and high positive end-expiratory pressure for acute lung injury and acute respiratory distress syndrome. *JAMA.* 2008;299:637-645.
 94. Phoenix SI, Paravastu S, Columb M, et al. Does a higher positive end expiratory pressure decrease mortality in acute respiratory distress syndrome? *Anesthesiology.* 2009;110:1098-1105.
 95. Briel M, Meade M, Mercat A, et al. Higher vs lower positive end-expiratory pressure in patients with acute lung injury and acute respiratory distress syndrome: systematic review and meta-analysis. *JAMA.* 2010;303:865-873.
 96. Hickling KD. Best compliance during a decremental, but not incremental, positive end-expiratory pressure trial is related to open-lung positive end-expiratory pressure: a mathematical model of acute respiratory distress syndrome lung. *Am J Respir Crit Care Med.* 2001;163:69-78.
 97. Tugrul A, Akinci O, Ozcan PE, et al. Effects of sustained inflation and postinflation positive end-expiratory pressure in acute respiratory distress syndrome: focusing on pulmonary and extrapulmonary forms. *Crit Care Med.* 2003;31:738-744.
 98. Borges JB, Okamoto V, Gustavo M, et al. Reversibility of lung collapse and hypoxemia in early acute respiratory distress syndrome. *Am J Respir Crit Care Med.* 2006;174:268-278.
 99. Girgis K, Hamed H, Khater Y, Kacmarek RM. A decremental PEEP trial identifies the PEEP level that maintains oxygenation post lung recruitment. *Respir Care.* 2006;51:1132-1139.
 100. Gerig HJ, Schnider T, Heidegger T. Prophylactic percutaneous transtracheal catheterization in the management of patients with anticipated difficult airways: a case series. *Anaesthesia.* 2005;60:801-805.
 101. Bacher A, Pichler K, Aloy A. Supraglottic combined frequency jet ventilation versus subglottic monofrequent jet ventilation in patients undergoing microlaryngeal surgery. *Anesth Analg.* 2000;90:460-462.
 102. Gulleth Y, Spiro J. Percutaneous transtracheal jet ventilation in head and neck surgery. *Arch Otolaryngol Head Neck Surg.* 2005;131:886-890.
 103. Bollen CW, Uiterwaal CSPM, van Vught AJ. Cumulative meta-analysis of high-frequency versus conventional ventilation in

- premature neonates. *Am J Respir Crit Care Med.* 2003;168:1150-1155.
104. Arnold J, Anas N, Lockett P, et al. High-frequency oscillatory ventilation in pediatric respiratory failure: a multicenter experience. *Crit Care Med.* 2000;28:3913-3919.
 105. Derdak S, Mehta S, Stewart TE, et al. High-frequency oscillatory ventilation for acute respiratory distress syndrome in adults: a randomized, controlled trial. *Am J Respir Crit Care Med.* 2002;166:801-808.
 106. Bollen CW, Well G, Sherry T, et al. High frequency oscillatory ventilation compared with conventional mechanical ventilation in adult respiratory distress syndrome: a randomized controlled trial [ISRCTN2422669]. *Crit Care.* 2005;9:R430-R439.
 107. Mentzelopoulos SD, Malachias S, Tzoufi M, et al. High frequency oscillation and tracheal gas insufflation for severe acute respiratory distress syndrome. *Intensive Care Med.* 2007;33:S142.
 108. Sud S, Sud M, Friedrich JO, et al. High frequency oscillation in patients with acute lung injury and acute respiratory distress syndrome (ARDS): systematic review and meta-analysis. *BMJ.* 2010;340:c2327.
 109. Lucangelo U, Zin W, Antonaglia, et al. High-frequency percussive ventilation during surgical bronchial repair in a patient with one lung. *Br J Anaesth.* 2006;96:533-536.
 110. Velmahos G, Chan L, Tatevossian R, et al. High-frequency percussive ventilation improves oxygenation in patients with ARDS. *Chest.* 1999;116:440-446.
 111. Hurst JM, Branson RD, David K, et al. Comparison of conventional mechanical ventilation and high-frequency ventilation: a prospective, randomized trial in patients with respiratory failure. *Ann Surg.* 1990;211:486-491.
 112. Chatte G, Sab JM, Dubois JM, et al. Prone position in mechanically ventilated patients with severe acute respiratory failure. *Am J Respir Crit Care Med.* 1997;155:473-478.
 113. Gattinoni L, Tognoni G, Pesenti A, et al. Effect of prone positioning on the survival of patients with acute respiratory failure. *N Engl J Med.* 2001;345:568-573.
 114. Mancebo J, Fernandez R, Blanch L, et al. A multicenter trial of prolonged prone ventilation in severe acute respiratory distress syndrome. *Am J Respir Crit Care Med.* 2006;173:1233-1239.
 115. Taccone P, Pesenti A, Latini R, et al. Prone positioning in patients with moderate and severe acute respiratory distress syndrome: a randomized controlled trial. *JAMA.* 2009;302:1977-1984.
 116. Sud S, Friedrich JO, Taccone P, et al. Prone ventilation reduces mortality in patients with acute respiratory failure and severe hypoxemia: systematic review and meta-analysis. *Intensive Care Med.* 2010;36:585-599.
 117. Davis K, Johnson DJ. Effects of anesthesia and surgery on the respiratory system. In: Pierson DJ, Kacmarek RM, eds. *Foundations of Respiratory Care.* New York: Churchill Livingstone; 1992:389-395.
 118. Nava S, Ambrosino N, Clini E, et al. Noninvasive mechanical ventilation in the weaning of patients with respiratory failure due to chronic obstructive pulmonary disease. *Ann Intern Med.* 1998;128:721-728.
 119. Girault C, Daudenthun I, Chevron V, et al. Noninvasive ventilation as a systematic extubation and weaning technique in acute-on-chronic respiratory failure. *Am J Respir Crit Care Med.* 1999;160:86-92.
 120. Ferrer M, Esquinas A, Arancibia F, et al. Noninvasive ventilation during persistent weaning failure. *Am J Respir Crit Care Med.* 2003;168:70-76.
 121. Papazian L, Forel JM, Gacouin A, et al. Neuromuscular blockers in early acute respiratory distress syndrome. *N Engl J Med.* 2010;363:1107-1116.
 122. Slutsky AS. Neuromuscular blocking agents in ARDS. *N Engl J Med.* 2010;363:1176-1180.
 123. Forel JM, Roch A, Marin V, et al. Neuromuscular blocking agents decrease inflammatory response in patients presenting with acute respiratory distress syndrome. *Crit Care Med.* 2006;34:2749-2757.
 124. Evidence-based guidelines for weaning and discontinuing ventilatory support: a collective task force facilitated by the American College of Chest Physicians; the American Association for Respiratory Care; and the American College of Critical Care Medicine. *Chest.* 2001;120:375S-395S.
 125. Ely WE. The utility of weaning protocols to expedite liberation from mechanical ventilation. *Respir Care Clin N Am.* 2000;6:303-319.
 126. Brochard L, Mancebo J, Wysocki, M, et al. Noninvasive ventilation for acute exacerbations of chronic obstructive pulmonary disease. *N Engl J Med.* 1995;333:817-822.
 127. Girou E, Schortgen F, Delclaux C, et al. Association of noninvasive ventilation with nosocomial infections and survival in critically ill patients. *JAMA.* 2000;284:2361-2367.
 128. Auriant I, Jallot A, Herve P, et al. Noninvasive ventilation reduces mortality in acute respiratory failure following lung resection. *Am J Respir Crit Care Med.* 2001;164:1231-1235.
 129. Stock MD, Downs JB, Gauer PK, et al. Prevention of postoperative pulmonary complications with CPAP, incentive spirometry, and conservative therapy. *Chest.* 1985;87:151-157.
 130. Dehaven CB, Hurst JM, Branson RD. Postextubation failure treated with a continuous positive pressure airway mask. *Crit Care Med.* 1985;13:46-48.
 131. Lindner KH, Lotz P, Ahnefeld FW. Continuous positive airway pressure effect on functional residual capacity, vital capacity and its subdivisions. *Chest.* 1987;92:66-70.
 132. Rusca M, Proitti S, Schnyder P, et al. Prevention of atelectasis formation during induction of general anesthesia. *Anesth Analg.* 2003;97:1835-1839.
 133. Squadrone V, Coxa M, Cerutti E, et al. Continuous positive airway pressure for treatment of postoperative hypoxemia: a randomized controlled trial. *JAMA.* 2005;293:589-595.
 134. Delclaux C, L'Her E, Alberti C, et al. Treatment of acute hypoxemic nonhypercapnic respiratory insufficiency with continuous positive airway pressure delivered by a face mask: a randomized controlled trial. *JAMA.* 2000;284:2352-2360.
 135. Nava S, Gregoretti C, Fanfulla F, et al. Noninvasive ventilation to prevent respiratory failure after extubation in high-risk patients. *Crit Care Med.* 2005;33:2465-2470.
 136. Ferrer M, Valencia M, Nicolas JM, et al. Early noninvasive ventilation averts extubation failure in patients at risk. *Am J Respir Crit Care Med.* 2005;173:164-170.
 137. Ferrer M, Sellares J, Valencia M, et al. Non-invasive ventilation after extubation in hypercapnic patients with chronic respiratory disorders: randomised controlled trial. *Lancet.* 2009;374:1082-1088.
 138. Keenan SP, Powers C, McCormack DG, Block G. Noninvasive positive-pressure ventilation for postextubation respiratory distress. *JAMA.* 2002;287:3238-3244.
 139. Esteban A, Frutos-Vivar F, Ferguson, N, et al. Noninvasive positive-pressure ventilation for respiratory failure after extubation. *N Engl J Med.* 2004;350:2452-2460.