

Chapter 86

REFERENCES

1. Kay A. Allergy and allergic diseases: first of two parts. *N Engl J Med.* 2001;344(1):30-37.
2. Metzger H, Alcaraz G, Hohman R. The receptor with high affinity for immunoglobulin E. *Ann Rev Immunol.* 1986;4:419.
3. Kinet J. A new strategy to counter allergy. *N Engl J Med.* 2005;353(3):310-312.
4. Zhu D, Kepley C, Zhang K, Terada T, Yamada T, Saxon A. A chimeric human-cat fusion protein blocks cat-induced allergy. *Nat Med.* 2005;11:446-449.
5. Walport M. Complement: first of two parts. *N Engl J Med.* 2001;344(14):1058-1066.
6. Kirklin J, Chenoweth D, Naftel D. Effects of protamine administration after cardiopulmonary bypass on complement, blood elements, and the hemodynamic state. *Ann Thorac Surg.* 1986;41:193.
7. Rent R, Ertel N, Elsenstein R. Complement activation by interaction of polyanions and polycations I. Heparin-protamine induced consumption of complement. *J Immunol.* 1975;114:120.
8. Vyas G, Perkins H, Fudenberg H. Anaphylactoid transfusion reactions associated with anti-IgA. *Lancet.* 1968;2:312.
9. Fearon D, Ruddy S, Schur P, McCabe W. Activation of the properdin pathway of complement in patients with gram-negative bacteremia. *N Engl J Med.* 1975;292:937-940.
10. Watkins J, Clark A, Appleyard T. Immune-mediated reactions to althesin (alphaxalone). *Br J Anaesth.* 1976;48:881.
11. Rosengard B, Mahalik C, Cochrane D. Mast cell secretion: differences between immunologic and non-immunologic stimulation. *Inflamm Res.* 1986;19.
12. Liua S, Hiedayatia N, Shudoub M, Maeyamaa K. Activation of connective tissue-type and mucosal-type mast cells in compound 48/80-induced airway response. *Eur J Pharmacol.* 2006;530:128-135.
13. Ebertz J, Hermens J, McMillan J. Functional differences between human cutaneous mast cells and basophils: a comparison of morphine-induced histamine release. *Agents Actions.* 1986;18:455.
14. Hermens J, Ebertz J, Hanifin J. Comparison of histamine release in human skin mast cells induced by morphine, fentanyl, and oxymorphone. *Anesthesiology.* 1985;62(2):124-129.
15. Bhananker S, O'Donnell J, Salemi J, Bishop M. The risk of anaphylactic reactions to rocuronium in the United States is comparable to that of vecuronium: an analysis of Food and Drug Administration reporting of adverse events. *Anesth Analg.* 2005;101:819-822.
16. von Mutius E, Martinez F, Fritzsche C, Nicolai T, Roell G, Thiemann H. Prevalence of asthma and atopy in two areas of West and East Germany. *Am J Respir Crit Care Med.* 1994;149:358-364.
17. Howarth P. ABC of allergies: pathogenic mechanisms: a rational basis for treatment. *Brit Med J.* 1998;316:758-761.
18. Martinez F. The coming-of-age of the hygiene hypothesis. *Respir Res.* 2001;2:129-132.
19. Bigby M, Jick S, Jick H, Arndt K. Drug-induced cutaneous reactions. A report from the Boston Collaborative Drug Surveillance Program on 15,438 consecutive inpatients, 1975 to 1982. *JAMA.* 1986;256(24):3358-3363.
20. Fisher M, Baldo B. The incidence and clinical features of anaphylactic reactions during anesthesia in Australia. *Ann Fr Anesth Reanim.* 1993;12(2):97-104.
21. Occelli G, Amedeo J, Raucoules M, Cassuto JP, Grimaud D. Evaluation of the activities and value of allergo-anesthetic consultation in Nice Hospital since 1985 to 1991. *Therapie.* 1992;47(5):423-427.
22. Theissen JL, Zahn P, Theissen U, Brehler R. [Allergic and pseudo-allergic reactions in anesthesia. I: Pathogenesis, risk factors, substances]. [Review] [German]. *Anesthesiologie, Intensivmedizin, Notfallmedizin, Schmerztherapie.* 1995;30(1):3-12.
23. Vuitton D, Neidhardt-Audion M, Girardin P, et al. [Epidemiologic characteristics of 21 perianesthetic anaphylactoid accidents observed in a population of 12,855 surgically treated patients]. [French]. *Ann Fr Anesth Reanim.* 1985;4(2):167-172.
24. Karila C, Brunet-Langot D, Labbez F, et al. Anaphylaxis during anesthesia: results of a 12-year survey at a French pediatric center. *Allergy.* 2005;60:828-834.
25. Mertes P, Laxenaire M. [Anaphylactic and anaphylactoid reactions occurring during anaesthesia in France. Seventh epidemiologic survey (January 2001-December 2002)] [see comment]. [French]. *Ann Fr Anesth Reanim.* 2004;23(12):1133-1143.
26. Lobera T, Audicana M, Pozo M, et al. Study of hypersensitivity reactions and anaphylaxis during anesthesia in Spain. *J Invest Allergol Clin Immunol.* 2008;18(5):350-356.
27. Chen W, Mempel M, Schober W, Behrendt H, Ring J. Gender difference, sex hormones, and immediate type hypersensitivity reactions. *Allergy.* 2008;63:1418-1427.
28. Boileau S, Hummer-Sigiel M, Moeller R, Drouet N. [Reassessment of the respective risks of anaphylaxis and histamine liberation with anesthetic substances]. [Review] [French]. *Ann Fr Anesth Reanim.* 1985;4(2):195-204.

29. Currie M, Webb RK, Williamson JA, Russell WJ, Mackay P. The Australian Incident Monitoring Study. Clinical anaphylaxis: an analysis of 2000 incident reports. *Anaesth Intensive Care*. 1993;21(5):621-625.
30. Malinovsky J, Decagny S, Wessel F, Guilloux L, Mertes P. Systematic follow-up increases incidence of anaphylaxis during adverse reactions in anesthetized patients. *Acta Anaesthesiol Scand*. 2008;52:175-181.
31. Dewachter P, Jouan-Hureau V, Franck P, et al. Anaphylactic shock: a form of distributive shock without inhibition of oxygen consumption. *Anesthesiology*. 2005;103:40-49.
32. Kettlekamp N, Austin D, Downes H, Cheek D, Hirshman C. Inhibition of d-tubocurarine-induced histamine release by halothane. *Anesthesiology*. 1987;66(5):666-669.
33. Soetens F. Anaphylaxis during anaesthesia: diagnosis and treatment. *Acta Anaesth Belg*. 2004;55(3):229-237.
34. Mertes P, Laxenaire M, Lienhart A, et al. Reducing the risk of anaphylaxis during anaesthesia: guidelines for clinical practice. *J Invest Allergol Clin Immunol*. 2005;15(2):91-101.
35. Lieberman P, Kemp S, Oppenheimer J, Lang D, Bernstein I, Nicklas R. The diagnosis and management of anaphylaxis: an updated practice parameter. *J Allergy Clin Immunol*. 2005;115:S483-S523.
36. Sampson H, Munoz-Furlong A, Campbell R, et al. Second symposium on the definition and management of anaphylaxis: summary report. *J Allergy Clin Immunol*. 2006;117:391-397.
37. Harper N, Dixon T, Dugue P, et al. Guidelines: suspected anaphylactic reactions associated with anaesthesia. *Anaesthesia*. 2009;64:199-211.
38. Kroigaard M, Garvey L, Gillberg L, et al. Scandinavian clinical practice guidelines on the diagnosis, management and follow-up of anaphylaxis during anaesthesia. *Acta Anaesthesiol Scand*. 2007;51:655-670.
39. Currie M, Kerridge R, Bacon A, Williamson J. Crisis management during anaesthesia: anaphylaxis and allergy. *Qual Saf Health Care*. 2005;14:e19.
40. Pumphrey R. Lessons for management of anaphylaxis from a study of fatal reactions. *Clin Exp Allergy*. 2000;30:1144-1150.
41. Johnston S, Unsworth J, Gompels M. Adrenaline given outside the context of life threatening allergic reactions. *Brit Med J*. 2003;326:589-590.
42. Schummer C, Wirsing M, Schummer W. The pivotal role of vasopressin in refractory anaphylactic shock. *Anesth Analg*. 2008;107:620-624.
43. Dewachter P, Raeth-Fries I, Jouan-Hureau V, et al. A comparison of epinephrine only, arginine vasopressin only, and epinephrine followed by arginine vasopressin on the survival rate in a rat model of anaphylactic shock. *Anesthesiology*. 2007;106:977-983.
44. Lorenz W, Doenicke A. H1 and H2 blockade: a prophylactic principle in anaesthesia and surgery against histamine-release responses of any degree of severity: Part II. [Review]. *N Engl Reg Allergy Proc*. 1985;6(2):174-194.
45. Holzman J, Liu L, Duke B, Kemendy A, Eaton D. Transactivation of the IGF-1R by aldosterone. *Am J Physiol Renal Physiol*. 2007;292:1219-1228.
46. Lang D. Do beta-blockers really enhance the risk of anaphylaxis during immunotherapy? *Curr Allergy Asthma Rep*. 2008;8(1):37-44.
47. Toogood J. Beta-blocker therapy and the risk of anaphylaxis. *CMAJ*. 1987;136(9):929-933.
48. Levy J, Adkinson N Jr. Anaphylaxis during cardiac surgery: implications for clinicians. *Anesth Analg*. 2008;106:392-403.
49. Krøigaard M, Garvey L, Menne T, Husum B. Allergic reactions in anaesthesia: are suspected causes confirmed on subsequent testing? *Br J Anaesth*. 2005;95(4):468-471.
50. Harboe T, Guttormsen A, Irgens A, Dybendal T, Florvaag E. Anaphylaxis during anesthesia in Norway: a 6-year single-center follow-up study. *Anesthesiology*. 2005;102:897-903.
51. Greenberger P, Patterson R. The prevention of immediate generalized reactions to radiocontrast media in high-risk patients. *J Allergy Clin Immunol*. 1991;87(4):867-872.
52. Patterson R, DeSwarte R, Greenberger P. Drug allergy and protocols for management of drug allergies. *N Engl Reg Allergy Proc*. 1986;4:325.
53. Greenberger P. Contrast media reactions. *J Allergy Clin Immunol*. 1984;74:600-605.
54. Lieberman P. Anaphylactic reactions during surgical and medical procedures. *J Allergy Clin Immunol*. 2002;110(2 Suppl):S64-S69.
55. Laxenaire M. Drugs and other agents involved in anaphylactic shock occurring during anaesthesia. A French multicenter epidemiological inquiry. *Ann Fr Anesth Reanim*. 1993;12(2):91-96.
56. North F, Kettlekamp N, Hirshman C. Comparison of cutaneous and in vitro histamine release by muscle relaxants. *Anesthesiology*. 1987;66:543.
57. Vervloet D, Nizankowska E, Arnaud A, Senft M, Alazia M, Charpin J. Adverse reactions to suxamethonium and other muscle relaxants under general anesthesia. *J Allergy Clin Immunol*. 1983;71(6):552-559.
58. Fisher MM, More DG. The epidemiology and clinical features of anaphylactic reactions in anaesthesia. *Anaesth Intensive Care*. 1981;9(3):226-234.
59. de Weck AL. Immunochemical particularities of anaphylactic reactions to compounds used in anesthesia. *Annales Francaises d Anesthesie et de Reanimation*. 1993;12(2):126-130.
60. Didier A, Cador D, Bongrand P. Role of the quaternary ammonium ion determinants in allergy to muscle relaxants. *J Allergy Clin Immunol*. 1987;79:578.
61. Baldo B, Fisher M. Substituted ammonium ions as allergenic determinants in drug allergy. *Nature*. 1983;306:262.
62. Binkley K, Cheema A, Sussman G, et al. Generalized allergic reactions during anesthesia. *J Allerg Clin Immunol*. 1992;89:768-774.
63. Hirshman C, Edelstein R, Ebertz J, Hanifin J. Thiobarbiturate-induced histamine release in human skin mast cells. *Anesthesiology*. 1985;63(4):353-356.
64. Hirshman C, Peters J, Cartwright-Lee I. Leukocyte histamine release to thiopental. *Anesthesiology*. 1982;56(1):64-67.
65. de Leon-Casasola O, Weiss A, Lema M. Anaphylaxis due to propofol. *Anesthesiology*. 1992;77(2):384-386.
66. Laxenaire M, Gueant J, Bermejo E, Mouton C. Anaphylactic shock due to propofol. *Lancet*. 1988;2:739-740.
67. Hofer K, McCarthy M, Buck M, Hendrick A. Possible anaphylaxis after propofol in a child with food allergy. *Ann Pharmacother*. 2003;37(3):398-401.
68. Kumar C, McNeela B. Ocular manifestation of propofol allergy. *Anaesthesia*. 1989;44(3):266.
69. Konarzewski W, De'ath S. Unrecognised fatal anaphylactic reaction to propofol or fentanyl. *Anaesthesia*. 2001;56(5):497-498.

70. deShazo R, Nelson H. An approach to the patient with a history of local anesthetic hypersensitivity: experience with 90 patients. *J Allergy Clin Immunol.* 1989;63:387.
71. Doms-Goossens A, de Alam A, Degreef H, Kochuyt A. Local anesthetic intolerance due to metabisulfite. *Cont Derm.* 1989;20(2):124-126.
72. Schwartz H, Gilbert I, Lenner K, Sher T, McFadden EJ. Metabisulfite sensitivity and local dental anesthesia. *Ann Allergy.* 1989;62(2):83-86.
73. Lawrence I, Warner J, Cohan V. Purification and characterization of human skin mast cells. *J Immunol.* 1987;139:3062-3069.
74. Gruchalla R, Pirmohamed M. Antibiotic allergy. *New Engl J Med.* 2006;354(6):601-609.
75. Robinson J, Hameed T, Carr S. Practical aspects of choosing an antibiotic for patients with a reported allergy to an antibiotic. *Clin Infect Dis.* 2002;35(1):26-31.
76. Blanca M. Allergic reactions to penicillins. A changing world? *Allergy.* 1995;50(10):777-782.
77. Sheffer A. Anaphylaxis. *J Allergy Clin Immunol.* 1988;81(5 Pt 2):1048-1050.
78. Sogn D. Prevention of allergic reactions to penicillin. *J Allergy Clin Immunol.* 1986;78(5 Pt 2):1051-1052.
79. Weiss M, Adkinson N, Hirshman C. Evaluation of allergic drug reactions in the perioperative period. *Anesthesiology.* 1989;71:483-486.
80. Jacoby G, Munoz-Price L. The New b-Lactamases. *N Engl J Med.* 2005;352:380-391.
81. Southorn P, Plevak D, Wright A, Wilson W. Adverse effects of vancomycin administered in the perioperative period. *Mayo Clinic Proc.* 1986;61(9):721-724.
82. Levy J, Kettlekamp N, Goertz P, Hermens J, Hirshman C. Histamine release by vancomycin: a mechanism for hypotension in man. *Anesthesiology.* 1987;67(1):122-125.
83. Anderson J. Antibiotic drug allergy in children. *Curr Opin Pediatr.* 1994;6(6):656-660.
84. Brackett C, Singh H, Block J. Likelihood and mechanisms of cross-allergenicity between sulfonamide antibiotics and other drugs containing a sulfonamide functional group. *Pharmacotherapy.* 2004;24:856-870.
85. Knowles S, Shapiro L, Shear N. Should celecoxib be contraindicated in patients who are allergic to sulfonamides? Revisiting the meaning of 'sulfa' allergy. *Drug Saf.* 2001;24:239-247.
86. Macy E. Multiple antibiotic allergy syndrome. *Immunol Allergy Clin North Am.* 2004;24(3):533-543.
87. Asero R. Detection of patients with multiple drug allergy syndrome by elective tolerance tests. *Ann Allergy Asthma Immunol.* 1998;80:185-188.
88. Brockow K, Christiansen C, Kanny G, et al. Management of hypersensitivity reactions to iodinated contrast media. *Allergy.* 2005;60:150-158.
89. Dierich MP, Schulz T. Physiological and pathological effects of activated complement. [Review]. *Haematologia.* 1984;17(1):3-16.
90. Brockow K, Vieluf D, Puschel K, Grosch J, Ring J. Increased postmortem serum mast cell tryptase in a fatal anaphylactoid reaction to nonionic radiocontrast medium. *J Allergy Clin Immunol.* 1999;104:237-238.
91. Laroche D. Immediate reactions to contrast media: mediator release and value of diagnostic testing. *Toxicology.* 2005;209:193-194.
92. Ring J, Simon R, Arroyave C. Increased in vitro histamine release by radiographic contrast media in patients with history of incompatibility. *Clin Exp Immunol.* 1978;34:302-309.
93. Brockow K. Immediate and delayed reactions to radiocontrast media: is there an allergic mechanism? *Immunol Allergy Clin N Am.* 2009;29:453-468.
94. Kelly J, Patterson R, Lieberman P. Radiographic contrast media studies in high-risk patients. *J Allergy Clin Immunol.* 1978;62:181.
95. Kimmel S, Sekeres M, Berlin J, Ellison N, Disesa V, Strom B. Risk factors for clinically important adverse events after protamine administration following cardiopulmonary bypass. *J Am Coll Cardiol.* 1998;32:1916-1922.
96. Levy J, Schwieger I, Zaidan J, Faraj B, Weintraub W. Evaluation of patients at risk for protamine reactions. *J Thorac Cardiovasc Surg.* 1989;98(2):200-204.
97. Stewart W, McSweeney S, Kellett M. Increased risk of severe protamine reactions in NPH insulin-dependent diabetics undergoing cardiac catheterization. *Circulation.* 1984;70:788.
98. Samuel T, Kolk A, Rumke P, Van Lis J. Autoimmunity to sperm antigens in vasectomized men. *Clin Exp Immunol.* 1975;21:65-74.
99. Knappe J, Schuller J, de Haan P. An anaphylactic reaction to protamine in a patient allergic to fish. *Anesthesiology.* 1981;55:324.
100. Nyhan D, Shampaine E, Hirshman C, et al. Single doses of intravenous protamine result in the formation of protamine-specific IgE and IgG antibodies. *J Allergy Clin Immunol.* 1996;97(4):991-997.
101. Sharath M, Metzger W, Richardson H. Protamine-induced fatal anaphylaxis. *J Thorac Cardiovasc Surg.* 1985;90:86.
102. Degges R, Foster M, Dang A, Read R. Pulmonary hypertensive effect of heparin and protamine interaction: evidence for thromboxane B2 release from the lung. *Am J Surg.* 1987;154(6):696-699.
103. Morel D, Zapol W, Thomas S, et al. C5a and thromboxane generation associated with pulmonary vaso- and broncho-constriction during protamine reversal of heparin. *Anesthesiology.* 1987;66(5):597-604.
104. Garvey L, Roed-Petersen J, Husum B. Is there a risk of sensitization and allergy to chlorhexidine in health care workers? *Acta Anaesth Scand.* 2003;47(6):720-724.
105. Waran K, Munsick R. Anaphylaxis from povidone-iodine. *Lancet.* 1995;345:1506.
106. Pedrosa C, Costa H, Oliveira G, Romariz J, Praça F. Anaphylaxis to povidone in a child. *Pediatr Allergy Immunol.* 2005;16(4):361-362.
107. Dewachter P, Tréchet P, Mouton-Faivre C. ["Iodine allergy": point of view]. *Ann Fr Anesth Reanim.* 2005;24(1):40-52.
108. Sampson H. Food allergy. *J Allergy Clin Immunol.* 2003;111(2 Suppl):S540-S547.
109. Yunginger J, Jones R, Fransway A, Kelso J, Warner M, Hunt L. Extractable latex allergens and proteins in disposable medical gloves and other rubber products. *J Allergy Clin Immunol.* 1994;93(5):836-842.
110. Charpin D, Vervloet D. Epidemiology of immediate-type allergic reactions to latex. *Clin Rev Allergy.* 1993;11(3):385-390.
111. Zak H, Kaste L, Schwarzenberger K, Barry M, Galbraith G. Health-care workers and latex allergy. *Arch Environ Health.* 2000;55:336-346.

112. Brown R, Schauble J, Hamilton R. Prevalence of latex allergy among anesthesiologists: identification of sensitized but asymptomatic individuals. *Anesthesiology*. 1998;89(2):292-299.
113. Mertes P, Laxenaire M, Alla F. Anaphylactic and anaphylactoid reactions occurring during anesthesia in France in 1999-2000. *Anesthesiology*. 2003;99(3):536-545.
114. Blanco C, Carrillo T, Castillo R, Quiralte J, Cuevas M. Latex allergy: clinical features and cross-reactivity with fruits [see comments]. *Ann Allergy*. 1994;73(4):309-314.
115. Birmingham P, Dsida R, Grayhack, et al. Do latex precautions in children with myelodysplasia reduce intraoperative allergic reactions? *J Pediatr Orthop*. 1996;16:799-802.
116. Holzman R. Latex allergy: 100 successful returns to the operating room in a "latex-safe" environment. Paper presented at New York State Society of Anesthesiologists Postgraduate Assembly, 1994; New York.
117. Holzman R, Brown R, Hamid R, et al. *Natural Rubber Latex Allergy: Considerations for Anesthesiologists*. Chicago, IL: American Society of Anesthesiologists; 2005.