

## Chapter 88

### REFERENCES

1. Sessler DI. Complications and treatment of mild hypothermia. *Anesthesiology*. 2001;95(2):531-543.
2. Sessler DI. Mild perioperative hypothermia. *N Engl J Med*. 1997;336(24):1730-1737.
3. Sessler DI. Perioperative heat balance. *Anesthesiology*. 2000;92(2):578-596.
4. Fagher B, Liedholm H, Monti M, Moritz U. Thermogenesis in human skeletal muscle as measured by direct microcalorimetry and muscle contractile performance during beta-adrenoceptor blockade. *Clin Sci (Lond)*. 1986;70(5):435-441.
5. Burton AC. Human calorimetry: the average temperature of the tissues of the body. *J Nutr*. 1935;9:261-280.
6. Castillo J, Davalos A, Noya M. Aggravation of acute ischemic stroke by hyperthermia is related to an excitotoxic mechanism. *Cerebrovasc Dis (Basel, Switzerland)*. 1999;9(1):22-27.
7. Grocott HP, Amory DW, Lowry E, et al. Cerebral transcranial Doppler blood flow: flow velocity versus 133Xe clearance cerebral blood flow during mild hypothermic cardiopulmonary bypass. *J Clin Monit Comput*. 1998;14(1):35-39.
8. Cork RC, Vaughan RW, Humphrey LS. Precision and accuracy of intraoperative temperature monitoring. *Anesth Analg*. 1983;62(2):211-214.
9. Lopez M, Sessler DI, Walter K, et al. Rate and gender dependence of the sweating, vasoconstriction, and shivering thresholds in humans. *Anesthesiology*. 1994;80(4):780-788.
10. Benzinger TH. Heat regulation: homeostasis of central temperature in man. *Physiol Rev*. 1969;49(4):671-759.
11. Flacke JW, Flacke WE. Inadvertent hypothermia: frequent, insidious, and often serious. *Semin Anesth*. 1983;2:3.
12. Hammel HT. Regulation of internal body temperature. *Ann Rev Physiol*. 1968;30:641-710.
13. Hammel HT. Anesthetics and body temperature regulation. *Anesthesiology*. 1988;68(6):833-835.
14. Sessler DI. Perioperative temperature regulation. ASA Refresher Course 265, 1995.
15. De Witte J, Sessler DI. Perioperative shivering: physiology and pharmacology. *Anesthesiology*. 2002;96(2):467-484.
16. Vassilief N, Rosencher N, Sessler DI, Conseiller C. Shivering threshold during spinal anesthesia is reduced in elderly patients. *Anesthesiology*. 1995;83(6):1162-1166.
17. Annadata R, Sessler DI, Tayefeh F, et al. Desflurane slightly increases the sweating threshold but produces marked, nonlinear decreases in the vasoconstriction and shivering thresholds. *Anesthesiology*. 1995;83(6):1205-1211.
18. Kurz A, Go JC, Sessler DI, et al. Alfentanil slightly increases the sweating threshold and markedly reduces the vasoconstriction and shivering thresholds. *Anesthesiology*. 1995;83(2):293-299.
19. Matsukawa T, Kurz A, Sessler DI, et al. Propofol linearly reduces the vasoconstriction and shivering thresholds. *Anesthesiology*. 1995;82(5):1169-1180.
20. Xiong J, Kurz A, Sessler DI, et al. Isoflurane produces marked and nonlinear decreases in the vasoconstriction and shivering thresholds. *Anesthesiology*. 1996;85(2):240-245.
21. Grassi G, Seravalle G, Turri C, et al. Impairment of thermoregulatory control of skin sympathetic nerve traffic in the elderly. *Circulation*. 2003;108(6):729-735.
22. Degroot DW, Kenney WL. Impaired defense of core temperature in aged humans during mild cold stress. *Am J Physiol Regul Integr Comp Physiol*. 2007;292(1):R103-R108.
23. Hales JRS. Skin arteriovenous anastomoses, their control and role in thermoregulation. In: Johansen K, Burggren W, eds. *Cardiovascular Shunts: Phylogenetic, Ontogenetic and Clinical Aspects*. Copenhagen, Denmark: Munksgaard; 1985:433-451.
24. Sessler DI. Thermoregulatory defense mechanisms. *Crit Care Med*. 2009;37(7 Suppl):S203-S210.
25. Sessler DI. Temperature Monitoring: Consequences and Prevention of Mild Perioperative Hypothermia. ASA Annual Meeting 2009, Refresher Course.
26. Alvarez GE, Zhao K, Kosiba WA, Johnson JM. Relative roles of local and reflex components in cutaneous vasoconstriction during skin cooling in humans. *J Appl Physiol*. 2006;100(6):2083-2088.
27. Sessler DI, Moayeri A, Stoen R, et al. Thermoregulatory vasoconstriction decreases cutaneous heat loss. *Anesthesiology*. 1990;73(4):656-660.
28. Sessler DI. Sweating threshold during isoflurane anesthesia in humans. *Anesth Analg*. 1991;73(3):300-303.
29. Just B, Delva E, Camus Y, Lienhart A. Oxygen uptake during recovery following naloxone. Relationship with intraoperative heat loss. *Anesthesiology*. 1992;76(1):60-64.
30. Ralley FE, Wynands JE, Ramsay JG, et al. The effects of shivering on oxygen consumption and carbon dioxide production in patients rewarming from hypothermic cardiopulmonary bypass. *Can J Anaesth*. 1988;35(4):332-337.

31. Badjatia N, Strongilis E, Gordon E, et al. Metabolic impact of shivering during therapeutic temperature modulation: the Bedside Shivering Assessment Scale. *Stroke*. 2008;39(12):3242-3247.
32. Alfonsi P. Postanaesthetic shivering: epidemiology, pathophysiology, and approaches to prevention and management. *Drugs*. 2001;61(15):2193-2205.
33. Dawkins MJ, Scopes JW. Non-shivering thermogenesis and brown adipose tissue in the human newborn infant. *Nature*. 1965;206(980):201-202.
34. Takahashi H, Nakamura S, Shirahase H, et al. Heterogeneous activity of BRL 35135, a beta 3-adrenoceptor agonist, in thermogenesis and increased blood flow in brown adipose tissue in anaesthetized rats. *Clin Exp Pharmacol Physiol*. 1994;21(7):539-543.
35. Bruck K, Baum E, Schwennicke HP. Cold-adaptive modifications in man induced by repeated short-term cold-exposures and during a 10-day and-night cold-exposure. *Pflugers Arch*. 1976;363(2):125-133.
36. Benzinger TH. The diminution of thermoregulatory sweating during cold-reception at the skin. *Proc Nat Acad Sci U S A*. 1961;47:1683-1688.
37. Benzinger TH. The thermal homeostasis of man. *Symp Soc Exp Biol*. 1964;18:49-80.
38. Detry JM, Brengelmann GL, Rowell LB, Wyss C. Skin and muscle components of forearm blood flow in directly heated resting man. *J Appl Physiol*. 1972;32(4):506-511.
39. Holdcroft A, Hall GM, Cooper GM. Redistribution of body heat during anaesthesia. A comparison of halothane, fentanyl and epidural anaesthesia. *Anaesthesia*. 1979;34(8):758-764.
40. Morris RH. Operating room temperature and the anesthetized, paralyzed patient. *Arch Surg*. 1971;102(2):95-97.
41. Sessler DI, Olofsson CI, Rubinstein EH, Beebe JJ. The thermoregulatory threshold in humans during halothane anesthesia. *Anesthesiology*. 1988;68(6):836-842.
42. Sessler DI, Rubinstein EH, Eger EI, 2nd. Core temperature changes during N<sub>2</sub>O fentanyl and halothane/O<sub>2</sub> anesthesia. *Anesthesiology*. 1987;67(1):137-139.
43. Kurz A, Sessler DI, Christensen R, Dechert M. Heat balance and distribution during the core-temperature plateau in anesthetized humans. *Anesthesiology*. 1995;83(3):491-499.
44. Sessler DI, McGuire J, Moayeri A, Hynson J. Isoflurane-induced vasodilation minimally increases cutaneous heat loss. *Anesthesiology*. 1991;74(2):226-232.
45. Hynson JM, Sessler DI. Intraoperative warming therapies: a comparison of three devices. *J Clin Anesth*. 1992;4(3):194-199.
46. Dhar P. Managing perioperative hypothermia. *J Anesth*. 2000;14(2):91-97.
47. Bissonette B, Nebbin S. Hypothermia during anesthesia. *Anesth Clin North Am*. 1994;12:3.
48. Stevens WC, Cromwell TH, Halsey MJ, et al. The cardiovascular effects of a new inhalation anesthetic, Forane, in human volunteers at constant arterial carbon dioxide tension. *Anesthesiology*. 1971;35(1):8-16.
49. Sessler DI, Sessler AM, Hudson S, Moayeri A. Heat loss during surgical skin preparation. *Anesthesiology*. 1993;78(6):1055-1064.
50. Stoen R, Sessler DI. The thermoregulatory threshold is inversely proportional to isoflurane concentration. *Anesthesiology*. 1990;72(5):822-827.
51. Wang JK, Moffitt EA, Rosevear JW. Oxidative phosphorylation in acute hyperthermia. *Anesthesiology*. 1969;30(4):439-442.
52. Lopez M, Ozaki M, Sessler DI, Valdes M. Physiologic responses to hyperthermia during epidural anesthesia and combined epidural/enflurane anesthesia in women. *Anesthesiology*. 1993;78(6):1046-1054.
53. Sessler DI, McGuire J, Hynson J, et al. Thermoregulatory vasoconstriction during isoflurane anesthesia minimally decreases cutaneous heat loss. *Anesthesiology*. 1992;76(5):670-675.
54. Washington DE, Sessler DI, McGuire J, et al. Painful stimulation minimally increases the thermoregulatory threshold for vasoconstriction during enflurane anesthesia in humans. *Anesthesiology*. 1992;77(2):286-290.
55. Sessler DI, Sessler DI. Perianesthetic thermoregulation and heat balance in humans. *FASEB J*. 1993;7(8):638-644.
56. Emerick TH, Ozaki M, Sessler DI, et al. Epidural anesthesia increases apparent leg temperature and decreases the shivering threshold. *Anesthesiology*. 1994;81(2):289-298.
57. Leslie K, Sessler DI. Reduction in the shivering threshold is proportional to spinal block height. *Anesthesiology*. 1996;84(6):1327-1331.
58. Glosten B, Sessler DI, Faure EA, et al. Central temperature changes are poorly perceived during epidural anesthesia. *Anesthesiology*. 1992;77(1):10-16.
59. Hynson JM, Sessler DI, Glosten B, McGuire J. Thermal balance and tremor patterns during epidural anesthesia. *Anesthesiology*. 1991;74(4):680-690.
60. Glosten B, Hynson J, Sessler DI, McGuire J. Preanesthetic skin-surface warming reduces redistribution hypothermia caused by epidural block. *Anesth Analg*. 1993;77(3):488-493.
61. Matsukawa T, Sessler DI, Sessler AM, et al. Heat flow and distribution during induction of general anesthesia. *Anesthesiology*. 1995;82(3):662-673.
62. Bernard JM, Bourreli B, Hommeril JL, Pinaud M. Effects of oral clonidine premedication and postoperative i.v. infusion on haemodynamic and adrenergic responses during recovery from anaesthesia. *Acta Anaesthesiol Scand*. 1991;35(1):54-59.
63. Szmuk P, Ezri T, Sessler DI, et al. Spinal anesthesia speeds active postoperative rewarming. *Anesthesiology*. 1997;87(5):1050-1054.
64. Glosten B. Thermoregulation and regional anesthesia. *Prob Anesth*. 1994;8:99.
65. Sessler DI, Ponte J. Shivering during epidural anesthesia. *Anesthesiology*. 1990;72(5):816-821.
66. Ponte J, Collett BJ, Walmsley A. Anaesthetic temperature and shivering in epidural anaesthesia. *Acta Anaesthesiol Scand*. 1986;30(7):584-587.
67. Wallace AJ, Wooldridge W, Kingston HM, et al. Malignant hyperthermia—a large kindred linked to the *RYR1* gene. *Anaesthesia*. 1996;51(1):16-23.
68. de Witte J, Deloof T, de Veylder J, Housmans PR. Tramadol in the treatment of postanesthetic shivering. *Acta Anaesthesiol Scand*. 1997;41(4):506-510.
69. Horn EP, Werner C, Sessler DI, et al. Late intraoperative clonidine administration prevents postanesthetic shivering after total intravenous or volatile anesthesia. *Anesth Analg*. 1997;84(3):613-617.
70. Ciofolo MJ, Clergue F, Devilliers C, et al. Changes in ventilation, oxygen uptake, and carbon dioxide output during recovery from isoflurane anesthesia. *Anesthesiology*. 1989;70(5):737-741.

71. Mahajan RP, Grover VK, Sharma SL, Singh H. Intraocular pressure changes during muscular hyperactivity after general anesthesia. *Anesthesiology*. 1987;66(3):419-421.
72. Rosa G, Pinto G, Orsi P, et al. Control of post anaesthetic shivering with nefopam hydrochloride in mildly hypothermic patients after neurosurgery. *Acta Anaesthesiol Scand*. 1995;39(1):90-95.
73. Horn EP, Sessler DI, Standl T, et al. Non-thermoregulatory shivering in patients recovering from isoflurane or desflurane anesthesia. *Anesthesiology*. 1998;89(4):878-886.
74. Lenhardt R, Negishi C, Sessler DI, et al. Paralysis only slightly reduces the febrile response to interleukin-2 during isoflurane anesthesia. *Anesthesiology*. 1998;89(3):648-656.
75. Vaughan MS, Vaughan RW, Cork RC. Postoperative hypothermia in adults: relationship of age, anesthesia, and shivering to rewarming. *Anesth Analg*. 1981;60(10):746-751.
76. Horn EP, Schroeder F, Wilhelm S, et al. Postoperative pain facilitates nonthermoregulatory tremor. *Anesthesiology*. 1999;91(4):979-984.
77. Frank SM, Kluger MJ, Kunkel SL. Elevated thermostatic setpoint in postoperative patients. *Anesthesiology*. 2000;93(6):1426-1431.
78. Israel DJ, Pozos RS. Synchronized slow-amplitude modulations in the electromyograms of shivering muscles. *J Appl Physiol*. 1989;66(5):2358-2363.
79. Sessler DI, Rubinstein EH, Moayeri A. Physiologic responses to mild perianesthetic hypothermia in humans. *Anesthesiology*. 1991;75(4):594-610.
80. Leslie K, Williams D, Irwin K, et al. Pethidine and skin warming to prevent shivering during endovascular cooling. *Anaesth Intensive Care*. 2004;32(3):362-367.
81. Bicer C, Esmoaglu A, Akin A, Boyaci A. Dexmedetomidine and meperidine prevent postanesthetic shivering. *Eur J Anaesthesiol*. 2006;23(2):149-153.
82. Kranke P, Eberhart LH, Roewer N, Tramer MR. Single-dose parenteral pharmacological interventions for the prevention of postoperative shivering: a quantitative systematic review of randomized controlled trials. *Anesth Analg*. 2004;99(3):718-727.
83. Bilotta F, Ferri F, Giovannini F, et al. Nefopam or clonidine in the pharmacologic prevention of shivering in patients undergoing conscious sedation for interventional neuroradiology. *Anaesthesia*. 2005;60(2):124-128.
84. Nalda MA, Gomar C, Luis M. The effect of ketanserin on post-anaesthetic vasoconstriction and shivering. *Eur J Anaesthesiol*. 1985;2(3):265-277.
85. Joris J, Banache M, Bonnet F, et al. Clonidine and ketanserin both are effective treatment for postanesthetic shivering. *Anesthesiology*. 1993;79(3):532-539.
86. Sessler DI. Treatment: meperidine, clonidine, doxapram, ketanserin, or alfentanil abolishes short-term postoperative shivering. *Can J Anaesth*. 2003;50(7):635-637.
87. Doufas AG, Lin CM, Suleman MI, et al. Dexmedetomidine and meperidine additively reduce the shivering threshold in humans. *Stroke*. 2003;34(5):1218-1223.
88. Talke P, Tayefeh F, Sessler DI, et al. Dexmedetomidine does not alter the sweating threshold, but comparably and linearly decreases the vasoconstriction and shivering thresholds. *Anesthesiology*. 1997;87(4):835-841.
89. Kimberger O, Ali SZ, Markstaller M, et al. Meperidine and skin surface warming additively reduce the shivering threshold: a volunteer study. *Crit Care*. 2007;11(1):R29.
90. Kurz M, Belani KG, Sessler DI, et al. Naloxone, meperidine, and shivering. *Anesthesiology*. 1993;79(6):1193-1201.
91. Kurz A, Ikeda T, Sessler DI, et al. Meperidine decreases the shivering threshold twice as much as the vasoconstriction threshold. *Anesthesiology*. 1997;86(5):1046-1054.
92. Sessler DI. Defeating normal thermoregulatory defenses: induction of therapeutic hypothermia. *Stroke*. 2009;40(11):e614-e621.
93. Elvan EG, Oc B, Uzun S, et al. Dexmedetomidine and postoperative shivering in patients undergoing elective abdominal hysterectomy. *Eur J Anaesthesiol*. 2008;25(5):357-364.
94. Schmied H, Kurz A, Sessler DI, et al. Mild hypothermia increases blood loss and transfusion requirements during total hip arthroplasty. *Lancet*. 1996;347(8997):289-292.
95. Johansson T, Lisander B, Ivarsson I. Mild hypothermia does not increase blood loss during total hip arthroplasty. *Acta Anaesthesiol Scand*. 1999;43(10):1005-1010.
96. Boodhwani M, Rubens F, Wozny D, et al. Effects of sustained mild hypothermia on neurocognitive function after coronary artery bypass surgery: a randomized, double-blind study. *J Thorac Cardiovasc Surg*. 2007;134(6):1443-1450; discussion 51-52.
97. Todd MM, Hindman BJ, Clarke WR, Torner JC. Mild intraoperative hypothermia during surgery for intracranial aneurysm. *N Engl J Med*. 2005;352(2):135-145.
98. Valeri CR, Feingold H, Cassidy G, et al. Hypothermia-induced reversible platelet dysfunction. *Ann Surg*. 1987;205(2):175-181.
99. Khuri SF, Wolfe JA, Josa M, et al. Hematologic changes during and after cardiopulmonary bypass and their relationship to the bleeding time and nonsurgical blood loss. *J Thorac Cardiovasc Surg*. 1992;104(1):94-107.
100. Michelson AD, MacGregor H, Barnard MR, et al. Reversible inhibition of human platelet activation by hypothermia in vivo and in vitro. *Thromb Haemost*. 1994;71(5):633-640.
101. Valeri CR, Khabbaz K, Khuri SF, et al. Effect of skin temperature on platelet function in patients undergoing extracorporeal bypass. *J Thorac Cardiovasc Surg*. 1992;104(1):108-116.
102. Kurz A, Sessler DI, Lenhardt R. Perioperative normothermia to reduce the incidence of surgical-wound infection and shorten hospitalization. Study of Wound Infection and Temperature Group. *N Engl J Med*. 1996;334(19):1209-1215.
103. Sessler DI, Olofsson CI, Rubinstein EH. The thermoregulatory threshold in humans during nitrous oxide-fentanyl anesthesia. *Anesthesiology*. 1988;69(3):357-364.
104. Sheffield CW, Sessler DL, Hopf HW, et al. Centrally and locally mediated thermoregulatory responses alter subcutaneous oxygen tension. *World Rep Reg*. 1997;4:339-345.
105. Saririan K, Nickerson DA. Enhancement of murine in vitro antibody formation by hyperthermia. *Cell Immunol*. 1982;74(2):306-312.
106. Farkas LG, Bannantyne RM, James JS, Umamaheswaran B. Effect of two different climates on severely burned rats infected with *Pseudomonas aeruginosa*. *Eur Surg Res*. 1974;6(5):295-300.
107. Wenisch CMD, Narzt EMD, Sessler DIMD, et al. Mild intraoperative hypothermia reduces production of reactive oxygen intermediates by polymorphonuclear leukocytes. *Anesth Analg*. 1996;82(4):810-816.
108. Leijh PC, van den Barselaar MT, van Zwet TL, et al. Kinetics of phagocytosis of *Staphylococcus aureus* and *Escherichia coli* by human granulocytes. *Immunology*. 1979;37(2):453-465.

109. Carli F, Emery PW, Freemantle CA. Effect of perioperative normothermia on postoperative protein metabolism in elderly patients undergoing hip arthroplasty. *Br J Anaesth*. 1989;63(3):276-282.
110. Guest JD, Vanni S, Silbert L. Mild hypothermia, blood loss and complications in elective spinal surgery. *Spine J*. 2004;4(2):130-137.
111. Melling AC, Ali B, Scott EM, Leaper DJ. Effects of preoperative warming on the incidence of wound infection after clean surgery: a randomised controlled trial. *Lancet*. 2001;358(9285):876-880.
112. Heier T, Caldwell JE, Sessler DI, Miller RD. Mild intraoperative hypothermia increases duration of action and spontaneous recovery of vecuronium blockade during nitrous oxide-isoflurane anesthesia in humans. *Anesthesiology*. 1991;74(5):815-819.
113. Heier T, Caldwell JE, Eriksson LI, et al. The effect of hypothermia on adductor pollicis twitch tension during continuous infusion of vecuronium in isoflurane-anesthetized humans. *Anesth Analg*. 1994;78(2):312-317.
114. Heier T, Caldwell JE, Sessler DI, et al. The relationship between adductor pollicis twitch tension and core, skin, and muscle temperature during nitrous oxide-isoflurane anesthesia in humans. *Anesthesiology*. 1989;71(3):381-384.
115. Eger EI 2nd, Johnson BH. MAC of I-653 in rats, including a test of the effect of body temperature and anesthetic duration. *Anesth Analg*. 1987;66(10):974-976.
116. Mathew JP, Weatherwax KJ, East CJ, et al. Bispectral analysis during cardiopulmonary bypass: the effect of hypothermia on the hypnotic state. *J Clin Anesth*. 2001;13(4):301-305.
117. Lenhardt R, Marker E, Goll V, et al. Mild intraoperative hypothermia prolongs postanesthetic recovery. *Anesthesiology*. 1997;87(6):1318-1323.
118. Taguchi A, Ratnaraj J, Kabon B, et al. Effects of a circulating-water garment and forced-air warming on body heat content and core temperature. *Anesthesiology*. 2004;100(5):1058-1064.
119. Taguchi A, Arkilic CF, Ahluwalia A, et al. Negative pressure rewarming vs. forced air warming in hypothermic postanesthetic volunteers. *Anesth Analg*. 2001;92(1):261-266.
120. Stanley TO, Grocott HP, Phillips-Bute B, et al. Preliminary evaluation of the Arctic Sun temperature-controlling system during off-pump coronary artery bypass surgery. *Ann Thorac Surg*. 2003;75(4):1140-1144.
121. McLean RF, Wong BI. Normothermic versus hypothermic cardiopulmonary bypass: central nervous system outcomes. *J Cardiothorac Vasc Anesth*. 1996;10(1):45-52.
122. Just B, Trevien V, Delva E, Lienhart A. Prevention of intraoperative hypothermia by preoperative skin-surface warming. *Anesthesiology*. 1993;79(2):214-218.
123. Sessler DI, Schroeder M. Heat loss in humans covered with cotton hospital blankets. *Anesth Analg*. 1993;77(1):73-77.
124. Bickler PE, Sessler DI. Efficiency of airway heat and moisture exchangers in anesthetized humans. *Anesth Analg*. 1990;71(4):415-418.
125. Stone DR, Downs JB, Paul WL, Perkins HM. Adult body temperature and heated humidification of anesthetic gases during general anesthesia. *Anesth Analg*. 1981;60(10):736-741.
126. Giesbrecht GG, Ducharme MB, McGuire JP. Comparison of forced-air patient warming systems for perioperative use. *Anesthesiology*. 1994;80(3):671-679.
127. Sessler DI, Moayeri A. Skin-surface warming: heat flux and central temperature. *Anesthesiology*. 1990;73(2):218-224.
128. Lennon RL, Hosking MP, Conover MA, Perkins WJ. Evaluation of a forced-air system for warming hypothermic postoperative patients. *Anesth Analg*. 1990;70(4):424-427.
129. Brauer A, English MJ, Steinmetz N, et al. Efficacy of forced-air warming systems with full body blankets. *Can J Anaesth*. 2007;54(1):34-41.
130. Grocott HP, Mathew JP, Carver EH, et al. A randomized controlled trial of the Arctic Sun Temperature Management System versus conventional methods for preventing hypothermia during off-pump cardiac surgery. *Anesth Analg*. 2004;98(2):298-302.
131. Motta P, Mossad E, Toscana D, et al. Effectiveness of a circulating-water warming garment in rewarming after pediatric cardiac surgery using hypothermic cardiopulmonary bypass. *J Cardiothorac Vasc Anesth*. 2004;18(2):148-151.
132. Sessler DI. Consequences and treatment of perioperative hypothermia. *Anesth Clin North Am*. 1994;12:425-456.
133. Badjatia N. Celsius control system. *Neurocrit Care*. 2004;1(2):201-203.
134. Badjatia N, O'Donnell J, Baker JR, et al. Achieving normothermia in patients with febrile subarachnoid hemorrhage: feasibility and safety of a novel intravascular cooling catheter. *Neurocrit Care*. 2004;1(2):145-156.
135. Schmutzhard E, Engelhardt K, Beer R, et al. Safety and efficacy of a novel intravascular cooling device to control body temperature in neurologic intensive care patients: a prospective pilot study. *Crit Care Med*. 2002;30(11):2481-2488.
136. Willekes T, Naunheim R, Lasater M. A novel method of intravascular temperature modulation to treat severe hypothermia. *Emerg Med J*. 2006;23(10):e56.
137. Taylor EE, Carroll JP, Lovitt MA, et al. Active intravascular rewarming for hypothermia associated with traumatic injury: early experience with a new technique. *Proc (Bayl Univ Med Cent)*. 2008;21(2):120-126.
138. Catheter-related venous thrombosis with cooling and warming catheters: two case reports. *Cases J*. 2009;2:8857.
139. Svensson LG, Crawford ES, Hess KR, et al. Deep hypothermia with circulatory arrest. Determinants of stroke and early mortality in 656 patients. *J Thorac Cardiovasc Surg*. 1993;106(1):19-28; discussion 28-31.
140. Connolly JE, Roy A, Guernsey JM, Stemmer EA. Bloodless surgery by means of profound hypothermia and circulatory arrest. Effect on brain and heart. *Ann Surg*. 1965;162(4):724-737.
141. Weiss L, Grocott HP, Rosania RA, et al. Case 4—1998. Cardiopulmonary bypass and hypothermic circulatory arrest for basilar artery aneurysm clipping. *J Cardiothorac Vasc Anesth*. 1998;12(4):473-479.
142. Samuelson H, Nekludov M, Levander M. Neuropsychological outcome following near-drowning in ice water: two adult case studies. *J Int Neuropsychol Soc*. 2008;14(4):660-666.
143. The Warm Heart Investigators: randomized trial of normothermic versus hypothermic coronary bypass surgery. *Lancet*. 1994;343:559-563.
144. Mora C, Henson M, Weintraub W, et al. The effect of temperature management during cardiopulmonary bypass on neurologic and neuropsychologic outcomes in patients undergoing coronary revascularization. *J Thorac Cardiovasc Surg*. 1996;112:514-522.

145. Martin T, Craver J, Gott J, et al. Prospective, randomized trial of retrograde warm blood cardioplegia: myocardial benefit and neurologic threat. *Ann Thorac Surg.* 1994;57:298-302.
146. Grigore AM, Grocott HP, Mathew JP, et al. The rewarming rate and increased peak temperature alter neurocognitive outcome after cardiac surgery. *Anesth Analg.* 2002;94(1):4-10.
147. Michenfelder J, Milde J. The relationship among canine brain temperature, metabolism, and function during hypothermia. *Anesthesiology.* 1991;75:130-136.
148. Busto R, Globus M, Dietrich W, et al. Effect of mild hypothermia on ischemia-induced release of neurotransmitters and free fatty acids in rat brain. *Stroke.* 1989;20(7):904-910.
149. Bickler PE, Buck LT, Hansen BM. Effects of isoflurane and hypothermia on glutamate receptor-mediated calcium influx in brain slices. *Anesthesiology.* 1994;81:1461-1469.
150. Widmann R, Miyazawa T, Hossmann K. Protective effect of hypothermia on hippocampal injury after 30 minutes of forebrain ischemia in rats is mediated by posts ischemic recovery of protein synthesis. *J Neurochem.* 1993;61:200-209.
151. Busto R, Globus M, Neary J, Ginsberg M. Regional alterations of protein kinase C activity following transient cerebral ischemia: effects of intras ischemic brain temperature modulation. *J Neurochem.* 1994;63:1095-1103.
152. Nakashima K, Todd MM, Warner DS. The relation between cerebral metabolic rate and ischemic depolarization. A comparison of the effects of hypothermia, pentobarbital, and isoflurane. *Anesthesiology.* 1995;82(5):1199-1208.
153. Kader A, Frazzini V, Baker C, et al. Effect of mild hypothermia on nitric oxide synthesis during focal cerebral ischemia. *Neurosurgery.* 1994;35:272-277.
154. Globus M, Busto R, Lin B, et al. Detection of free radical activity during transient global ischemia and recirculation: effects of intras ischemic brain temperature modulation. *J Neurochem.* 1995;65:1250-1256.
155. Huh PW, Belayev L, Zhao W, et al. Comparative neuroprotective efficacy of prolonged moderate intras ischemic and posts ischemic hypothermia in focal cerebral ischemia. *J Neurosurg.* 2000;92(1):91-99.
156. Bramlett HM, Green EJ, Dietrich WD, et al. Posttraumatic brain hypothermia provides protection from sensorimotor and cognitive behavioral deficits. *J Neurotrauma.* 1995;12(3):289-298.
157. Nilsson L, Kogure K, Busto R. Effects of hypothermia and hyperthermia on brain energy metabolism. *Acta Anaesthesiol Scand.* 1975;19(3):199-205.
158. Dietrich WD, Busto R, Alonso O, et al. Intras ischemic but not posts ischemic brain hypothermia protects chronically following global forebrain ischemia in rats. *J Cereb Blood Flow Metab.* 1993;13(4):541-549.
159. Bernard SA, Gray TW, Buist MD, et al. Treatment of comatose survivors of out-of-hospital cardiac arrest with induced hypothermia. *N Engl J Med.* 2002;346(8):557-563.
160. Mild therapeutic hypothermia to improve the neurologic outcome after cardiac arrest. *N Engl J Med.* 2002;346(8):549-556.
161. Clifton GL, Miller ER, Choi SC, et al. Lack of effect of induction of hypothermia after acute brain injury. *N Engl J Med.* 2001;344(8):556-563.
162. Nolan JP, Morley PT, Vanden Hoek TL, et al. Therapeutic hypothermia after cardiac arrest: an advisory statement by the advanced life support task force of the International Liaison Committee on Resuscitation. *Circulation.* 2003;108(1):118-121.
163. Shankaran S, Laptook AR, Ehrenkranz RA, et al. Whole-body hypothermia for neonates with hypoxic-ischemic encephalopathy. *N Engl J Med.* 2005;353(15):1574-1584.
164. Azzopardi DV, Strohm B, Edwards AD, et al. Moderate hypothermia to treat perinatal asphyxial encephalopathy. *N Engl J Med.* 2009;361(14):1349-1358.
165. Lenhardt R, Kurz A, Sessler DI, et al. Intraoperative hypothermia prolongs duration of postoperative recovery. *Anesthesiology.* 1995;83:Suppl:A1114. Abstract.
166. Frank SM, Fleisher LA, Breslow MJ, et al. Perioperative maintenance of normothermia reduces the incidence of morbid cardiac events. A randomized clinical trial. *JAMA.* 1997;277(14):1127-1134.
167. Leslie K, Sessler DI, Bjorksten AR, Moayeri A. Mild hypothermia alters propofol pharmacokinetics and increases the duration of action of atracurium. *Anesth Analg.* 1995;80(5):1007-1014.
168. Frank SM, Higgins MS, Breslow MJ, et al. The catecholamine, cortisol, and hemodynamic responses to mild perioperative hypothermia. A randomized clinical trial. *Anesthesiology.* 1995;82(1):83-93.
169. Kurz A, Sessler DI, Narzt E, et al. Postoperative hemodynamic and thermoregulatory consequences of intraoperative core hypothermia. *J Clin Anesth.* 1995;7(5):359-366.