

Chapter 89

REFERENCES

1. Sherrington CS. *The Integrative Action of the Nervous System*. New York, NY: Scribner and Sons; 1906.
2. Costigan M, Scholz J, Woolf CJ. Neuropathic pain: a maladaptive response of the nervous system to damage. *Annu Rev Neurosci*. 2009;32:1-32.
3. Campbell JN, Meyer RA. Mechanisms of neuropathic pain. *Neuron*. 2006;52(1):77-92.
4. Mendell JR, Sahenk Z. Clinical practice. Painful sensory neuropathy. *N Engl J Med*. 2003;348(13):1243-1255.
5. Baron R, Binder A, Wasner G. Neuropathic pain: diagnosis, pathophysiological mechanisms, and treatment. *Lancet Neurol*. 2010;9(8):807-819.
6. Mao J. Translational pain research: achievements and challenges. *J Pain*. 2009;10(10):1001-1011.
7. Basbaum AI, Bautista DM, Scherrer G, Julius D. Cellular and molecular mechanisms of pain. *Cell*. 2009;139(2):267-284.
8. Schmidt R, Schmelz M, Forster C, Ringkamp M, Torebjörk E, Handwerker H. Novel classes of responsive and unresponsive C nociceptors in human skin. *J Neurosci*. 1995;15(1 Pt 1):333-341.
9. Sun Y-G, Chen Z-F. A gastrin-releasing peptide receptor mediates the itch sensation in the spinal cord. *Nature*. 2007;448(7154):700-703.
10. Löken LS, Wessberg J, Morrison I, McGlone F, Olausson H. Coding of pleasant touch by unmyelinated afferents in humans. *Nat Neurosci*. 2009;12(5):547-548.
11. Woolf CJ, Ma Q. Nociceptors—noxious stimulus detectors. *Neuron*. 2007;55(3):353-364.
12. Craig ADB. Pain mechanisms: labeled lines versus convergence in central processing. *Annu Rev Neurosci*. 2003;26:1-30.
13. Craig AD, Bushnell MC. The thermal grill illusion: unmasking the burn of cold pain. *Science*. 1994;265(5169):252-255.
14. Melzack R, Wall PD. Pain mechanisms: a new theory. *Science*. 1965;150(699):971-979.
15. Palecek J. The role of dorsal columns pathway in visceral pain. *Physiol Res*. 2004;53(Suppl 1):S125-S130.
16. Perl ER. Ideas about pain, a historical view. *Nat Rev Neurosci*. 2007;8(1):71-80.
17. Price DD. Psychological and neural mechanisms of the affective dimension of pain. *Science*. 2000;288(5472):1769-1772.
18. Melzack R, Wall PD, Ty TC. Acute pain in an emergency clinic: latency of onset and descriptor patterns related to different injuries. *Pain*. 1982;14(1):33-43.
19. Beecher HK. *The Measurement of Subjective Responses*. Oxford, UK: Oxford University Press; 1959.
20. Pavlov IP (1927). *Conditioned Reflexes: An Investigation of the Physiological Activity of the Cerebral Cortex*. Anrep GV, trans-ed. New York, NY: Dover; 2003.
21. Tracey I, Bushnell MC. How neuroimaging studies have challenged us to rethink: is chronic pain a disease? *J Pain*. 2009;10(11):1113-1120.
22. Becerra L, Breiter HC, Wise R, Gonzalez RG, Borsook D. Reward circuitry activation by noxious thermal stimuli. *Neuron*. 2001;32(5):927-946.
23. Gündel H, Valet M, Sorg C, et al. Altered cerebral response to noxious heat stimulation in patients with somatoform pain disorder. *Pain*. 2008;137(2):413-421.
24. Singer T, Seymour B, O'Doherty J, Kaube H, Dolan RJ, Frith CD. Empathy for pain involves the affective but not sensory components of pain. *Science*. 2004;303(5661):1157-1162.
25. Berthier M, Starkstein S, Leiguarda R. Asymbolia for pain: a sensory-limbic disconnection syndrome. *Ann Neurol*. 1988;24(1):41-49.
26. Johansen JP, Fields HL, Manning BH. The affective component of pain in rodents: direct evidence for a contribution of the anterior cingulate cortex. *Proc Natl Acad Sci USA*. 2001;98(14):8077-8082.
27. Johansen JP, Fields HL. Glutamatergic activation of anterior cingulate cortex produces an aversive teaching signal. *Nat Neurosci*. 2004;7(4):398-403.
28. Apkarian AV, Sosa Y, Sonty S, et al. Chronic back pain is associated with decreased prefrontal and thalamic gray matter density. *J Neurosci*. 2004;24(46):10410-10415.
29. Metz AE, Yau HJ, Centeno MV, Apkarian AV, Martina M. Morphological and functional reorganization of rat medial prefrontal cortex in neuropathic pain. *Proc Natl Acad Sci USA*. 2009;106(7):2423-2428.
30. Pollo A, Benedetti F. The placebo response: neurobiological and clinical issues of neurological relevance. *Prog Brain Res*. 2009;175:283-294.
31. Fields HL. Understanding how opioids contribute to reward and analgesia. *Reg Anesth Pain Med*. 2007;32(3):242-246.
32. Eippert F, Finsterbusch J, Bingel U, Büchel C. Direct evidence for spinal cord involvement in placebo analgesia. *Science*. 2009;326(5951):404.

33. Petrovic P, Kalso E, Petersson KM, Ingvar M. Placebo and opioid analgesia—imaging a shared neuronal network. *Science*. 2002;295(5560):1737-1740.
34. Benedetti F, Mayberg HS, Wager TD, Stohler CS, Zubieta JK. Neurobiological mechanisms of the placebo effect. *J Neurosci*. 2005;25(45):10390-10402.
35. Lilja J, Endo T, Hofstetter C, et al. Blood oxygenation level-dependent visualization of synaptic relay stations of sensory pathways along the neuroaxis in response to graded sensory stimulation of a limb. *J Neurosci*. 2006;26(23):6330-6336.
36. Reynolds DV. Surgery in the rat during electrical analgesia induced by focal brain stimulation. *Science*. 1969;164(878):444-445.
37. Fields HL, Bry J, Hentall I, Zorman G. The activity of neurons in the rostral medulla of the rat during withdrawal from noxious heat. *J Neurosci*. 1983;3(12):2545-2552.
38. Heinricher MM, Tavares I, Leith JL, Lumb BM. Descending control of nociception: specificity, recruitment and plasticity. *Brain Res Rev*. 2009;60(1):214-225.
39. McGaraughty S, Heinricher MM. Microinjection of morphine into various amygdaloid nuclei differentially affects nociceptive responsiveness and RVM neuronal activity. *Pain*. 2002;96(1-2):153-162.
40. Matthes HW, Maldonado R, Simonin F, et al. Loss of morphine-induced analgesia, reward effect and withdrawal symptoms in mice lacking the μ -opioid-receptor gene. *Nature*. 1996;383(6603):819-823.
41. North RA, Yoshimura M. The actions of noradrenaline on neurones of the rat substantia gelatinosa in vitro. *J Physiol (Lond)*. 1984;349:43-55.
42. Yoshimura M, Furue H. Mechanisms for the anti-nociceptive actions of the descending noradrenergic and serotonergic systems in the spinal cord. *J Pharmacol Sci*. 2006;101(2):107-117.
43. Gassner M, Ruscheweyh R, Sandkühler J. Direct excitation of spinal GABAergic interneurons by noradrenaline. *Pain*. 2009;145(1-2):204-210.
44. Caterina MJ, Leffler A, Malmberg AB, et al. Impaired nociception and pain sensation in mice lacking the capsaicin receptor. *Science*. 2000;288(5464):306-313.
45. Davis JB, Gray J, Gunthorpe MJ, et al. Vanilloid receptor-1 is essential for inflammatory thermal hyperalgesia. *Nature*. 2000;405(6783):183-187.
46. Güler AD, Lee H, Iida T, Shimizu I, Tominaga M, Caterina M. Heat-evoked activation of the ion channel, TRPV4. *J Neurosci*. 2002;22(15):6408-6414.
47. Kwan KY, Allchorne AJ, Vollrath MA, et al. TRPA1 contributes to cold, mechanical, and chemical nociception but is not essential for hair-cell transduction. *Neuron*. 2006;50(2):277-289.
48. Bautista DM, Jordt SE, Nikai T, et al. TRPA1 mediates the inflammatory actions of environmental irritants and proalgesic agents. *Cell*. 2006;124(6):1269-1282.
49. Petrus M, Peier AM, Bandell M, et al. A role of TRPA1 in mechanical hyperalgesia is revealed by pharmacological inhibition. *Mol Pain*. 2007;3:40.
50. Bautista DM, Sigal YM, Milstein AD, et al. Pungent agents from Szechuan peppers excite sensory neurons by inhibiting two-pore potassium channels. *Nat Neurosci*. 2008;11(7):772-779.
51. Catterall WA, Goldin AL, Waxman SG. International Union of Pharmacology XLVII nomenclature and structure-function relationships of voltage-gated sodium channels. *Pharmacol Rev*. 2005;57(4):397-409.
52. Geffeny SL, Fujimoto E, Brodie ED 3rd, Brodie ED Jr, Ruben PC. Evolutionary diversification of TTX-resistant sodium channels in a predator-prey interaction. *Nature*. 2005;434(7034):759-763.
53. Catterall WA. International Union of Pharmacology XL compendium of voltage-gated ion channels: calcium channels. *Pharmacol Rev*. 2003;55(4):579-581.
54. Sills GJ. The mechanisms of action of gabapentin and pregabalin. *Curr Opin Pharmacol*. 2006;6(1):108-113.
55. Fumimasa A, Wang H, Allchorne AJ, et al. The voltage-gated sodium channel Na(v)1.9 is an effector of peripheral inflammatory pain hypersensitivity. *J Neurosci*. 2006;26(50):12852-12860.
56. Abrahamsen B, Zhao J, Asante C O, et al. The Cell and Molecular Basis of Mechanical, Cold, and Inflammatory Pain. *Science*. 2008;321(5889):702-705.
57. Seal RP, Wang X, Guan Y, et al. Injury-induced mechanical hypersensitivity requires C-low threshold mechanoreceptors. *Nature*. 2009;462(7273):651-655.
58. Lopshire JC, Nicol GD. The cAMP transduction cascade mediates the prostaglandin E₂ enhancement of the capsaicin-elicited current in rat sensory neurons: whole-cell and single-channel studies. *J Neurosci*. 1998;18(16):6081-6092.
59. Bhawe G, Zhu W, Wang H, Brasier DJ, Oxford GS, Gereau RW 4th. cAMP-dependent protein kinase regulates desensitization of the capsaicin receptor (VR1) by direct phosphorylation. *Neuron*. 2002;35(4):721-731.
60. Morenilla-Palao C, Planells-Cases R, García-Sanz N, Ferrer-Montiel A. Regulated exocytosis contributes to protein kinase C potentiation of vanilloid receptor activity. *J Biol Chem*. 2004;279(24):25665-25672.
61. Van Buren JJ, Bhat S, Rotello R, Pauza ME, Premkumar LS. Sensitization and translocation of TRPV1 by insulin and IGF-I. *Mol Pain*. 2005;1:17.
62. England S, Bevan S, Docherty RJ. PGE2 modulates the tetrodotoxin-resistant sodium current in neonatal rat dorsal root ganglion neurones via the cyclic AMP-protein kinase A cascade. *J Physiol (Lond)*. 1996;495(Pt 2):429-440.
63. Binshtok AM, Wang H, Zimmermann K, et al. Nociceptors are interleukin-1 β sensors. *J Neurosci*. 2008;28(52):14062-14073.
64. Aley KO, Messing RO, Mochly-Rosen D, Levine JD. Chronic hypersensitivity for inflammatory nociceptor sensitization mediated by the epsilon isozyme of protein kinase C. *J Neurosci*. 2000;20(12):4680-4685.
65. Woolf CJ. Central sensitization: implications for the diagnosis and treatment of pain. *Pain*. 2011;152(3 Suppl):S2-S15.
66. Mendell LM, Wall PD. Responses of single dorsal cord cells to peripheral cutaneous unmyelinated fibres. *Nature*. 1965;206:97-99.
67. Latremoliere A, Woolf CJ. Central sensitization: a generator of pain hypersensitivity by central neural plasticity. *J Pain*. 2009;10(9):895-926.
68. Woolf CJ. Evidence for a central component of post-injury pain hypersensitivity. *Nature*. 1983;306(5944):686-688.
69. Woolf CJ, King AE. Dynamic alterations in the cutaneous mechanoreceptive fields of dorsal horn neurons in the rat spinal cord. *J Neurosci*. 1990;10(8):2717-27126.

70. South SM, Kohno T, Kaspar BK, et al. A conditional deletion of the NR1 subunit of the NMDA receptor in adult spinal cord dorsal horn reduces NMDA currents and injury-induced pain. *J Neurosci*. 2003;23(12):5031-5040.
71. Liu XJ, Gingrich JR, Vargas-Caballero M, et al. Treatment of inflammatory and neuropathic pain by uncoupling Src from the NMDA receptor complex. *Nat Med*. 2008;14(12):1325-1332.
72. Neumann S, Doubell TP, Leslie T, Woolf CJ. Inflammatory pain hypersensitivity mediated by phenotypic switch in myelinated primary sensory neurons. *Nature*. 1996;384(6607):360-364.
73. Baba H, Kohno T, Moore KA, Woolf CJ. Direct activation of rat spinal dorsal horn neurons by prostaglandin E2. *J Neurosci*. 2001;21(5):1750-1756.
74. Ahmadi S, Lippross S, Neuhuber WL, Zeilhofer HU. PGE(2) selectively blocks inhibitory glycinergic neurotransmission onto rat superficial dorsal horn neurons. *Nat Neurosci*. 2002;5(1):34-40.
75. Vardeh D, Wang D, Costigan M, et al. COX2 in CNS neural cells mediates mechanical inflammatory pain hypersensitivity in mice. *J Clin Invest*. 2009;119(2):287-294.
76. Maratou K, Wallace VCJ, Hasnie FS, et al. Comparison of dorsal root ganglion gene expression in rat models of traumatic and HIV-associated neuropathic pain. *Eur J Pain*. 2009;13(4):387-398.
77. Okamoto M, Baba H, Goldstein PA, Higashi H, Shimoji K, Yoshimura M. Functional reorganization of sensory pathways in the rat spinal dorsal horn following peripheral nerve injury. *J Physiol (Lond)*. 2001;532(Pt 1):241-250.
78. Matsumoto M, Xie W, Ma L, Ueda H. Pharmacological switch in A-beta-fiber stimulation-induced spinal transmission in mice with partial sciatic nerve injury. *Mol Pain*. 2008;4:25.
79. Abrahamsen B, Zhao J, Asante CO, et al. The cell and molecular basis of mechanical, cold, and inflammatory pain. *Science*. 2008;321(5889):702-705.
80. Yamamoto W, Sugiura A, Nakazato-Imasato E, Kita Y. Characterization of primary sensory neurons mediating static and dynamic allodynia in rat chronic constriction injury model. *J Pharm Pharmacol*. 2008;60(6):717-722.
81. Malmberg AB, Chen C, Tonegawa S, Basbaum AI. Preserved acute pain and reduced neuropathic pain in mice lacking PKC γ . *Science*. 1997;278(5336):279-283.
82. McLachlan EM, Jänig W, Devor M, Michaelis M. Peripheral nerve injury triggers noradrenergic sprouting within dorsal root ganglia. *Nature*. 1993;363(6429):543-546.
83. Pertovaara A. Noradrenergic pain modulation. *Prog Neurobiol*. 2006;80(2):
84. Baba H, Ji RR, Kohno T, et al. Removal of GABAergic inhibition facilitates polysynaptic A fiber-mediated excitatory transmission to the superficial spinal dorsal horn. *Mol Cell Neurosci*. 2003;24(3):818-830.
85. Sivilotti L, Woolf CJ. The contribution of GABA_A and glycine receptors to central sensitization: disinhibition and touch-evoked allodynia in the spinal cord. *J Neurophysiol*. 1994;72(1):169-179.
86. Yaksh TL. Behavioral and autonomic correlates of the tactile evoked allodynia produced by spinal glycine inhibition: effects of modulatory receptor systems and excitatory amino acid antagonists. *Pain*. 1989;37(1):111-123.
87. Rivera C, Li H, Thomas-Crusells J, et al. BDNF-induced TrkB activation down-regulates the K⁺-Cl⁻ cotransporter KCC2 and impairs neuronal Cl⁻ extrusion. *J Cell Biol*. 2002;159(5):747-752.
88. Coull JAM, Boudreau D, Bachand K, et al. Trans-synaptic shift in anion gradient in spinal lamina I neurons as a mechanism of neuropathic pain. *Nature*. 2003;424(6951):938-942.
89. Burnstock G. Physiology and pathophysiology of purinergic neurotransmission. *Physiol Rev*. 2007;87(2):659-797.
90. Haynes SE, Hollopeter G, Yang G, et al. The P2Y₁₂ receptor regulates microglial activation by extracellular nucleotides. *Nat Neurosci*. 2006;9(12):1512-1519.
91. Lindia JA, McGowan E, Jochnowitz N, Abbadie C. Induction of CX3CL1 expression in astrocytes and CX3CR1 in microglia in the spinal cord of a rat model of neuropathic pain. *J Pain*. 2005;6(7):434-438.
92. Costigan M, Moss A, Latremoliere A, et al. T-cell infiltration and signaling in the adult dorsal spinal cord is a major contributor to neuropathic pain-like hypersensitivity. *J Neurosci*. 2009;29(46):14415-14422.
93. Porreca F, Ossipov MH, Gebhart GF. Chronic pain and medullary descending facilitation. *Trends Neurosci*. 2002;25(6):319-325.
94. LaMotte RH, Shain CN, Simone DA, Tsai EF. Neurogenic hyperalgesia: psychophysical studies of underlying mechanisms. *J Neurophysiol*. 1991;66(1):190-211.
95. Torebjörk HE, Lundberg LE, LaMotte RH. Central changes in processing of mechanoreceptive input in capsaicin-induced secondary hyperalgesia in humans. *J Physiol (Lond)*. 1992;448:765-780.
96. Shenker NG, Haigh RC, Mapp PI, Harris N, Blake DR. Contralateral hyperalgesia and allodynia following intradermal capsaicin injection in man. *Rheumatology (Oxford)*. 2008;47(9):1417-1421.
97. Staud R, Craggs JG, Perlstein WM, Robinson ME, Price DD. Brain activity associated with slow temporal summation of C-fiber evoked pain in fibromyalgia patients and healthy controls. *Eur J Pain*. 2008;12(8):1078-1089.
98. Cox JJ, Reimann F, Nicholas AK, et al. An SCN9A channelopathy causes congenital inability to experience pain. *Nature*. 2006;444(7121):894-898.
99. Fischer TZ, Waxman SG. Familial pain syndromes from mutations of the Na_v17 sodium channel. *Ann NY Acad Sci*. 2010;1184:196-207.
99. Kremeyer B, Lopera F, Cox JJ, et al. A gain-of-function mutation in TRPA1 causes familial episodic pain syndrome. *Neuron*. 2010;66(5):671-680.
100. Rotthier A, Baets J, De Vriendt E, et al. Genes for hereditary sensory and autonomic neuropathies: a genotype-phenotype correlation. *Brain*. 2009;132(Pt 10):2699-2711.
101. Zubieta J-K, Heitzeg MM, Smith YR, et al. COMT val158met genotype affects μ -opioid neurotransmitter responses to a pain stressor. *Science*. 2003;299(5610):1240-1243.
102. Diatchenko L, Slade GD, Nackley AG, et al. Genetic basis for individual variations in pain perception and the development of a chronic pain condition. *Hum Mol Genet*. 2005;14(1):135-143.
103. Mogil JS, Wilson SG, Chesler EJ, et al. The melanocortin-1 receptor gene mediates female-specific mechanisms of analgesia in mice and humans. *Proc Natl Acad Sci USA*. 2003;100(8):4867-4872.
104. Lötsch J, Geisslinger G. Current evidence for a modulation of nociception by human genetic polymorphisms. *Pain*. 2007;132(1-2):18-22.

105. Kim H, Mittal DP, Iadarola MJ, Dionne RA. Genetic predictors for acute experimental cold and heat pain sensitivity in humans. *J Med Genet.* 2006;43(8):e40.
106. Kim H, Neubert JK, San Miguel A, et al. Genetic influence on variability in human acute experimental pain sensitivity associated with gender, ethnicity and psychological temperament. *Pain.* 2004;109(3):488-496.
107. Fillingim RB, Kaplan L, Staud R, et al. The A118G single nucleotide polymorphism of the μ -opioid receptor gene (OPRM1) is associated with pressure pain sensitivity in humans. *J Pain.* 2005;6(3):159-167.
108. Reimann F, Cox JJ, Belfer I, et al. Pain perception is altered by a nucleotide polymorphism in SCN9A. *Proc Natl Acad Sci USA.* 2010;107(11):5148-5153.
109. Estacion M, Harty TP, Choi JS, Tyrrell L, Dib-Hajj SD, Waxman SG. A sodium channel gene SCN9A polymorphism that increases nociceptor excitability. *Ann Neurol.* 2009;66(6):862-866.
110. Tegeder I, Costigan M, Griffin RS, et al. GTP cyclohydrolase and tetrahydrobiopterin regulate pain sensitivity and persistence. *Nat Med.* 2006;12(11):1269-1277.