

Chapter 92

REFERENCES

1. Cluff R, Mehio AK, Cohen SP, et al. The technical aspects of epidural steroid injections: a national survey. *Anesth Analg*. 2002;95:403-408.
2. Rathmell JP, Torian D, Song T. Lumbar epidurography. *Reg Anesth Pain Med*. 2000;25:540-545.
3. Stojanovic MP, Vu TN, Caneris O, et al. The role of fluoroscopy in cervical epidural steroid injections: an analysis of contrast dispersal patterns. *Spine*. 2002;27:509-514.
4. Kim KM, Kim HS, Choi KH, et al. Cephalic spreading levels after volumetric caudal epidural injections in chronic low back pain. *J Korean Med Sci*. 2001;16:193-197.
5. Kapral S, Krafft P, Eibenberger K, et al. Ultrasound-guided supraclavicular approach for regional anesthesia of the brachial plexus. *Anesth Analg*. 1994;78:507-513.
6. Sites BD, Brull R, Chan VWS, et al. Artifacts and pitfall errors associated with ultrasound-guided regional anesthesia. Part I: understanding the basic principles of ultrasound physics and machine operations. *Reg Anesth Pain Med*. 2007;32:412-418.
7. Sites BD, Brull R, Chan, VWS, et al. Artifacts and pitfall errors associated with ultrasound-guided regional anesthesia. Part II: a pictorial approach to understanding and avoidance. *Reg Anesth Pain Med*. 2007;32:419-433.
8. Abrahams M, Horn J-L, Noles LM, et al. Evidence-based medicine: ultrasound guidance for truncal blocks. *Reg Anesth Pain Med*. 2010;35(Suppl 1):S3-S42.
9. Narouze S, Vydyanathan A, Kapural L, et al. Ultrasound-guided cervical selective nerve root block: a fluoroscopy-controlled feasibility study. *Reg Anesth Pain Med*. 2009;34:343-348.
10. Shim JK, Moon JC, Yoon KB et al. Ultrasound-guided lumbar medial branch block: a clinical study with fluoroscopy control. *Reg Anesth Pain Med*. 2006;31:451-454.
11. Galiano K, Obwegeser AA, Bodner G, et al. Ultrasound-guided periradicular injections in the middle of lower cervical spine: an imaging study of a new approach. *Reg Anesth Pain Med*. 2005;30:391-396.
12. Fischler AH, Gross JB. Ultrasound-guided sciatic neuroma block for treatment of intractable stump pain. *J Clin Anesth*. 2007;19:626-628.
13. Peng PW, Wiley MJ, Liang J. Ultrasound-guided suprascapular nerve block: a correlation with fluoroscopic and cadaveric studies. *Can J Anaesth*. 2010;57:143-148.
14. Rauch S, Kasuya Y, Turan A, et al. Ultrasound-guided lumbar medial branch blocks in obese patients: a fluoroscopically confirmed clinical feasibility study. *Reg Anesth Pain Med*. 2009;34:340-342.
15. Galiano K, Obwegeser AA, Walch C, et al. Ultrasound-guided versus computed tomography-controlled facet joint injections in the lumbar spine: a prospective randomized clinical trial. *Reg Anesth Pain Med*. 2007;32:317-322.
16. Gofeld M. Ultrasonography in pain medicine: a critical review. *Pain Pract*. 2008;8:226-240.
17. Neal JM, Brull R, Chan VWS, et al. The ASRA evidence-based medicine assessment of ultrasound-guided regional anesthesia and pain medicine. *Reg Anesth Pain Med*. 2010;35:S1-S9.
18. Rathmell JP. *Atlas of Image-Guided Intervention in Regional Anesthesia and Pain Medicine*. Philadelphia, PA: Lippincott Williams & Wilkins; 2006.
19. Parke WW. Applied anatomy of the spine. In: Rothman RH, Simeone FA, eds. *The Spine*. Vol 1. 3rd ed. Philadelphia, PA: WB Saunders; 1992:35-87.
20. Williams KD, Park AL. The spine. In: Canale ST, ed. *Campbell's Operative Orthopaedics*. 10th ed. St. Louis, MO: Mosby; 2003:1955-2028.
21. Cousins MJ, Bromage PR. Epidural neural blockade. In: Cousins MJ, Bridenbaugh PO, eds. *Neural Blockade*. 2nd ed. Philadelphia, PA: JB Lippincott; 1988:253-360.
22. Houten JK, Errico TJ. Paraplegia after lumbosacral nerve root block: report of three cases. *Spine J*. 2002;2:70-75.
23. Baron R. Peripheral neuropathic pain: from mechanisms to symptoms. *Clin J Pain*. 2000;16(2 Suppl):S12-S20.
24. Takata K, Inoue S, Takahashi K, Ohtsuka Y. Swelling of the cauda equina in patients who have herniation of a lumbar disc: a possible pathogenesis of sciatica. *J Bone Joint Surg Am*. 1988;70:361-368.
25. Murphy RW. Nerve roots and spinal nerves in degenerated disc disease. *Clin Orthop*. 1977;129:46-60.
26. Berg A. Clinical and myelographic studies of conservatively treated cases of lumbar intervertebral disc protrusion. *Acta Chir Scand*. 1953;104:124-129.
27. Lindahl O, Rexed B. Histologic changes in spinal nerve roots of operated cases of sciatica. *Acta Orthop Scand*. 1950;20:215-225.
28. Marshall LL, Trethwie ER. Chemical irritation of nerve root in disc prolapse. *Lancet*. 1973;2:230.
29. Saal JS, Franson R, Dobrow R, et al. High levels of inflammatory phospholipase A2 activity in lumbar disc herniation. *Spine*. 1990;15:674-678.

30. Lin CR, Amaya F, Barrett L, et al. Prostaglandin E2 receptor EP4 contributes to inflammatory pain hypersensitivity. *J Pharmacol Exp Ther.* 2006;319:1096-1103.
31. Chen C, Cavanaugh JM, Ozaktay AC, et al. Effects of phospholipase A2 on lumbar nerve root structure and function. *Spine.* 1997;22:1057-1064.
32. Hayashi N, Weinstein JN, Meller ST, et al. The effect of epidural injection of betamethasone or bupivacaine in a rat model of lumbar radiculopathy. *Spine.* 1998;23:877-885.
33. Fowler RJ, Blackwell GJ. Anti-inflammatory steroids induce biosynthesis of a phospholipase A2 inhibitor which prevents prostaglandin generation. *Nature.* 1979;278:456-459.
34. Granstrom E. The arachidonic acid cascade. The prostaglandins, thromboxanes and leukotrienes [review]. *Inflammation.* 1984;(8 Suppl):S15-S25.
35. Devor M, Govrin-Lippmann R, Rabr P. Corticosteroids suppress ectopic neural discharge originating in experimental neuromas. *Pain.* 1985;22:127.
36. Johansson A, Hao J, Sjölund B. Local corticosteroid application blocks transmission in normal nociceptive C fibers. *Acta Anaesthesiol Scand.* 1990;34:335.
37. Goebert HW Jr, Jallo SJ, Gardner WJ, et al. Sciatica: treatment with epidural injections of procaine and hydrocortisone. *Cleve Clin Q.* 1960;27:191-197.
38. White, AH, Derby R, Wynne G. Epidural injections for the diagnosis and treatment of low back pain. *Spine.* 1980;5:78-86.
39. Buchner M, Zeifang F, Brocai DRC, et al. Epidural corticosteroid injection in the conservative management of sciatica. *Clin Orthop.* 2000;375:149-156.
40. Dilke TFW, Furry HC, Grahame R. Extradural corticosteroid injection in management of lumbar nerve root compression. *BMJ.* 1973;2:635-637.
41. Harley C. Extradural corticosteroid infiltration. A follow up study of 50 cases. *Ann Phys Med.* 1967;9:22-28.
42. Warr AC, Wilkinson JA, Burn JMB, et al. Chronic lumbosacral syndrome treated by epidural injection and manipulation. *Practitioner.* 1972;209:53-59.
43. Heyse-Moore G. A rational approach to the use of epidural medication in the treatment of sciatic pain. *Acta Orthop Scand.* 1978;49:366-370.
44. Brown FW. Management of discogenic pain using epidural and intrathecal steroids. *Clin Orthop.* 1977;129:72-78.
45. Green PWB, Burke AJ, Weiss CA, et al. The role of epidural cortisone injection in treatment of discogenic low back pain. *Clin Orthop.* 1980;153:121-125.
46. Swerdlow M, Sayle-Creer W. A study of extradural medication in the relief of lumbosacral syndrome. *Anaesthesia.* 1970;25:341-345.
47. Benzon HT. Epidural steroid injections for low back pain and lumbosacral radiculopathy. *Pain.* 1986;24:277-295.
48. Armon C, Argoff CE, Samuels J, Baekonja MM. Assessment: use of epidural steroid injections to treat radicular lumbosacral pain: report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. *Neurology.* 2007;68:723-729.
49. American Society of Anesthesiologists Task Force on Chronic Pain Management. Practice guidelines for chronic pain management: an updated report by the American Society of Anesthesiologists Task Force on Chronic Pain Management and the American Society of Regional Anesthesia and Pain Medicine. *Anesthesiology.* 2010;112:810-833.
50. Parisien V. Conservative treatment of low back pain with epidural steroids. *JAMA.* 1980;71:83-92.
51. Winnie AP, Hartman JT, Meyers HL, et al. Pain clinic II: intradural and extradural corticosteroids for sciatica. *Anesth Analg.* 1972;51:990-1003.
52. Lee JH, An JH, Lee SH. Comparison of the effectiveness of interlaminar and bilateral transforaminal epidural steroid injections in treatment of patients with lumbosacral disc herniation and spinal stenosis. *Clin J Pain.* 2009;25:206-210.
53. Fanciullo GJ, Hanscom B, Seville J, et al. An observational study of the frequency and pattern of use of epidural steroid injection in 25,479 patients with spinal and radicular pain. *Reg Anesth Pain Med.* 2001;26:5-11.
54. Arnhoff FN, Triplett HB, Pokorney B. Follow up status of patients treated with nerve blocks for low back pain. *Anesthesiology.* 1977;46:170-178.
55. Yates DW. A comparison of the types of epidural injection commonly used in the treatment of low back pain and sciatica. *Rheumatol Rehab.* 1978;17:181-186.
56. *Physicians' Desk Reference.* 57th ed. Montvale, NJ: Medical Economics; 2003:2733-2735.
57. *Physicians' Desk Reference.* 57th ed. Montvale, NJ: Medical Economics; 2003:1367-1368.
58. Brouwers PJ, Kottink EJ, Simon MA, et al. A cervical anterior spinal artery syndrome after diagnostic blockade of the right C6 nerve root. *Pain.* 2001;91:397-399.
59. Rozin L, Rozin R, Koehler SA, et al. Death during transforaminal epidural steroid nerve root block (C7) due to perforation of the left vertebral artery. *Am J Forensic Pathol.* 2003;24:351-355.
60. Rathmell JP, Aprill C, Bogduk N. Cervical transforaminal injection of steroids. *Anesthesiology.* 2004;100:1595-1600.
61. Okubadejo GO, Talcott MR, Schmidt RE, et al. Perils of intravascular methylprednisolone injection into the vertebral artery: an animal study. *J Bone Joint Surg Am.* 2008;90:1932-1938.
62. Derby R, Lee SH, Date ES, et al. Size and aggregation of corticosteroids used for epidural injections. *Pain Med.* 2008;9(2):227-234.
63. Lee JW, Park KW, Chung SK, et al. Cervical transforaminal epidural steroid injection for the management of cervical radiculopathy: a comparative study of particulate versus nonparticulate steroids. *Skeletal Radiol.* 2009;38:1077-1082.
64. Dreyfuss P, Baker R, Bogduk N. Comparative effectiveness of cervical transforaminal injections with particulate and nonparticulate corticosteroid preparations for cervical radicular pain. *Pain Med.* 2006;7:237-242.
65. Kepes ER, Duncalf D. Treatment of backache with spinal injections of local anesthetics, spinal and systemic steroids. A review. *Pain.* 1985;22:33-47.
66. Delaney TJ, Rowlingson JC, Carron H, et al. Epidural steroid effects on nerves and meninges. *Anesth Analg.* 1980;59:610-614.
67. Benzon HT, Gissen AJ, Strichartz GR, et al. The effect of polyethylene glycol on mammalian nerve impulses. *Anesth Analg.* 1987;66:553-559.
68. Wood KM, Arguelles J, Noremborg MD. Degenerative lesions in rat sciatic nerves after local injections of methylprednisolone in aqueous solution. *Reg Anesth.* 1980;5:13-15.
69. Kelman H. Epidural injection therapy for sciatic pain. *Am J Surg.* 1944;64:183-190.

70. Cohn ML, Huntington CT, Byrd SE, et al. Epidural morphine and methylprednisolone. New therapy for recurrent low back pain. *Spine*. 1986;11:960-963.
71. Dallas TI, Lin RL, Wu WH, et al. Epidural morphine and methylprednisolone for low-back pain. *Anesthesiology*. 1987;67:408-411.
72. Benzon HT, Braunschweig R, Molloy RE. Delayed onset of epidural anesthesia in patients with back pain. *Anesth Analg*. 1981;60:874-877.
73. Jacobs S, Pullan PT, Potter JM, et al. Adrenal suppression following extradural steroids. *Anaesthesia*. 1983;38:953-956.
74. McMahon M, Gerich J, Rizza R. Effects of glucocorticoids on carbohydrate metabolism. *Diabetes Metab Rev*. 1988;4:17-30.
75. Kay J. Epidural triamcinolone suppresses the pituitary-adrenal axis in human subjects. *Anesth Analg*. 1994;79:501-505.
76. Ward A, Watson P, Wood C, et al. Glucocorticoid epidural for sciatica: metabolic and endocrine sequelae. *Rheumatology*. 2002;41:68-71.
77. Sharrock NE, Urquhart B, Mineo R. Extradural anaesthesia in patients with previous lumbar spine surgery. *Br J Anaesth*. 1990;65:237-239.
78. Reynolds F. Dural puncture and headache. *BMJ*. 1993;306:874-876.
79. Abouleish E, Vega S, Blendinger I, et al. Long-term follow-up of epidural blood patch. *Anesth Analg*. 1975;54:459-463.
80. Neal JM. Neuraxis mechanical injury. In: Neal JM, Rathmell JP, eds. *Complications in Regional Anesthesia and Pain Medicine*. Philadelphia, PA: Saunders Elsevier; 2007:89-97.
81. Hodges SD, Castleberg RL, Miller T, et al. Cervical epidural steroid injection with intrinsic spinal cord damage: two case reports. *Spine*. 1998;23:2137-2142.
82. Bromage PR, Benumof JL. Paraplegia following intracord injection during attempted epidural anesthesia under general anesthesia. *Reg Anesth Pain Med*. 1998;23:104-107.
83. Abram SE, O'Connor TC. Complications associated with epidural steroid injection. *Reg Anesth*. 1996;21:149-162.
84. Field J, Rathmell JP, Stephenson JH, et al. Neuropathic pain following cervical epidural steroid injection. *Anesthesiology*. 2000;93:885-888.
85. Horlocker TT, Wedel DJ, Rowlingson JC, et al. Regional anesthesia in the patient receiving antithrombotic or thrombolytic therapy: American Society of Regional Anesthesia and Pain Medicine Evidence-Based Guidelines (Third Edition). *Reg Anesth Pain Med*. 2010;35(1):64-101.
86. Rathmell JP, Benzon HT. Transforaminal injections of steroids: should we continue? *Reg Anesth Pain Med*. 2004;29:397-399.
87. Ackerman WE 3rd, Ahmad M. The efficacy of lumbar epidural steroid injections in patients with lumbar disc herniations. *Anesth Analg*. 2007;104:1217-1222.
88. Candido KD, Raghavendra MS, Chinthagada M, et al. A prospective evaluation of iodinated contrast flow patterns with fluoroscopically guided lumbar epidural steroid injections: the lateral parasagittal interlaminar epidural approach versus the transforaminal epidural approach. *Anesth Analg*. 2008;106:638-644.
89. Kozody R, Ready LB, Barsa JE, et al. Dose requirement of local anaesthetic to produce grand mal seizure during stellate ganglion block. *Can Anaesth Soc J*. 1982;29:489-491.
90. Finn KP, Case JL. Disc entry: a complication of transforaminal epidural injection—a case report. *Arch Phys Med Rehabil*. 2005;86:1489-1491.
91. Breivik H, Cousins MJ, Lofstrom JB. Sympathetic neural blockade of upper and lower extremity. In: Cousins MJ, Bridenbaugh PO, eds. *Neural Blockade in Clinical Anesthesia and Management of Pain*. 3rd ed. Philadelphia, PA: Lippincott-Raven; 1998:411-447.
92. Boas RA. Sympathetic nerve blocks: in search of a role. *Reg Anesth Pain Med*. 1998;23:292-305.
93. Cepeda MS, Lau J, Carr DB. Defining the therapeutic role of local anesthetic sympathetic blockade in complex regional pain syndrome: a narrative and systematic review. *Clin J Pain*. 2002;18:216-233.
94. Charlton JE. Management of sympathetic pain. *Br Med Bull*. 1991;47:601-618.
95. Mercadante S, Nicosia F. Celiac plexus block: a reappraisal. *Reg Anesth Pain Med*. 1998;23:37-48.
96. Wong GY, Schroeder DR, Carns PE, et al. Effect of neurolytic celiac plexus block on pain relief, quality of life, and survival in patients with unresectable pancreatic cancer. A randomized controlled trial. *JAMA*. 2004;291:1092-1099.
97. Lillemo KD, Cameron JL, Kaufman HS, et al. Chemical splanchnicectomy in patients with unresectable pancreatic cancer: a prospective randomized trial. *Ann Surg*. 1993;217:447-457.
98. Gamal G, Helaly M, Labib YM. Superior hypogastric block: transdiscal versus classic posterior approach in pelvic cancer pain. *Clin J Pain*. 2006;22:544-547.
99. Buckley FP. Regional anesthesia with local anesthetics. In: Loeser JD, ed. *Bonica's Management of Pain*. 3rd ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2001:1893-1952.
100. Svorkdal N. Treatment of inoperable coronary disease and refractory angina: spinal stimulators, epidurals, gene therapy, transmyocardial laser, and counterpulsation. *Semin Cardiothorac Vasc Anesth*. 2004;8:43-58.
101. Eriksen S. Duration of sympathetic blockade. Stellate ganglion versus intravenous regional guanethidine block. *Anaesthesia*. 1981;36:768-767.
102. Bouwman DL, Morrison S, Lucas CE, Ledgerwood AM. Early sympathetic blockade for frostbite: is it of value? *J Trauma*. 1980;20:744-749.
103. Taras JS, Behrman MJ. Continuous peripheral nerve block in replantation and revascularization. *J Reconstr Microsurg*. 1998;14:17-21.
104. Sankstone A, Cornbleet T. Facial hyperhidrosis interruption with stellate ganglion block. *JAMA*. 1962;179:571.
105. Eisenberg E, Carr DB, Chalmers TC. Neurolytic celiac plexus block for treatment of cancer pain: a meta-analysis. *Anesth Analg*. 1995;80:290-295.
106. Perello A, Ashford NS, Ashford NS, Dolin SJ. Coeliac plexus block using computed tomography guidance. *Palliat Med*. 1999;13:419-425.
107. Moore DC, Bush WH, Burnett LL. Celiac plexus block: a roentgenographic, anatomic study of technique and spread of solution in patients and corpses. *Anesth Analg*. 1981;60:369-379.
108. Mathon G, d'Alincourt A, Frampas E, Lerat F. Ultrasound guided alcohol ablation of the celiac plexus in oncology patients with abdominal pain. *J Radiol*. 2001;82:41-44.
109. Moore DC. Despite waffling and minimaxing, computed tomography is optimal when performing a neurolytic celiac plexus block. *Reg Anesth Pain Med*. 2001;26:285-286.

110. de Leon-Casasola OA. Critical evaluation of chemical neurolysis of the sympathetic axis for cancer pain. *Cancer Control*. 2000;7:142-148.
111. Rathmell JP, Gallant JM, Brown DL. Computed tomography and the anatomy of celiac plexus block. *Reg Anesth Pain Med*. 2000;25:411-416.
112. Urschel HC Jr. Dorsal sympathectomy and management of thoracic outlet syndrome with VATS. *Ann Thorac Surg*. 1993;56:717-720.
113. Winnie AP, Hartwell PW. Relationship between time of treatment of acute herpes zoster with sympathetic blockade and prevention of post-herpetic neuralgia: clinical support for a new theory of the mechanism by which sympathetic blockade provide therapeutic benefit. *Reg Anesth*. 1993;18:277-282.
114. Halbert J, Crotty M, Cameron ID. Evidence for the optimal management of acute and chronic phantom pain: a systematic review. *Clin J Pain*. 2002;18:84-92.
115. Rocco AG, Palombi D, Raeke D. Anatomy of the lumbar sympathetic chain. *Reg Anesth*. 1995;20:13-19.
116. Garcea G, Thomasset S, Berry DP, Tordoff S. Percutaneous splanchnic nerve radiofrequency ablation for chronic abdominal pain. *Aust N Z J Surg*. 2005;75:640-644.
117. Bandyk DF, Johnson BL, Kirkpatrick AF, Novotney ML, Back MR, Schmacht DC. Surgical sympathectomy for reflex sympathetic dystrophy syndromes. *J Vasc Surg*. 2002;35:269-277.
118. Carette S, Marcoux S, Truchon R, et al. A controlled trial of corticosteroid injections into facet joints for chronic low back pain. *N Engl J Med*. 1991;325:1002-1007.
119. Lilius G, Harilainen A, Laasonen EM, et al. Chronic unilateral low back pain: predictors of outcome of facet joint injection. *Spine*. 1990;15:780-782.
120. Thomsen K, Christensen FB, Eiskjaer SP, Hansen ES, Fruensgaard S, Bünger CE. 1997 Volvo award winner in clinical studies. The effect of pedicle screw instrumentation on functional outcome and fusion rates on posterolateral spinal fusion: a prospective, randomized clinical study. *Spine*. 1997;22:2813-2822.
121. Nelemans PJ, deBie RA, deVet HC, Sturmans F. Injection therapy for subacute and chronic benign low back pain. *Spine*. 2001;26:501-515.
122. Lehman RA, Helgeson MD, Keeler KA, et al. Comparison of magnetic resonance imaging and computed tomography in predicting facet arthrosis in the cervical spine. *Spine*. 2008;34:65-68.
123. Dolan AL, Ryan PJ, Arden NK, et al. The value of SPECT scan in identifying back pain likely to benefit from facet joint injections. *Br J Rheumatol*. 1996;35:1269-1273.
124. Holder LE, Machin JL, Asdourian PL, et al. Planar and high-resolution SPECT bone imaging in the diagnosis of facet syndrome. *J Nucl Med*. 1995;36:37-44.
125. Dutton JA, Hughes SP, Peters AM. SPECT in the management of patients with back pain and spondylolysis. *Clin Nucl Med*. 2000;25:93-96.
126. Pneumaticos SG, Chatziioannou SN, Hipp JA, et al. Low back pain: prediction of short-term outcome of facet joint injection with bone scintigraphy. *Radiology*. 2006;238:693-698.
127. Dreyfuss P, Tibiletti C, Dreyer S. Thoracic zygapophyseal joint pain patterns. *Spine*. 1994;19:807-811.
128. McCall IW, Park WM, O'Brien JP. Induced pain referral from posterior lumbar elements in normal subjects. *Spine*. 1979;4:441-446.
129. Bogduk N, Marsland A. The cervical zygapophyseal joints as a source of neck pain. *Spine*. 1988;13:610-617.
130. Resnick DK, Choudhri TF, Dailey AT, et al. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 13: injection therapies, low-back pain, and lumbar fusion. *J Neurosurg Spine*. 2005;2:707-715.
131. Marks RC, Houston T, Thulbourne T. Facet joint injection and facet nerve block: a randomised comparison in 86 patients with chronic low back pain. *Pain*. 1992;49:325-328.
132. Gallagher J, Petriccione di Vadi PL, Wedley JR, et al. Radiofrequency facet joint denervation in the treatment of low back pain: a prospective controlled double-blind study to assess its efficacy. *Pain Clin*. 1994;7:193-198.
133. Van Kleef M, Barendse GAM, Kessels A, et al. Randomized trial of radiofrequency lumbar facet denervation for chronic low back pain. *Spine*. 1999;24:1937-1942.
134. Cohen SP, William KA, Kurihara C, et al. Multicenter randomized comparative cost-effectiveness study comparing 0, 1 and 2 diagnostic medial branch (facet joint nerve) block treatment paradigms before lumbar facet frequency denervation. *Anesthesiology*. 2010;113:395-405.
135. Orpen NM, Birch NC. Delayed presentation of septic arthritis of a lumbar facet joint after diagnostic facet joint injection. *J Spinal Disord Tech*. 2003;16:285-287.
136. Alberts W, Wright E, Feinstein B, et al. Experimental radiofrequency brain lesion size as a function of physical parameters. *J Neurosurg*. 1966;25:421-423.
137. Vinas FC, Zamorano L, Dujovny M, et al. In vivo and in vitro study of lesions produced with a computerized radiofrequency system. *Stereotact Funct Neurosurg*. 1992;58:121-133.
138. Dieckman G, Gabriel E, Hassler R. Size, form and structural peculiarities of experimental brain lesions obtained by thermo-controlled radiofrequency. *Confin Neurol*. 1965;26:134-142.
139. Sluijter ME, Cosmas ER, Ritman WB III. Characteristics and mode of action of pulsed radiofrequency fields applied to the dorsal root ganglion: a preliminary report. *Pain Clin*. 1998;11:109-117.
140. Van Zundert J, de Louw AJA, Joosten EA, et al. Pulsed and continuous radiofrequency current adjacent to the cervical dorsal root ganglion of the rat induces late cellular activity in the dorsal horn. *Anesthesiology*. 2005;102:125-131.
141. Richebe P, Rathmell JP, Brennan TJ. Immediate early genes after pulsed radiofrequency treatment: neurobiology in need of clinical trials. *Anesthesiology*. 2005;102:1-3.
142. Tehranzadeh J. Discography 2000. *Radiol Clin North Am*. 1998;36:463-495.
143. Whitecloud TS 3rd, Seago RA. Cervical discogenic syndrome. Results of operative intervention in patients with positive discography. *Spine*. 1987;12:313-316.
144. Colhoun E, McCall IW, Williams L, et al. Provocation discography as a guide to planning operations on the spine. *J Bone Joint Surg*. 1988;70:267-271.
145. Wetzel FT, LaRocca SH, Lowery GL, Aprill CN. The treatment of lumbar spinal pain syndromes diagnosed by discography. Lumbar arthrodesis. *Spine*. 1994;19:792-800.
146. Derby R, Howard MW, Grant JM, et al. The ability of pressure-controlled discography to predict surgical and non-surgical outcomes. *Spine*. 1999;24:364-372.
147. Cohen SP, Larkin TM, Barna SA, et al. Lumbar discography: a comprehensive review of outcome studies, diagnostic accuracy and principles. *Reg Anesth Pain Med*. 2005;30:163-183.

148. Jensen MC, Brant Zawadzki MN, et al. Magnetic resonance imaging of the lumbar spine in people without back pain. *N Engl J Med.* 1994;331:69-73.
149. Tarver JM, Rathmell JP, Alsofrom GF. Lumbar discography. *Reg Anesth Pain Med.* 2001;26:263-266.
150. Cohen SP, Larkin TM, Barna SA, et al. Lumbar discography: a comprehensive review of outcome studies, diagnostic accuracy, and principles. *Reg Anesth Pain Med.* 2005;30:163-183.
151. Anderson MW. Lumbar discography: an update. *Semin Roentgenol.* 2004;39:52-67.
152. Caragee EJ, Don AS, Hurwitz EL, et al. 2009 ISSLS prize winner: Does discography cause accelerated progression of degeneration changes in the lumbar disc: a ten-year matched cohort study. *Spine (Phila PA 1976).* 2009;34:2338-2345.
153. Saal JS, Saal JA. Management of chronic discogenic low back pain with a thermal intradiscal catheter: a preliminary report. *Spine.* 2000;25:382-388.
154. Letcher F, Foldring S. The effect of radiofrequency current and heat on peripheral nerve action potential in the cat. *J Neurosurg.* 1968;29:42-47.
155. Shah RV, Lutz GE, Lee J, Doty SB, Rodeo S. Intradiscal electrothermal therapy: a preliminary histological study. *Arch Phys Med Rehabil.* 2001;82:1230-1237.
156. Saal JA, Saal JS. Intradiscal electrothermal therapy for the treatment of chronic discogenic low back pain. *Oper Tech Orthop.* 2000;10:271-281.
157. Freeman BJC, Fraser RDF, Cain CM, Hall DJ, Chapple DC. A randomized, double blind controlled trial: intradiscal electrothermal therapy (IDET) versus placebo for the treatment of chronic discogenic low back pain. *Spine.* 2005;30:2369-2377.
158. Pauza KJ, Howell S, Dreyfuss P, Pelozo JH, Dawson K, Bogduk N. A randomized, placebo controlled trial of intradiscal electrothermal therapy for the treatment of discogenic low back pain. *Spine J.* 2004;4:27-35.
159. Helm S, Hayek SM, Benyamin RM, et al. Systematic review of the effectiveness of thermal annular procedures in treating discogenic low back pain. *Pain Physician.* 2009;12:207-232.
160. Hsui A, Isaac K, Katz J. Cauda equine syndrome from intradiscal electrothermal therapy. *Neurology.* 2000;55:320.
161. Wetzel FT. Cauda equine syndrome from intradiscal electrothermal therapy. *Neurology.* 2001;56:1607.
162. Orr RD, Thomas SA. Intradural migration of broken IDET catheter causing a radiculopathy. *J Spinal Disord Tech.* 2005;18:185-187.
163. Stalder KR, Woloszko J. Some physics and chemistry of electrosurgical plasma discharges. *Contrib Plasma Phys.* 2007;47:64-71.
164. Stalder KR, McMillen DF, Woloszko J. Electrosurgical plasmas. *J Phys D Appl Phys.* 2005;38:1728-1738.
165. Sharp LS, Isaac Z. Percutaneous disc decompression using nucleoplasty. *Pain Physician.* 2002;5:121-126.
166. Mirzai H, Tekin I, Yaman O, et al. The results of nucleoplasty in patients with lumbar herniated disc: a prospective clinical study of 52 consecutive patients. *Spine J.* 2007;7:88-93.
167. Gerszten PC, Smuck M, Rathmell, JP, et al. Plasma disc decompression compared with fluoroscopy-guided transforaminal epidural steroid injection for symptomatic contained lumbar disc herniation: a prospective, randomized, controlled trial. *J Neurosurg Spine.* 2010;12:357-371.
168. Manchikanti L, Singh V, Kloth D. *Interventional Pain Management Practice Policies*, American Society of Interventional Pain Physicians. 2009.
169. Singh V, Derby R. Percutaneous lumbar disc decompression. *Pain Physician.* 2006;9:139-146.
170. Kapural L. Indications for minimally invasive disc and vertebral procedures. *Pain Med.* 2008;9:S65-S72.
171. Pino CA, Ivie CS, Rathmell JP. Lumbar discography: diagnostic role in discogenic pain. *Techniques Reg Anesth Pain Manage.* 2009;13:85-92.
172. Nucleoplasty PERC DC SpineWand Technique Guide. ArthroCare Corporation, Austin, TX, 2007.
173. Smuck M, Benny B, Han A, Levin J. Epidural fibrosis following percutaneous disc decompression with coblation technology. *Pain Physician.* 2007;10:691-696.
174. Li J, Deng-lu Y, Zhang Z. Percutaneous cervical nucleoplasty in the treatment of cervical disc herniation. *Eur Spine J.* 2008;17:1664-1669.
175. North RB, Cutchis PN, Epstein JA, Long DM. Spinal cord compression complicating subarachnoid infusion of morphine: case report and laboratory experience. *Neurosurgery.* 1991;29:778-784.
176. Bejjani GK, Karim NO, Karim NO, Tzortzidis F. Intrathecal granuloma after implantation of a morphine pump: a case report and review of the literature. *Surg Neurol.* 1997;48:288-291.
177. Yaksh TI, Hassenbusch S, Burchiel K, Hildebrand KR, Page LM, Coffey RJ. Inflammatory masses associated with intrathecal drug infusion: a review of preclinical evidence and human data. *Pain Med.* 2002;3:300-312.
178. Peng P, Massicotte EM. Spinal cord compression from intrathecal catheter-tip inflammatory mass: case report and a review of etiology. *Reg Anesth Pain Med.* 2004;29:237-29242.
179. Miele VJ, Price KO, Bloomfield S, Hogg J, Bailes JE. A review of intrathecal morphine therapy related granulomas. *Eur J Pain.* 2006;10:251-261.
180. Bennett G, Burchiel K, Buchser E, et al. Clinical guidelines for intraspinal infusion: report of an expert panel. *J Pain Symp Manage.* 2000;20:S37-S43.
181. Deer TR, Smith HS, Cousins M, et al. Consensus guidelines for the selection and implantation of patients with non-cancer pain for intrathecal drug delivery. *Pain Physician.* 2010;13:E175-E213.
182. Smith TJ, Coyne PJ. Implantable drug delivery systems (IDDS) after failure of comprehensive medical management can palliate symptoms in the most refractory cancer pain patients. *J Palliat Med.* 2005;8:736-742.
183. Thimineur MA, Kravitz, E, Vodapally MS. Intrathecal opioid treatment for chronic non-malignant pain: a 3-year prospective study. *Pain.* 2004;109:242-249.
184. Maron J, Loeser JD. Spinal opioid infusion in the treatment of chronic pain of nonmalignant origin. *Clin J Pain.* 1996;12:174-179.
185. Follett KA, Boortz-Marx RL, et al. Prevention and management of intrathecal drug delivery and spinal cord stimulation system infections. *Anesthesiology.* 2004;100:1582-1594.
186. Drasner K. Thoracic epidural anesthesia: asleep at the wheel? *Anesth Analg.* 2004;99:578-579.
187. Smitt PS, Tsafka A, Teng-van de Zande F, et al. Outcome and complications of epidural analgesia in patients with chronic cancer pain. *Cancer.* 1998;83:2015-2022.

188. Harney D, Victor R. Traumatic syring after implantation of an intrathecal catheter. *Reg Anesth Pain Med.* 2004;29:606-609.
189. Huntoon MA, Hurdle MF, Marsh RW, Reeves RK. Intrinsic spinal cord catheter placement: implications of new intractable pain in a patient with a spinal cord injury. *Anesth Analg.* 2004;99:1763-1765.
190. Coffey RJ, Owens ML, Broste SK, et al. Mortality associated with implantation and management of intrathecal opioid drug infusion systems to treat non-cancer pain. *Anesthesiology.* 2009;111:881-891.
191. Melzack R, Wall PD. Pain mechanisms: a new theory. *Science.* 1965;150:971-978.
192. Yaksh TI, Hua XY, Kalcheva I, Nozaki-Taguchi N, Marsala M. The spinal biology in humans and animals of pain states generated by persistent small afferent input. *Proc Natl Acad Sci U S A.* 1999;96:7680-7686.
193. North RB, Kidd DH, Farrokhi F, Piantadosi SA. Spinal cord stimulation versus repeated lumbosacral spine surgery for chronic pain: a randomized controlled trial. *Neurosurgery.* 2005;56:98-106.
194. He J, Barolat G, Holsheimer J, Struijk JJ. Perception threshold and electrode position for spinal cord stimulation. *Pain.* 1994;59:55-63.
195. Meilman PW, Leibrock LG, Leong FT. Outcome of implanted spinal cord stimulation in the treatment of chronic pain: arachnoiditis versus single nerve root injury and mononeuropathy. *Clin J Pain.* 1989;5:189-193.
196. Kumar K, Nath R, Wyant GM. Treatment of chronic pain by epidural spinal cord stimulation: a 10-year experience. *J Neurosurg.* 1991;75:402-407.
197. North RB, Wetzel FT. Spinal cord stimulation for chronic pain of spinal origin. *Spine.* 2002;27:2584-2591.
198. North RB, Kidd DH, Piantadosi S. Spinal cord stimulation versus reoperation for the failed back surgery syndrome: a prospective, randomized study design. *Stereotact Funct Neurosurg.* 1994;62:267-272.
199. Kumar K, Taylor RS, Jacques L, et al. The effects of spinal cord stimulation in neuropathic pain are sustained: a 24-month follow-up of the prospective randomized controlled multicenter trial of effectiveness of spinal cord stimulation. *Neurosurgery.* 2008;63:762-770.
200. Kemler MA, Barendse GAM, van Kleef M, et al. Spinal cord stimulation in patients with chronic reflex sympathetic dystrophy. *N Engl J Med.* 2000;343:618-624.
201. North RB, Kidd DH, Wimberly RL, Edwin D. Prognostic value of psychological testing in spinal cord stimulation patients: a prospective study. *Neurosurgery.* 1996;39:301-311.
202. Rathmell JP, Carr DB. The scientific method, evidence-based medicine, and rational use of interventional pain treatments. *Reg Anesth Pain Med.* 2003;28:498-501.
203. Merrill DG. Hoffman's glasses: evidence-based medicine and the search for quality in the literature of interventional pain medicine. *Reg Anesth Pain Med.* 2003;28:547-560.