

Chapter 95

REFERENCES

1. Kadison R. Getting an edge—use of stimulants and anti-depressants in college. *N Engl J Med*. 2005;353:1089-1991.
2. Volkow ND, Li TK. Drugs and alcohol: treating and preventing abuse, addiction and their medical consequences. *Pharmacol Ther*. 2005;108:3-17.
3. Kessler RC, Berglund P, Demler O, et al. Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Arch Gen Psychiatry*. 2005;62:593-602.
4. Hughes PH, Brandenburg N, Baldwin DC Jr, et al. Prevalence of substance use among US physicians. *JAMA*. 1992;267:2333-2339.
5. Collins GB, McAllister MS, Jensen M, et al. Chemical dependency treatment outcomes of residents in anesthesiology: results of a survey. *Anesth Analg*. 2005;101:1457-1462.
6. McAuliffe PF, Gold MS, Bajpai L, et al. Second-hand exposure to aerosolized intravenous anesthetics propofol and fentanyl may cause sensitization and subsequent opiate addiction among anesthesiologists and surgeons. *Med Hypotheses*. 2006;66:874-882.
7. Merlo LJ, Goldberger BA, Kolodner D, et al. Fentanyl and propofol exposure in the operating room: sensitization hypotheses and further data. *J Addict Dis*. 2008;27:67-76.
8. Wang PS, Berglund P, Olfson M, et al. Failure and delay in initial treatment contact after first onset of mental disorders in the National Comorbidity Survey Replication. *Arch Gen Psychiatry*. 2005;62:603-613.
9. Gastfriend DR. Physician substance abuse and recovery: what does it mean for physicians—and everyone else? *JAMA*. 2005;293:1513-1515.
10. Hasin DS, Hatzenbuehler M, Smith S, et al. Co-occurring DSM-IV drug abuse in DSM-IV drug dependence: results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Drug Alcohol Depend*. 2005;80:117-123.
11. Fauman MA. *Study Guide to DSM-IV-TR*. Washington, DC: American Psychiatric Publishing; 2002.
12. Definitions related to the use of opioids for the treatment of pain. A consensus document from the American Academy of Pain Medicine, the American Pain Society, and the American Society of Addiction Medicine. Available at: <http://www.painmed.org/pdf/definition.pdf>. Accessed June 14, 2010.
13. DSM-V: The Future of Psychiatric Diagnosis. Available at: <http://www.dsm5.org>. Accessed June 14, 2010.
14. Volkow N, Li TK. The neuroscience of addiction. *Nat Neurosci*. 2005;8:1429-1430.
15. Lusher J, Elander J, Bevan D, Telfer P, Burton B. Analgesic addiction and pseudoaddiction in painful chronic illness. *Clin J Pain*. 2006;22:316-324.
16. McLellan AT, Lewis DC, O'Brien CP, et al. Drug dependence, a chronic medical illness: implications for treatment, insurance, and outcomes evaluation. *JAMA*. 2000;284:1689-1695.
17. Domino KB, Hornbein TF, Polissar NL, et al. Risk factors for relapse in health care professionals with substance use disorders. *JAMA*. 2005;293:1453-1460.
18. Wilson JE, Kiselanova N, Stevens Q, et al. A survey of inhalational anaesthetic abuse in anaesthesia training programmes. *Anaesthesia*. 2008;63:616-620.
19. Cantrell FL. A fatal case of sevoflurane abuse. *Clin Toxicol*. 2008;46:918-919.
20. Wischmeyer PE, Johnson BR, Wilson JE, et al. *Anesth Analg*. 2007;105:1066-1071.
21. Kirby RR, Colaw JM, Douglas MM. Death from propofol: accident, suicide, or murder? *Anesth Analg*. 2009;108:1182-1184.
22. Levine AI, Bryson EO. Intranasal self-administration of remifentanyl as the foray into opioid abuse by an anesthesia resident. *Anesth Analg*. 2010;110:524-525.
23. Kalivas PW, O'Brien C. Drug addiction as a pathology of staged neuroplasticity. *Neuropsychopharmacology*. 2008;33:166-180.
24. Koob GF, Volkow ND. Neurocircuitry of addiction. *Neuropsychopharmacology*. 2010;35:217-238.
25. Volkow ND, Fowler JS, Wang GJ, et al. Dopamine in drug abuse and addiction: results from imaging studies and treatment implications. *Mol Psychiatry*. 2004;9:557-569.
26. Hyman SE. Addiction: a disease of learning and memory. *Am J Psychiatry*. 2005;162:1414-1422.
27. Volkow ND, Wang GJ, Begleiter H, et al. High levels of dopamine D2 receptors in unaffected members of alcoholic families: possible protective factors. *Arch Gen Psychiatry*. 2006;63:999-1008.
28. Thanos PK, Taintor NB, Rivera SN, et al. DRD2 gene transfer into the nucleus accumbens core of the alcohol preferring and nonpreferring rats attenuates alcohol drinking. *Alcohol Clin Exp Res*. 2004;28:720-728.
29. Brebner K, Wong TP, Liu L, et al. Nucleus accumbens long-term depression and the expression of behavioral sensitization. *Science*. 2005;310:1340-1343.

30. Lu L, Hope BT, Shaham Y. The cystine-glutamate transporter in the accumbens: a novel role in cocaine relapse. *Trends Neurosci.* 2004;27:74-76.
31. Kalivas PW, Volkow ND. The neural basis of addiction: a pathology of motivation and choice. *Am J Psychiatry.* 2005;162:1403-1413.
32. O'Brien CP. Evidence-based treatments of addiction. *Phil Trans R Soc B.* 2008;363:3277-3286.
33. Kranzler HR. Evidence-based treatments for alcohol dependence: new results and new questions. *JAMA.* 2006;295:2075-2076.
34. Levine MR, Rennie WP. Pre-employment urine drug testing of hospital employees: future questions and review of current literature. *Occup Environ Med.* 2004;61:318-324.
35. Brock MF, Roy RC. Random urine drug testing. *Anesth Analg.* 2009;108:676.
36. Gordon RJ, Lowy FD. Bacterial infections in drug users. *N Engl J Med.* 2005;353:1945-1954.
37. Andresz V, Marcantoni N, Binder F, et al. Puffy hand syndrome due to drug addiction: a case-control study of the pathogenesis. *Addiction.* 2006;101:1347-1351.
38. Centers for Disease Control and Prevention (CDC). Atypical reactions associated with heroin use—five states, January-April 2005. *MMWR Morb Mortal Wkly Rep.* 2005;54:793-796.
39. Weber JE, Shofer FS, Larkin GL, et al. Validation of a brief observation period for patients with cocaine-associated chest pain. *N Engl J Med.* 2003;348:510-517.
40. Kloner RA, Rezkalla SH. Cocaine and the heart. *N Engl J Med.* 2003;348:487-488.
41. Justo D, Gal-Oz A, Paran Y, et al. Methadone-associated torsades de pointes (polymorphic ventricular tachycardia) in opioid-dependent patients. *Addiction.* 2006;101:1333-1338.
42. Kosten TR, O'Connor PG. Management of drug and alcohol withdrawal. *N Engl J Med.* 2003;348:1786-1795.
43. Vigoda MM, Gencorelli FJ, Lubarsky DA. Discrepancies in medication entries between anesthetic and pharmacy records using electronic databases. *Anesth Analg.* 2007;105:1061-1065.
44. Epstein RH, Gratch DM, Grunwald Z. Development of a scheduled drug diversion surveillance system based on an analysis of atypical drug transactions. *Anesth Analg.* 2007;105:1053-1060.
45. Dexter F. Detecting diversion of anesthetic drugs by providers. *Anesth Analg.* 2007;105:897-898.
46. Tetzlaff J, Collins GB, Brown DL, et al. A strategy to prevent substance abuse in an academic anesthesiology department. *J Clin Anesth.* 2010;22:143-150.
47. Chisholm AB, Harrison MJ. Opioid abuse amongst anaesthetists: a system to detect personal usage. *Anaesth Int Care.* 2009;37:267-271.
48. Fitzsimmons MG, Baker KH, Lowenstein E, et al. Random drug testing to reduce the incidence of addiction in anesthesia residents: preliminary results from one program. *Anesth Analg.* 2008;107:630-635.
49. Fitzsimmons MG, Baker KH, Lowenstein E, Zapol WM. Letter in response. *Anesth Analg.* 2009;108:676-677.
50. Kintz P, Villain M, Dumestre V, et al. Evidence of addiction by anesthesiologists as documented by hair analysis. *Forensic Sci Int.* 2005;153:81-84.
51. Bryson EO, Silverstein JH. Addiction and substance abuse in anesthesiology. *Anesthesiology.* 2008;109:905-917.
52. Pil K, Verstraete A. Current developments in drug testing in oral fluid. *Ther Drug Monit.* 2008;30:196-202.
53. American Society of Anesthesiologists. Model Department Policy for Drug and Alcohol Testing as Part of a Comprehensive Intervention for Suspected Substance Abuse in Anesthesia Professionals. Available at: http://www.asahq.org/clinical/DrugPolFinal6_29_05.pdf. Accessed June 14, 2010.
54. Security of Medications in the Operating Room. American Society of Anesthesiologists Position Statement. Approved by the ASA Executive Committee—October 2003. Available at: <http://www.asahq.org/clinical/LockedCartPolicyFinalOct2003.pdf>. Accessed June 14, 2010.
55. Silverstein JH, Silva DA, Iberti TJ. Opioid addiction in anesthesiology. *Anesthesiology.* 1993;79:354-375.
56. Krantz MJ, Mehler PS. Treating opioid dependence. Growing implications for primary care. *Arch Intern Med.* 2004;164:277-288.
57. Collins ED, Kleber HD, Whittington RA, et al. Anesthesia-assisted vs buprenorphine- or clonidine-assisted heroin detoxification and naltrexone induction: a randomized trial. *JAMA.* 2005;294:903-913.
58. O'Connor PG. Methods of detoxification and their role in treating patients with opioid dependence. *JAMA.* 2005;294:961-963.
59. Hamilton RJ, Olmedo RE, Shah S, et al. Complications of ultrarapid opioid detoxification with subcutaneous naltrexone pellets. *Acad Emerg Med.* 2002;9:63-68.
60. Brewer C. The case for rapid detoxification under anesthesia (RODA): a reply to Gossop and Strang. *Br J Intensive Care.* 1997;7:137-143.
61. Favrat B, Zimmermann G, Zullino D, et al. Opioid antagonist detoxification under anaesthesia versus traditional clonidine detoxification combined with an additional week of psychosocial support: a randomised clinical trial. *Drug Alcohol Depend.* 2006;81:109-116.
62. Krabbe PF, Koning JP, Heinen N, et al. Rapid detoxification from opioid dependence under general anaesthesia versus standard methadone tapering: abstinence rates and withdrawal distress experiences. *Addict Biol.* 2003;8:351-358.
63. American Society of Addiction Medicine. Public policy statement on opioid antagonist agent detoxification under sedation or anesthesia (OADUSA). *J Addict Dis.* 2000;19:109-112.
64. Joint Commission on Accreditation of Hospitals: Comprehensive Accreditation Manual for Hospitals: The Official Handbook. Standard MS 4.80.
65. The American Board of Anesthesiology, Inc. Booklet of Information. February 2010. Available at: <http://viewer.zmags.com/publication/8418a33c/#/8418a33c/1>. Accessed June 14, 2010.
66. Menk EJ, Baumgarten K, Kingsley CP, Culling RD, Middaugh R. Success of reentry into anesthesiology training programs by residents with a history of substance abuse. *JAMA.* 1990;263:3060-3062.
67. Booth JV, Grossman D, Moore J, et al. Substance abuse among physicians: a survey of academic anesthesiology programs. *Anesth Analg.* 2002;95:1024-1030.
68. Fry RA. Chemical dependency treatment outcomes of residents. *Anesth Analg.* 2006;103:1588.
69. Collins GB, McAllister MS. Letter in response. *Anesth Analg.* 2006;103:1588-1589.
70. Bryson EO. Should anesthesia residents with a history of substance abuse be allowed to continue training in clinical anesthesia? The results of a survey of anesthesia residency program directors. *J Clin Anesth.* 2009;21:508-513.

71. Berge KH, Marvin DS, Lanier WL. The anesthesiology community's approach to opioid-and anesthetic-abusing personnel: time to change course. *Anesthesiology*. 2008;109:762-764.
72. Cohen PJ. Vigilance and the drug-dependent anesthesiologist. *Anesthesiology*. 2009;110:1422.
73. Skipper GE, Dupont RI. Anesthesiologists returning to work after substance abuse treatment. *Anesthesiology*. 2009;110:1422-1423.
74. Pelton C, Ikeda RM. The California Physicians Diversion Program's experience with recovering anesthesiologists. *J Psychoactive Drugs*. 1991;23:427-431.
75. Paris RT, Canavan DI. Physician substance abuse impairment: anesthesiologists vs other specialties. *J Addict Dis*. 1999;18:1-7.
76. McClellan AT, Skipper GS, Campbell M, et al. Five year outcomes in a cohort study of physicians treated for substance use disorders in the United States. *BMJ*. 2008;337:2038-2043.
77. Earley PH, Berry AJ. Reentry after addiction treatment: research or retrain? *Anesthesiology*. 2009;110:1423-1424.
78. Angres DH, Talbott GD, Bettrinaridi-Angres K. *Healing the Healer: The Addicted Physician*. Madison, CT: Psychological Press; 1998:75-90.
79. Katz JD. Throw out the bathwater; keep the baby. *Anesthesiology*. 2009;110:1424-1425.
80. Specht TC. One strike, you're out: one size fits none. *Anesthesiology*. 2009;110:1425-1426.
81. Torri A. The quality of care by opioid-and anesthetic-abusing personnel. *Anesthesiology*. 2009;110:1424.
82. Berge KH, Seppala MD, Lanier WL. Letter in response. *Anesthesiology*. 2009;110:1426-1428.
83. Oreskovich MR, Caldeiro RM. Anesthesiologists recovering from chemical dependency: can they safely return to the operating room? *Mayo Clin Proc*. 2009;84:576-580.
84. DuPont RL, McLellan AT, White WL, et al. Setting the standard for recovery: physicians' health programs. *J Subst Abuse Treat*. 2009;36:159-171.
85. Skipper GE, Campbell MD, DuPont, RL. Anesthesiologists with substance use disorders: a 5-year outcome study from 16 state physician health programs. *Anesth Analg*. 2009;109:891-896.
86. Fitzsimmons MG, Baker KH. Not all strikes are easy to call. *Anesth Analg*. 2009;109:693-694.
87. Silverstein JH, Bryson EO. Is a 5-year follow-up for addicted attendings who entered a physicians' health program valuable information? *Anesth Analg*. 2010;110:1244-1245.
88. Skipper GE. Letter in response. *Anesth Analg*. 2010;110:1245.
89. Bryson EO, Levine A. One approach to the return to residency for anesthesia residents recovering from opioid addiction. *J Clin Anesth*. 2008;20:397-400.
90. Tetzlaff JE, Collins GB. Reentry of anesthesiology residents after treatment of chemical dependency—is it rational? *J Clin Anesth*. 2008;20:325-327.
91. Earley Consultancy: Medical Software and Consulting. Available at: <http://www.earleyconsultancy.com/portal/>. Accessed June 14, 2010.
92. Google search for model curriculum on drug abuse and addiction for residents in anesthesiology. Available at: <http://www2.asahq.org/google/index.asp?x=0&y=0&q=model+curriculum+on+drug+abuse+and+addiction+for+residents+in+anesthesiology>. Accessed June 14, 2010.
93. Federation of State Physician Health Programs. Available at: <http://www.fsphp.org/>. Accessed June 14, 2010.
94. North Carolina Physicians Health Program. Available at: <http://www.ncphp.org/services-provided>. Accessed June 14, 2010.
95. Samet JH, Galanter M, Bridden C, et al. Association for Medical Education and Research in Substance Abuse (AMERSA). *Addiction*. 2006;101:10-15.